U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB80-106925

Estuarine Response to Nutrient Enrichment A Counterpart of Eutrophication, Volume III An Annotated Bibliography: Index

Chesapeake Research Consortium, Inc, Annapolis, MD

Prepared for

Environmental Protection Agency, Annapolis, MD

May 79

EPA 903/9-79-008b

PB80-106925

ESTUARINE RESPONSE TO NUTRIENT ENRICHMENT, A COUNTERPART OF EUTROPHICATION:

AN ANNOTATED BIBLIOGRAPHY
INDEX

K. L. WEBB
D. M. HAYWARD
J. M. BAKER
B. MURRAY

VIRGINIA INSTITUTE OF MARINE SCIENCE
AND
SCHOOL OF MARINE SCIENCE
COLLEGE OF WILLIAM AND MARY
GLOUCESTER POINT, VA 23062

Virginia Institute of Marine Science
School of Marine Science
College of William and Mary

CRC

The John Hopkins University
University of Maryland

Smithsonian Institution
Virginia Institute of Marine Science

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA

(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA 903/9-79-008b
2.
3. RECIPIENT'S ACCESSION NO. PB 80 106925

4. TITLE AND SUBTITLE
ESTUARINE RESPONSE TO NUTRIENT ENRICHMENT, A COUNTERPART OF EUTROPHICATION: An Annotated Bibliography Index Volume III

5. REPORT DATE Date of Approval May 1979

6. PERFORMING ORGANIZATION CODE

7. AUTHOR(S) K.L. Webb, D.M. Hayward, J.M. Baker, B. Murray

8. PERFORMING ORGANIZATION REPORT NO. CRC Publication No. 67

9. PERFORMING ORGANIZATION NAME AND ADDRESS
Chesapeake Research Consortium Inc.
1419 Forest Drive, Suite 207
Annapolis, Maryland 21401

10. PROGRAM ELEMENT NO. 2 BA 703

11. CONTRACT/GRANT NO. Grant No. R806189-01

12. SPONSORING AGENCY NAME AND ADDRESS
U.S. Environmental Protection Agency
Chesapeake Bay Program
2083 West Street
Annapolis, Maryland 21401

13. TYPE OF REPORT AND PERIOD COVERED Interim Report

14. SPONSORING AGENCY CODE

15. SUPPLEMENTARY NOTES

16. ABSTRACT

"An Annotated Bibliography Index" is Volume III of a three volume set. It accompanies both (a) "A Bibliography Volume I" and (2) "An Annotated Bibliography Volume II". The Index is one of the components of the "Estuarine Response to Nutrient Enrichment, a Counterpart of Eotrophication" set. This index organizes the compilation of literature related to the results of nutrient enrichment of estuaries.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
	Estuary, Nutrient Enrichment Bibliography, Information, Literature Index, Search,	

18. DISTRIBUTION STATEMENT Release Unlimited

19. SECURITY CLASS (This Report) Unclassified

20. SECURITY CLASS (This page) Unclassified

21. NO. OF PAGES 274

22. PRICE A12- A01

EPA Form 2220-1 (9-73)

ESTUARINE RESPONSE TO NUTRIENT ENRICHMENT, A COUNTERPART OF EUTROPHICATION:

AN ANNOTATED BIBLIOGRAPHY
INDEX

K. L. WEBB
D. M. HAYWARD
J. M. BAKER
B. MURRAY

VIRGINIA INSTITUTE OF MARINE SCIENCE
AND
SCHOOL OF MARINE SCIENCE
COLLEGE OF WILLIAM AND MARY
GLOUCESTER POINT, VA 23062

THIS RESEARCH WAS SUPPORTED BY
GRANT NUMBER: R 806 189 010
FROM THE
US ENVIRONMENTAL PROTECTION AGENCY
TO THE
CHESAPEAKE RESEARCH CONSORTIUM, INC.
1419 FOREST DRIVE, SUITE 207
ANNAPOLIS, MD 21403

MAY 1979

CRC PUBLICATION NUMBER: 67
SPECIAL SCIENTIFIC REPORT NUMBER: 94
VIRGINIA INSTITUTE OF MARINE SCIENCE

i.a

This index is a cross referenced listing of the descriptors relevant to each citation. Each descriptor is listed, followed by all other descriptors which occur with it in any citation. Because of the exhaustive nature of this form of indexing, descriptors were not included with the citations.

The numbers accompanying the listings refer to citation numbers.

INDEX

Aberdeen
  Bay 453
  chlorophyll 453
  C14 453
  Fladen Ground 453
  North 453
  POC 453
  primary 453
  processes 453
  productivity 453
  Sea 453
  seasons 453
abundance
  Albemarle 43
  algae 120
  alkalinity 383
  ammonia 43
  ammonium 113
  Anchoa mitchilli 32
  annelids 167
  assay 383
  Bay 32 389 499
  benthic 120 389
  Bight 113
  biomass 32 167
  carbon 499
  chlorophyll 43 113
  cycles 499
  distribution 113 383
  diversity 32 120 167 389 472
  DO 389
  Estuary 167 389
  fauna 167 389
  fish 32
  freshwater 113
  Galveston 32
  gastrotrichs 167
  Great Britian 120 167
  Hobsons 389
  hydrology 43
  indicator species 32 383 472
  indices 32
  invertebrates 383
  Lake 383
  land development 43
  Lebanon 472
  long term 120
  Malpeque 499
  microbes 167 499
  nematodes 167
  New Jersey 113
  New York 113
  nitrate 113
  nitrite 113
  nitrogen 43 499
  North Carolina 43
  nutrients 383 472
  oligochaetes 167
  oysters 499
  pH 383
  phosphate 113
  phosphorus 43 499
  phytoplankton 43 113 472
  plankton 383
  polychaetes 167
  Pontchartrain 383
  primary 43 383
  productivity 43 383 499
  reproduction 120
  Rockaway Point 113
  runoff 383
  salinity 43 113 383 389
  seasons 120
  sewage 167 472
  silica 113
  Sound 43
  suspended solids 113
  Tees 167
  temperature 43 113
  Texas 32
  Theora fragilis 389
  toxicity 32
  turbidity 43
  wastes 32 120
  Yarra 389
Acartia
  Balanus 227
  Bay 227
  bloom 227
  Estuary 227
  Eurytemora 227
  latitudinal gradients 227
  Narragansett 227
  New Jersey 227
  nutrients 227
  organic matter 227
  phytoplankton 227
  Raritan 227
  Rhode Island 227
  salinity 227

  seasons 227
  Virginia 227
  wastes 227
  York 227
  zooplankton 227
acetylene
  ammonia 444
  cannery 25
  denitrification 444
  Inlet 25
  intertidal 25
  Klebsiella pneumoniae 25
  New Zealand 25
  nitrate 444
  nitrogen fixation 25
  nutrients 25
  reduction 444
  sediments 25 444
  sewage 25
  slaughterhouse 25
  Waimea 25
  wastes 25
acid extraction
  ATP 206
  charcoal adsorption 206
  methods 206
  sediments 206
  tris extraction 206
Actinetobacter
  bacteria 431
  Bay 431
  heterotrophic 431
  nutrients 431
  phytoplankton 431
  Sagami 431
  Suruga 431
  Tokyo 431
  Vibrios 431
  zooplankton 431
activated sludge
  denitrification 514
  nitrification 514
  respiration 514
adsorption
  clay 259
  nutrients 259
  organic 259
  pH 259
  phosphate 259
  phosphorus 259
  salinity 259
  sediment water 259
  sewage 259
  temperature 259
  uptake rates 259
  Virginia 259
advection
  Bay 42
  Chesapeake 42
  Coriolis 42
  hydrology 42
  model 42
  two dimensional 42
aerobic
  algae 537
  ammonium 172
  anaerobic 58 172
  assay 58
  ATP 172
  Bight 172
  biomass 537
  bloom 537
  calorific content 172
  coliforms 122 183
  Connecticut 58
  Copps Brook 58
  CO2 537
  cycles 183
  C14 537
  decomposition 172
  degradation 58
  density 537
  detritus 537
  DIC 172
  DOC 58 172
  Estuary 183
  hydrology 183
  interstitial 58
  macrophytes 537
  management 183
  metabolism 58
  microbes 58 122 183 537
  model 58 183
  New York 172
  nitrate 172
  nitrite 172
  nitrogen 183
  nutrients 58
  organic matter 58
  PC 172

  - plankton 122
  - PN 172
  - POC 58
  - Potomac 183
  - predictions 183
  - processes 183
  - real time 183
  - red tide 122
  - sediments 58 537
  - sewage 122 172
  - tetrazolium salt 58
  - tides 183
  - Transient Water Quality Network 183
  - turnover rates 537
  - uptake rates 537
  - Vm 537
  - water column 537
  - watersheds 58
- agencies
  - Bay 18 61
  - Chesapeake 18
  - dredging 14
  - fauna 18
  - flora 18
  - Florida 14
  - local 14 61 159
  - management 61 159
  - methods 18
  - participation 61
  - public opinion 61 159
  - resources 159
  - San Francisco 61
  - sewage 14
  - state 14 159
  - wetlands 14
- Agnes
  - Bay 415 421
  - Chesapeake 415 421
  - chlorophyll 415
  - Estuary 415
  - Hurricane 415 421
  - Michaelis Menton 415
  - model 415
  - nitrogen 415
  - phosphorus 415
  - phytoplankton 415
  - POM 421
  - quasi linear 415
  - sediments 421
  - sewage 421
  - soil erosion 421
  - suspended solids 421
  - Susquehanna 415
  - wastes 415
- agriculture
  - algae bluegreen 218
  - algae mats 60
  - Australia 60
  - canal 384
  - Dniester 384
  - Estuary 218 384
  - fauna 384
  - fertilizer 282 517
  - flood control 517
  - flushing 218
  - Hudson 218
  - hydrology 517
  - industry 384 517
  - Lagoon 60
  - land development 517
  - nitrate 218
  - North Carolina 517
  - nutrients 26 218 282 517
  - Orielton 60
  - pesticides 517
  - phosphate 218
  - point sources 218
  - Potomac 218
  - recreation 517
  - resources 517
  - runoff 26 60
  - salinity 60
  - sewage 60 218 384
  - Tasmania 60
  - temperature 60
  - wastes 218 282 384
  - watersheds 517
  - wetlands 26
  - zooplankton 384
- agrochemicals
  - alkalinity 455
  - Bay 455
  - boat traffic 455
  - Chesapeake 455
  - chlorine 455
  - disease 455
  - dredging 455
  - epiphytes 455
  - fauna 455

  nutrients 455
  oil 455
  pH 455
  salinity 455
  specie key 455
  submerged vegetation 455
  temperature 455
  trace metals 455
  turbidity 455
  water velocity 455
Aisne
  carbon 35
  Estuary 35
  France 35
  methods 35
  nitrogen 35
  oxidation rates 35
  Seine 35
  temperature 35
Alabama
  Bay 132
  hydrology 132
  interface salt fresh 132
  Mobile 132
  model 132
  momentum transfer 132
  sediments 132
  three dimensional 132
  time dependent 132
  transport 132
Alaska
  arctic 319
  benthic 319
  BOD 320
  Colville 7
  Cook 319 320
  DO 319
  Estuary 7
  fisheries 7
  hydrology 7
  Inlet 319 320
  microbes 319
  nitrogen 319
  nutrients 7
  organisms 319
  pH 319
  phosphorus 319
  plankton 319
  primary 7
  productivity 7
  resources 7
  salinity 319
  sewage 319 320
  silica 319
  temperature 320
Albemarle
  abundance 43
  ammonia 43 450
  bloom 450
  C/N 450
  chlorophyll 43
  Chowan 450
  DIN 450
  DON 450
  Estuary 450
  hydrology 43
  land development 43
  nitrogen 43
  North Carolina 43 450
  phosphorus 43
  phytoplankton 43 450
  primary 43 450
  productivity 43 450
  salinity 43
  seasons 450
  Sound 43 450
  temperature 43
  turbidity 43
algae
  abundance 120
  aerobic 537
  ammonia 430
  Anabaena 312
  animals 89
  aquaculture 412
  assay 351 418 448 496 497
  bacteria 256 339
  batch culture 418
  Bay 72 133 140 448
  benthic 72 87 119 120 248 400 438
  biomass 133 140 160 339 537
  birds 256 339 443
  bloom 432 537
  calcium 339
  California 400
  carbon 256 312 339
  Chesapeake 72 133 140
  Chlorella 312
  chlorophyll 140

Chlorophyta 430
Clyde 443
COD 442
Codium 497
community structure 89 256
continuous culture 160
CO2 312 432 537
crustaceans 256 339
Cyanophyta 430
C14 140 537
density 537
detritus 537
diversity 120
DO 72 81 216
Dunaliella 496
energy transfer 72
Enteromorpha 497
Estuary 81 87 89 119 133 216 430 443
fauna 87
feeding grounds 443
fish 256 339
foraminifera 72 256 339
Great Britian 119 120
growth rates 236 312
Harbor 400
heat 89
heterotrophic 256 339
hydrology 87 448
indicator species 400
industry 119 442
insects 256 339
intertidal 443
invertebrates 443
land development 216
life cycles 248
light 448
long term 120
Los Angeles 400
Louisiana 442
macrofauna 72
macrophytes 72 537
marshes 339 442
Maryland 430
meiofauna 256 339
metabolism 256
methods 351 418
microbes 72 133 216 343 442 537
microcosms 140
Microcystis 312
mining 87
model 438
molluscs 256 339
N/P 160
nitrogen 87 160 256 339
North Carolina 89
Norway 236
nutrients 72 89 160 216 236 343 442 448 496 497
oil 400
oligochaetes 400
Oregon 448
orthophosphate 133
Oslofjord 248
oysters 412
Pamlico 87
pH 432
phosphate 430
phosphorus 87 236 256 339 432
phytoplankton 72 87 256 339
polychaetes 400
pond experiment 89 256 339
Potomac 81 216 430
primary 140 236 343
productivity 89 140 256 339 343
reproduction 120
resources 216
respiration 89 343
Rhode 133
runoff 216 442
seagrass 438
seasons 89 120 248 448
secondary 236 343 430
sediments 537
sewage 72 89 119 140 160 236 256 339 343 400 412 418 430 432 442 448
South Creek 89
spatial distribution 248
Tees 119
temperature 89 448
temporal distribution 248
tertiary 236 339
Texas 438
tides 81
TOC 442
trace metals 72 216 438
turnover rates 537
Tyne 119
uptake rates 133 537

  viruses 216
  Vm 537
  wastes 81 119 120 216 400 442
  water column 537
  Wear 119
  Yaquina 448
  zooplankton 72 87 140
algae bluegreen
  agriculture 218
  algae mats 243
  ammonia 247
  bacteria 243
  Baltic 335
  Bay 243
  benthic 335
  biomass 66 247 533
  bloom 533
  British Columbia 247
  chlorophyll 215
  Chowan 533
  Cyanophyta 254
  cycles 247
  detergent 335
  diversity 533
  DO 335
  energy transfer 335
  Estuary 66 215 218 533
  fish 335
  fish kills 254
  flushing 218
  Guayanilla 243
  heterotrophic 243
  hosts 254
  Hudson 218
  indicator species 254 335
  macroalgae 335
  macrophytes 247
  management 215
  microbes 247 254 533
  mining 66
  model 335
  nitrate 218
  nitrogen 66 247
  nitrogen fixation 243
  North Carolina 533
  nutrients 215 218
  organisms 335
  Pamlico 66
  phosphate 218 247
  phosphorus 66 247 533
  phytoplankton 66 533
  point sources 218
  pool experiment 66
  Potomac 215 218
  primary 335
  productivity 335
  Puerto Rico 243
  Schizothrix calicola 254
  Sea 335
  sediments 243 247
  sewage 215 218 335
  symposium 335
  thermal 243
  uptake rates 533
  viruses 254
  wastes 66 218
  zooplankton 335
algae colonial
  C14 152
  methods 152
  mucus 152
  primary 152
  productivity 152
  silica 152
algae mats
  agriculture 60
  algae bluegreen 243
  Australia 60
  bacteria 243
  Bay 243
  benthic 33
  benthic oxygen demand 33
  Columbia 357
  Estuary 33 130 357
  Guayanilla 243
  heterotrophic 243
  indicator species 357
  Ireland 130
  Lagoon 60
  model 33
  mud flats 130
  nitrogen fixation 243
  nutrients 130
  Oregon 33
  organic 130
  Orielton 60
  Puerto Rico 243
  Rogerstown 130
  runoff 60
  salinity 33 60

  - sediments 33 243
  - sewage 60
  - specie key 357
  - sulfide 33
  - Tasmania 60
  - temperature 60
  - thermal 243
  - tides 33
  - wastes 130
  - Yaquina 33
- alkaline phosphatase
  - ammonium 482
  - Bay 468 470
  - C/N 482
  - carbon 482
  - Chesapeake 468
  - chlorophyll 470 482
  - distribution 470
  - diurnal 482
  - DNA 470
  - enzymes 470
  - indices 470
  - Ks 468 482
  - microbes 142 470
  - nitrate 482
  - nitrogen 482
  - nutrients 142
  - Olisthodiscus luteus 482
  - pH 142
  - phosphate 142
  - phosphomonoester 468
  - phosphorus 468 470 482
  - phytoplankton 468
  - protein 470
  - seasons 142
  - seston 470
  - sewage 142
  - Tokyo 470
  - uptake rates 482
  - Vm 468
- alkalinity
  - abundance 383
  - agrochemicals 455
  - ammonia 67 184 293
  - assay 383
  - Bay 67 184 293 380 455
  - boat traffic 455
  - Chesapeake 67 184 293 380 455
  - chloride 293
  - chlorine 184 455
  - chlorophyll 47 67 184
  - coliforms 380
  - DC 380
  - disease 455
  - distribution 293 383
  - DO 47 67 184 380
  - dredging 455
  - epiphytes 455
  - Estuary 47 67 380
  - fauna 455
  - indicator species 383
  - industry 380
  - interstitial 293
  - invertebrates 383
  - iron 293
  - James 47 380
  - Lake 383
  - manganese 293
  - marshes 149
  - Maryland 380
  - nitrate 67 380
  - nitrite 67
  - nitrogen 67
  - NO2 47
  - NO3 47
  - nutrients 149 380 383 455
  - oil 455
  - orthophosphate 184
  - Patuxent 380
  - pesticides 380
  - pH 47 67 184 293 380 383 455
  - phosphate 67 184 293 380
  - phosphorus 47 149
  - phytoplankton 47 67
  - plankton 383
  - PN 47
  - Pontchartrain 383
  - Potomac 67 380
  - primary 383
  - processes 184
  - productivity 67 383
  - Rappahannock 380
  - redox potential 293
  - runoff 383
  - salinity 47 67 184 383 455
  - seasons 293
  - sediments 149 380
  - sewage 380
  - silica 149 293
  - South Carolina 149

  specie key 455
  submerged vegetation 455
  sulfate 184 293
  sulfide 184
  Susquehanna 380
  temperature 47 67 184 455
  trace metals 149 184 380 455
  turbidity 67 455
  vertical distribution 184
  Virginia 380
  wastes 380
  water velocity 455
  watersheds 380
  York 380
  zooplankton 67
alpha fluorescence
  chlorophyll 329
  phytoplankton 329
  remote sensing 329
amino acids
  ammonia 49
  bacteria 456
  bacteria proteolytic 456
  benthic 528
  carbohydrates 225 456
  clams 225
  conference 528
  cycles 528
  C14 456
  detritus 528
  fauna 456
  fish 528
  fisheries 528
  fungus 456
  glycine 225
  heterotrophic 456
  indices 456
  invertebrates 528
  management 528
  Mercenaria 225
  methods 456
  microbes 456 528
  nitrogen 528
  nitrogen fixation 49
  nutrients 528
  oil 225 456 528
  organisms 528
  pesticides 528
  phosphorus 49 528
  phytoplankton 456
  primary 49
  processes 456
  productivity 49
  pulp mill 456
  salinity 456
  seagrass 528
  sediments 49
  sewage 225 456
  silica 528
  stress 225 528
  symposium 456
  taurine 225
  thermal 456
  trace metals 456 528
  urea 528
  wetlands 528
  zooplankton 528
ammonia
  abundance 43
  acetylene 444
  Albemarle 43 450
  algae 430
  algae bluegreen 247
  alkalinity 67 184 293
  amino acids 49
  animals 518
  Australia 388
  Bay 67 178 184 190 293 387 388 466 473
  Bayou 314
  benthic 5 178 388
  biomass 62 203 247 466
  bloom 204 450 520
  BOD 311 477 487
  British Columbia 247
  C/N 62 450
  California 62 477
  carbon 387 473
  carbon/chlorophyll 62
  CBOD 407
  chambers 178
  Chesapeake 67 184 293 473
  Chlorella salina 69
  chloride 293
  chlorine 184
  chlorophyll 43 67 184 289 407 473 481
  Chlorophyta 430
  Chowan 450
  COD 289

coliforms 407
Cyanophyta 430
cycles 247 477
Delaware 477
Delta 477
denitrification 157 190 444
diatoms 5
DIC 473
DIN 450 477
distribution 50 293
diurnal 62
DO 29 67 184 311 314 387 407 477 518
DOC 311 473
DON 176 177 311 450 466
DPO 466
Duwamish 481 520
enzymes 165
Estuary 29 50 67 203 204 289 407 430 450 477 481 518 520
eutrophic 157
exchange diffusion 123
excretion rates 466
fauna 388
fertilizer 204 273
fish 44
Florida 314
flux 178 387
freshwater 204
Georgia 176 177
Hawaii 466
hydrology 43 520
indicator species 481
inorganic 178 203 407
interface salt fresh 311
interstitial 293
ion exchange 273
iron 293
Japan 190
Kaneohe 466
Ks 62
laboratory culture 5
land development 43
macroinvertebrates 314
macrophytes 157 247
manganese 293
Mangoku 190
marshes 177
Maryland 430
metabolism 466
methods 123 165 180
microbes 203 247 487
microcosms 387
mining 203
model 29 157 407 477
Narragansett 178 387
Neuse 204
nitrate 5 50 67 69 123 157 176 177 178 203 204 314 407 444 473 481 487
nitrification 157 487
nitrite 5 50 67 176 177 178 311 407 473 477 481 487
Nitrobacter 487
nitrogen 29 43 50 62 67 157 247 387 407 477
nitrogen fixation 49
Nitrosomona 487
North Carolina 43 203 204 450
nutrients 50 62 203 289 387 388 473 518
N15 62 190
one dimensional 407
organic 50 157 407
organic matter 157
orthophosphate 5 184
oxidation 477
Pagan 407
Pamlico 203
percolator 165
Periphyton 481
pH 44 67 176 184 293 311
phaeophytin 473
phosphate 50 67 69 123 178 184 203 247 273 293 314 430 466 481 518 520
phosphorus 43 49 204 247 289 387 407 473
phytoplankton 43 62 67 157 203 204 314 407 450 477 520
PON 177 190
pools 177
Port Phillip 388
Potomac 67 289 430 477
primary 5 43 49 62 450 473 481
processes 157 184
productivity 5 43 49 62 67 450 473 481
protein 69
rainfall 176

    real time 407
    redox potential 293
    reduction 444
    respiration 487
    Rhode Island 178 387
    Sacramento San Joquin 477
    salinity 43 44 50 67 69 184 204 311 388 407
    seasons 50 293 450
    secondary 123 273 430
    sediment water 178 387
    sediments 49 165 190 247 289 387 388 444
    sewage 62 69 204 273 388 430 520
    sewage treatment farm 388
    silica 293
    silicate 50
    Simoda 190
    size dependent 466
    Sound 43 450
    St Lawrence 50
    stochastic 477
    sulfate 165 184 293
    sulfide 184
    TDC 473
    temperature 43 44 50 67 178 184
    Texar 314
    Thames 29
    tidal creek 177
    tides 518
    TOC 314
    Tokyo 190
    trace metals 184 311 387
    turbidity 43 67
    uptake rates 69 157
    Ura 190
    urea 50 62 165
    vertical distribution 184
    Virginia 518
    Vm 62
    Washington 481 520
    wastes 123 204 481
    weight 289
    Werribee 388
    York 518
    zooplankton 67 157 314 466 477
ammonium
    abundance 113
    aerobic 172
    alkaline phosphatase 482
    anaerobic 172
    animals 186
    ATP 172
    Bay 188 228 298 467
    Bight 113 172
    boundary layer 522
    C/N 188 482
    cadmium 210
    California 129
    calorific content 172
    carbon 394 482 522
    Chesapeake 298 467
    chlorophyll 113 482
    Chlorophyta 31
    Chrysaora quinquecirrha 38
    cycles 129 186 522
    decomposition 172
    DIC 172
    diffusion 467
    distribution 113
    diurnal 129 482
    DO 394
    DOC 172
    Estuary 31 186 467
    freshwater 113
    growth rates 188 522
    Hawaii 188
    Hudson 31
    inorganic 186
    Kaneohe 188
    kelp 522
    Ks 482 522
    light 31
    Macrocystis 522
    marshes 210
    methods 228
    model 467
    morphology 522
    New Jersey 113
    New York 113 172
    nitrate 31 38 113 129 172 186 188 228 298 394 467 482
    nitrite 113 172 186 228 298
    nitrogen 129 186 210 228 482 522
    North Carolina 186
    nutrients 186 210 394 522
    N15 129
    Olisthodiscus luteus 482
    organic 186
    organic matter 394

  orthophosphate 228
  Pamlico 186
  PC 172
  pH 38
  phosphate 38 113 394
  phosphorus 210 228 482
  phytoplankton 31 113 129 188 298 394
  plants 186
  PN 172
  polyp 38
  Potomac 467
  primary 129 522
  productivity 129 522
  remote sensing 38
  Rockaway Point 113
  salinity 113
  San Francisco 228
  sea nettle 38
  seasons 186
  sediments 186 210
  sewage 38 129 172 188
  silica 113
  Skeletonema 31
  Southampton 394
  suspended solids 113
  temperature 113 394
  tides 210
  trace metals 210 394
  turnover rates 394
  uptake rates 31 129 188 482
  urea 129 186 188 298
  Vm 522
  water velocity 522
  zinc 210
  zooplankton 394
amphipods
  Bay 12
  benthic 12
  Capitella capitata 12
  indicator species 12
  invertebrates 12
  Kiel 12
  polychaetes 12
  sewage 12
Anabaena
  algae 312
  carbon 312
  Chlorella 312
  CO2 312
  growth rates 312
  Microcystis 312
Anacostia
  dye 78
  Estuary 78
  FWQA Dynamic 78
  model 78
  Potomac 78
  predictions 78
  Thomann 78
  tides 78
anaerobic
  aerobic 58 172
  ammonium 172
  assay 58
  ATP 172
  benthic 358
  Bight 172
  calorific content 172
  Connecticut 58
  Copps Brook 58
  decomposition 172
  degradation 58
  dehydrogenase 358
  denitrification 127
  DIC 172
  diffusion 127
  DOC 58 172
  floodwaters 127
  interstitial 58
  Lake 358
  Louisiana 127
  metabolic heat release 358
  metabolism 58 358
  microbes 58
  microcalorimetry 358
  model 58
  New York 172
  nitrate 127 172
  nitrite 172
  nutrients 58 358
  organic matter 58 358
  organisms 358
  oxygen 358
  PC 172
  PN 172
  POC 58
  processes 358
  Puget 358
  redox potential 127

    sediments 58 358
    sewage 172
    Sound 358
    tetrazolium salt 58
    Washington 358
    watersheds 58
analysis of variance
    benthic 395
    diversity 395
    Firth of Forth 395
    indices 395
    intertidal 395
    macrofauna 395
    seasons 395
Anchoa mitchilli
    abundance 32
    Bay 32
    biomass 32
    diversity 32
    fish 32
    Galveston 32
    indicator species 32
    indices 32
    Texas 32
    toxicity 32
    wastes 32
animals
    algae 89
    ammonia 518
    ammonium 186
    assay 399
    community structure 89
    cycles 186
    DO 202 518
    Estuary 89 186 202 518
    fertilizer 202
    fish 202
    heat 89
    hydrology 399
    indicator species 399
    industry 202
    inorganic 186
    methods 399
    microbes 399
    mining 202
    nitrate 186
    nitrite 186
    nitrogen 186 202
    North Carolina 89 186 202
    nutrients 89 186 518
    oil 399
    organic 186
    Pamlico 186 202
    phosphate 202 518
    phytoplankton 202
    plankton 202
    plants 186
    pond experiment 89
    primary 202
    productivity 89 202
    respiration 89
    salinity 202
    seasons 89 186
    sediments 186
    sewage 89 202
    South Creek 89
    temperature 89 202
    tides 518
    urea 186
    Virginia 518
    wastes 399
    York 518
annelids
    abundance 167
    benthic 370
    biomass 167
    crustaceans 370
    diversity 167
    England 370
    Estuary 167
    fauna 167
    gastrotrichs 167
    Great Britian 167
    indicator species 370
    Linnhe Eil 370
    Loch 370
    microbes 167
    molluscs 370
    nematodes 167
    oligochaetes 167
    polychaetes 167
    pulp mill 370
    sewage 167
    succession 370
    Tees 167
Apalachee
    Bay 191 278
    benthic 191
    DO 278
    fish 278

  Florida 191 278
  indicator species 191
  invertebrates 191
  mud flats 191
  oyster reefs 191
  pulp mill 191 278
  seagrass 191
  wastes 191
Aqaba
  calcium 146
  Gulf 146
  Jordan 146
  phosphate 146
  sewage 146
aquaculture
  algae 412
  growth rates 360
  Mytilus edulis 360
  oysters 412
  sewage 360 412
Aquaforte
  Canada 145
  euglenoid 145
  Harbor 145
  indicator species 145
  nanoplankton 145
  phytoplankton 145
  secchi disc 145
  sewage 145
  St Johns 145
arctic
  Alaska 319
  benthic 319
  Cook 319
  DO 319
  Inlet 319
  microbes 319
  nitrogen 319
  organisms 319
  pH 319
  phosphorus 319
  plankton 319
  salinity 319
  sewage 319
  silica 319
argon
  Bay 396 397
  bubbles 396
  Chesapeake 396 397
  CO2 396 397
  H2S 396
  methane 396 397
  nitrogen 396 397
  seasons 397
  sediment water 396
  sediments 397
artificial recharge
  canal 138
  dissolved solids 138
  economics 138
  Estuary 138
  nitrification 138
  ozonization 138
  recycle 138
  sewage 138
  Thames 138
  water supply 138
ash
  bloom 382
  carbon 382
  chlorophyll 382
  C14 382
  fatty acids 382
  nitrate 382
  Nova Scotia 382
  phosphorus 382
  phytoplankton 382
  primary 382
  productivity 382
  respiration 382
  silica 382
assay
  abundance 383
  aerobic 58
  algae 351 418 448 496 497
  alkalinity 383
  anaerobic 58
  animals 399
  batch culture 418
  Bay 448
  bloom 414
  Codium 497
  Connecticut 58
  Copps Brook 58
  degradation 58
  diatoms 414
  distribution 383
  DOC 58
  Dunaliella 496
  Enteromorpha 497

  - hydrology 399 414 448
  - indicator species 383 399
  - interstitial 58
  - invertebrates 383
  - Lake 383
  - light 448
  - metabolism 58
  - methods 351 399 418
  - microbes 58 399
  - model 58
  - N/P 414
  - nitrate 414
  - Norway 414
  - nutrients 58 383 448 496 497
  - oil 399
  - Oregon 448
  - organic matter 58
  - orthophosphate 414
  - pH 383
  - phytoplankton 414
  - plankton 383
  - POC 58
  - Pontchartrain 383
  - primary 383
  - productivity 383
  - runoff 383
  - salinity 383
  - seasons 448
  - sediments 58
  - sewage 418 448
  - silica 414
  - temperature 448
  - tetrazolium salt 58
  - trace metals 414
  - Trondheimsfjord 414
  - wastes 399
  - watersheds 58
  - Yaquina 448
- assimilation capacity
  - bioenhancement 446
  - BOD 446
  - nutrients 446
- ATP
  - acid extraction 206
  - aerobic 172
  - ammonium 172
  - anaerobic 172
  - Basin 295
  - Bay 465
  - Bedford 295
  - Bight 172 275
  - biomass 275 434
  - bloom 275
  - C/N 465
  - cadmium 275
  - calorific content 172
  - carbohydrates 193 295
  - carbon 135 193 295
  - carbon/chlorophyll 434
  - Ceratium 275
  - charcoal adsorption 206
  - chlorophyll 193
  - crude fiber 193
  - decomposition 172
  - DIC 172
  - DOC 172
  - Estuary 135 193 434
  - fisheries 465
  - flagellates 295
  - industry 275
  - marshes 193
  - Maryland 193
  - methods 135 206 465
  - microbes 135 275
  - New York 172 275
  - Newport 135
  - nitrate 172
  - nitrite 172
  - nitrogen 193
  - North Carolina 135
  - nutrients 465
  - organic 135
  - particulate matter 295
  - Patuxent 193
  - PC 172 465
  - phosphorus 193
  - phytoplankton 295 434
  - PN 172 465
  - primary 465
  - productivity 465
  - protein 295
  - runoff 465
  - seasons 135
  - sediments 135 206 275
  - sewage 172
  - St Lawrence 434
  - St Margaret 465
  - suspended solids 465
  - tris extraction 206
  - wastes 275

    zooplankton 295
Australia
    agriculture 60
    algae mats 60
    ammonia 388
    Bay 388
    benthic 388
    biomass 154
    chlorophyll 154 424
    detritus 424
    DO 154
    Estuary 154
    fauna 388
    Hacking 424
    hydrology 154 424
    H3 154
    Lagoon 60
    light 424
    Little River 154
    methods 424
    nutrients 388
    Orielton 60
    phosphorus 154
    phytoplankton 154 424
    Port 424
    Port Phillip 388
    primary 154
    productivity 154
    P32 154
    runoff 60 424
    salinity 60 154 388
    sediments 388 424
    sewage 60 388
    sewage treatment farm 388
    suspended solids 424
    Tasmania 60
    temperature 60 154
    Werribee 388
    zooplankton 154
autotrophic
    Bay 86
    freshwater 86
    heterotrophic 86
    industry 86
    metabolism 86
    microcosms 86
    nutrients 86
    phytoplankton 86
    primary 86
    productivity 86
    respiration 86
    Texas 86
    Trinity 86
    wastes 86
    zooplankton 86
bacteria
    Actinetobacter 431
    algae 256 339
    algae bluegreen 243
    algae mats 243
    amino acids 456
    bacteria proteolytic 456
    Bay 243 431 440
    benthic oxygen demand 440
    biomass 339
    birds 256 339
    Buzzards 440
    calcium 339
    carbohydrates 456
    carbon 256 339
    COD 440
    community structure 256
    crustaceans 256 339
    C14 456
    density 246
    diversity 246
    fauna 456
    fish 256 339
    foraminifera 256 339
    fungus 456
    Guayanilla 243
    heterotrophic 243 246 256 339
    431 456
    indices 456
    insects 256 339
    marshes 339
    meiofauna 256 339
    metabolism 256
    methods 456
    microbes 456
    molluscs 256 339
    nitrogen 256 339
    nitrogen fixation 243
    nutrients 431
    oil 456
    phosphorus 256 339
    phytoplankton 256 339 431 456
    pond experiment 256 339
    processes 456
    productivity 256 339

  - Puerto Rico 243
  - pulp mill 456
  - respiration 440
  - Sagami 431
  - salinity 456
  - sediments 243 246 440
  - self purification 246
  - sewage 256 339 440 456
  - Suruga 431
  - symposium 456
  - tertiary 339
  - thermal 243 456
  - Tokyo 431
  - trace metals 456
  - Vibrios 431
  - zooplankton 431
- bacteria attached
  - bacteria free 164
  - Estuary 164
  - glucose 164
  - Humber 164
  - mineralization 164
  - organic matter 164
  - suspended solids 164
- bacteria free
  - bacteria attached 164
  - Estuary 164
  - glucose 164
  - Humber 164
  - mineralization 164
  - organic matter 164
  - suspended solids 164
- bacteria proteolytic
  - amino acids 456
  - bacteria 456
  - carbohydrates 456
  - C14 456
  - fauna 456
  - fungus 456
  - heterotrophic 456
  - indices 456
  - methods 456
  - microbes 456
  - oil 456
  - phytoplankton 456
  - processes 456
  - pulp mill 456
  - salinity 456
  - sewage 456
  - symposium 456
  - thermal 456
  - trace metals 456
- bacterioplankton
  - methods 114
  - model 114
  - phytoplankton 114
  - productivity 114
- Balanus
  - Acartia 227
  - Bay 227 257
  - bloom 227
  - Brazil 257
  - Estuary 227
  - Eurytemora 227
  - Guanabara 257
  - indicator species 257
  - latitudinal gradients 227
  - Narragansett 227
  - New Jersey 227
  - nutrients 227
  - organic matter 227
  - phytoplankton 227
  - Raritan 227
  - Rhode Island 227
  - salinity 227
  - seasons 227
  - Virginia 227
  - wastes 227
  - York 227
  - zooplankton 227
- Baltic
  - algae bluegreen 335
  - benthic 335
  - detergent 335
  - DO 335
  - energy transfer 335
  - fish 335
  - indicator species 335
  - macroalgae 335
  - model 335
  - organisms 335
  - primary 335
  - productivity 335
  - Sea 335
  - sewage 335
  - symposium 335
  - zooplankton 335
- Barataria
  - Basin 95
  - fisheries 95

  - Louisiana 95
  - nursery grounds 95
  - nutrients 95
  - salinity 95
  - wetlands 95
- barnacles
  - Estuary 507
  - marshes 507
  - model 507
  - mussels 507
  - North Inlet 507
  - oysters 507
  - phytoplankton 507
  - primary 507
  - processes 507
  - productivity 507
  - tides 507
  - water column 507
- Basin
  - ATP 295
  - Barataria 95
  - Bedford 295 381
  - carbohydrates 295
  - carbon 295
  - fisheries 95
  - flagellates 295
  - Louisiana 95
  - Nova Scotia 381
  - nursery grounds 95
  - nutrients 95
  - P/B 381
  - particulate matter 295
  - phytoplankton 295 381
  - productivity 381
  - protein 295
  - ratio 381
  - salinity 95
  - spatial component 381
  - wetlands 95
  - zooplankton 295
- batch culture
  - algae 418
  - assay 418
  - biomass 144
  - bloom 144
  - carbon 144
  - Chlorophyta 144
  - continuous culture 144
  - CO2 144
  - Cyanophyta 144
  - methods 418
  - nitrogen 144
  - nitrogen fixation 144
  - pH 144
  - phytoplankton 144
  - secondary 144
  - sewage 144 418
  - succession 144
- Bathyporia sarsi
  - Bay 11
  - benthic 11
  - Capitella capitata 11
  - community structure 11
  - Kiel 11
  - macrofauna 11
  - oligochaetes 11
  - Pygospio elegans 11
  - sewage 11
- Baule Mitschlerlich
  - benthic 511
  - macrophytes 511
  - nutrients 511
  - phytoplankton 511
  - primary 511
  - productivity 511
  - turbidity 511
- Bay
  - Aberdeen 453
  - abundance 32 389 499
  - Acartia 227
  - Actinetobacter 431
  - advection 42
  - agencies 18 61
  - Agnes 415 421
  - agrochemicals 455
  - Alabama 132
  - algae 72 133 140 448
  - algae bluegreen 243
  - algae mats 243
  - alkaline phosphatase 468 470
  - alkalinity 67 184 293 380 455
  - ammonia 67 178 184 190 293 387 388 466 473
  - ammonium 188 228 298 467
  - amphipods 12
  - Anchoa mitchilli 32
  - Apalachee 191 278
  - argon 396 397
  - assay 448
  - ATP 465

Australia 388
autotrophic 86
bacteria 243 431 440
Balanus 227 257
Bathyporia sarsi 11
Bengal 323
benthic 11 12 72 76 178 191 208 224 388 389 433
benthic oxygen demand 440
bibliography 73 156 345 346 451 475
biomass 32 52 65 133 140 200 231 296 466
Biscayne 427
bloom 227 287 524
boat traffic 455
BOD 71 353 495
Brazil 257
bubbles 396
Buzzards 406 440
C/N 188 406 465
California 8
Canada 52
cannery 76
Capitella capitata 11 12
carbon 22 168 387 473 495 499
Chaetodon miliaris 392
chambers 178
chemical 427
Chesapeake 18 22 41 42 45 67 72 73 74 79 91 92 133 140 141 156 168 173 184 207 293 296 297 298 301 318 345 346 355 380 396 397 415 417 419 421 422 429 451 455 467 468 469 473 475 485 495 510
Chickahominy 173
Chinhae 238
chloride 293
chlorine 184 455
chlorophyll 64 65 67 79 140 184 288 296 300 322 365 406 415 423 453 470 473 495
Cladocera 147
COD 440
coliforms 23 94 353 380
community structure 11
conceptual 168
coral 182
Coriolis 42
Corpus Christi 372
CO2 396 397
crabs 231
cycles 91 224 297 499
C14 140 453
DC 380
denitrification 190
density 198 323
deterministic 419
detritus 22 65 406
DIC 473
diffusion 419 467
dilution 510
DIN 199
dinoflagellate 524
DIP 45
directory 73
disease 238 455
dissolved 207
distribution 71 293 417 470
diversity 32 94 300 389
DNA 470
DO 8 67 71 72 184 226 278 323 353 380 387 389 401 495
DOC 473
DON 466
DOP 469
DPO 466
dredging 318 455
DRP 199
dye 318
economics 94
energetics 365
energy transfer 72 141 231 354
enzymes 470
epiphytes 455
Estuary 67 79 133 141 173 227 380 389 402 415 419 423 467 495 510
Eurytemora 227
eutrophication 73 345 346
Evadne tergestina 147
excretion rates 466
fatty acids 423
fauna 18 388 389 455
fertilizer 238 355
finite difference 41
fish 32 231 278 392
fish kills 401
fisheries 74 94 465 488
Fladen Ground 453

flora 18
Florida 191 278 402 427 433
flux 22 178 366 379 387
foraminifera 72
free surface 427
freshwater 86 231 378 402
Fundy 524
Galveston 32 208 231 401
gas bubbles 401
Gonyaulax excavata 524
Great Britian 23 199
growth rates 188 355 392
Guanabara 257
Guayanilla 243
Hawaii 64 65 94 182 188 200 330 392 466
heat 141
herring 524
heterotrophic 86 243 431
Hillsborough 433
Hobsons 389
Humboldt 8
Hurricane 415 421
hydrology 41 42 71 91 132 141 198 208 224 226 262 354 378 448 510
H2S 396
indicator species 12 32 191 208 257 417
indices 32 92 208 470
industry 86 208 301 380 488
inorganic 178
interface salt fresh 132
interstitial 45 207 293 485
invertebrates 12 191 433
iron 45 293 485
Jamaica 262 353
James 173 380 495
Japan 190 322 488
Kaneohe 64 65 94 182 188 200 330 392 466
Kiel 11 12
Korea 238
Ks 468 469
land development 92
latitudinal gradients 227
light 448
Limacina retroversa 524
linear regression 173
Liverpool 23 199
local 61 297
long term 199
Louisiana 402
macrofauna 11 72 76
macrophytes 52 72
Malagasy Republic 147
Malpeque 499
management 61 73 74 231 402 429
manganese 207 293
Mangoku 190 252
marshes 22
Maryland 380 451
Massachusetts 406
Massartia rotundata 287 365
matrix 372
metabolism 86 224 466
methane 396 397
methods 18 228 296 465 485
Meydenbauer 425
Michaelis Menton 71 415
microbes 72 133 141 182 252 297 417 423 470 499
microcopepods 330
microcosms 86 140 379 387
Mobile 132
model 41 42 64 71 132 168 198 207 231 262 345 346 353 354 366 372 378 415 419 427 467 510
momentum transfer 132
mucus 401
mud flats 191
N/P 226
nanoplankton 288 296 300 406
Narragansett 178 198 227 379 387 423
negentropy 366
New Jersey 224 226 227 300
New York 262 287 353
Newark 300
nitrate 64 67 178 188 224 226 228 252 298 380 467 473
nitrification 252
nitrite 67 178 228 298 473
nitrogen 22 65 67 79 91 94 199 228 297 330 353 372 387 396 397 415 499
nitrogen fixation 182 243
North 453
North Carolina 402
Nosy Be 147

nutrients 71 72 79 86 92 141 168 173 226 227 288 297 322 323 355 380 387 388 402 431 448 455 465 473 495
N15 190 252
Odawa 252
oil 318 423 455
oligochaetes 11
Olisthodiscus luteus 287
one dimensional 419
Oregon 448
organic 141
organic matter 227 422
orthophosphate 133 184 228 469
oxidation rates 485
oyster reefs 191
oysters 499
P/B 330
Palm 402
participation 61
Patuxent 141 173 380 495
PC 465
Penilia avirostris 147
pesticides 380
pH 8 67 71 184 207 293 380 455
phaeophytin 473
phosphate 52 64 67 178 184 224 226 293 380 466
phosphomonoester 468
phosphorus 22 79 91 94 199 228 297 353 379 387 415 468 470 473 499
phytoflagellate 287
phytoplankton 64 65 67 71 72 79 86 91 141 147 188 227 288 296 297 298 300 322 415 431 468 469
plankton 226 288 365 366
plants 141
PN 200 465
POC 65 406 453
polychaetes 12
polyphosphate 469
POM 421
PON 190 406
pond experiment 8
Porphyra 238
Port Phillip 388
Potomac 67 173 380 419 467 495
power plant 141
predictions 433
primary 22 40 64 86 91 140 141 238 288 296 453 465 473
processes 184 224 354 427 453
productivity 22 40 64 67 86 91 140 141 231 238 288 296 330 365 453 465 473 499
Prorocentrum micans 287
protein 470
Providence 423
pteropods 524
public opinion 61 429
Puerto Rico 243
pulp mill 191 278 488
Pygospio elegans 11
P32 469
quasi linear 415
Quinte 52
radioactivity 345 346 402
rainfall 147 297
Rappahannock 173 380 495
Raritan 40 224 226 227 288 365 366
recreation 94
redox potential 293
reduction 252
remote sensing 318
reproduction 392
resources 345 346 429
respiration 86 365 440
Rhode 133
Rhode Island 178 227 387
runoff 402 465
Sagami 431
Saldanha 76
salinity 67 71 184 198 226 227 231 287 353 388 389 422 455
salmonids 8 401
San Diego 425
San Francisco 61 71 228 354 378
Santee 402
saturation 401
Sea 453
seagrass 191 355
seasons 71 147 173 199 224 226 227 293 300 397 406 448 453
secchi disc 422
secondary 182 231 330
sediment water 178 379 387 396
sediments 132 182 190 208 243 252 297 301 380 387 388 397 417

421 427 433 440
seston 470
Severn 510
sewage 8 11 12 23 52 64 72 94 140 182 188 301 318 330 380 388 392 417 421 423 425 433 440 448 488 510
sewage treatment farm 388
shrimp 231
silica 293 378
Simoda 190
size composition 200
size dependent 466
soil erosion 421
South Africa 76
South Carolina 402
specie key 455
St Margaret 465
steady state 207
submerged vegetation 455
succession 200
sulfate 184 293
sulfide 184
Suruga 431 488
suspended solids 406 417 421 422 423 465
Susquehanna 79 173 380 415 495
swamps 402
symposium 297
Taunton 423
TDC 473
temperature 67 71 178 184 226 448 455
tertiary 52 301 433
Texas 32 86 208 231 372 401
Theora fragilis 389
thermal 141 243
three dimensional 132 198 427
tides 22
time dependent 132 427
Tokyo 190 431 470
toxicity 32
trace metals 72 184 380 387 455
tracer 23
transport 132 262 301 354 427
Trinity 86
tropical 147
turbidity 67 455
turnover rates 469
two dimensional 41 42 262 353 378
uptake rates 133 188 297
Ura 190 252
Uranouchi 322
urea 188 298
vertical distribution 184
vertical transport 297
Vibrios 431
Virginia 156 227 380 475
Vm 468 469
wastes 32 76 86 191 208 227 238 301 322 380 415 488
water column 417
water craft 425
water velocity 455
watersheds 92 173 380
Werribee 388
wetlands 402
wind 422 427
Wollochet 425
Yaquina 448
Yarra 389
York 173 227 380 495
zooplankton 67 72 86 140 147 200 227 296 297 392 406 431 466
Zostera 252
Bayou
  ammonia 314
  bloom 251 317
  budget 316
  carbon 181
  chemical 102
  chlorophyll 102
  Chocolate 102
  Dickinson 251
  dissolved solids 313
  diversity 102
  DO 102 251 313 314 315 317
  Estuary 181
  fish 317
  fish kills 251
  Florida 181 314 316 317
  flux 315
  glucose 313
  Gymnodinium 317
  indices 102
  inorganic 181
  kinetics 313
  macroinvertebrates 314
  microbes 313

  - nitrate 314
  - nitrogen 181 316
  - nutrients 313
  - pH 315
  - phosphate 181 313 314 315
  - phosphorus 181 251 316
  - phytoplankton 251 314 317
  - primary 181
  - processes 315
  - productivity 102 181 313
  - redox potential 313 315
  - respiration 102
  - salinity 315
  - seasons 102
  - sediment water 181 313 315
  - sewage 251
  - Taylor 102
  - temperature 315
  - Texar 181 314 315 316 317
  - Texas 102
  - TOC 314
  - toxicity 317
  - wastes 102 317
  - zooplankton 102 314
- Bedford
  - ATP 295
  - Basin 295 381
  - carbohydrates 295
  - carbon 295
  - flagellates 295
  - Nova Scotia 381
  - P/B 381
  - particulate matter 295
  - phytoplankton 295 381
  - productivity 381
  - protein 295
  - ratio 381
  - spatial component 381
  - zooplankton 295
- Belgium
  - bloom 376
  - clay 535
  - denitrification 504
  - deposition 376
  - diatoms 376 535
  - dissolved 535
  - DO 376
  - Estuary 376 535
  - hydrology 376
  - interface salt fresh 376
  - interstitial 504
  - model 504
  - nitrate 504
  - nitrification 504
  - nitrite 504
  - nutrients 376
  - organic matter 504
  - Scheldt 376 535
  - sediments 376 504 535
  - self purification 376
  - silica 535
  - suspended solids 376
  - trace metals 376
  - transport 376
- Bengal
  - Bay 323
  - density 323
  - DO 323
  - nutrients 323
- benthic
  - abundance 120 389
  - Alaska 319
  - algae 72 87 119 120 248 400 438
  - algae bluegreen 335
  - algae mats 33
  - amino acids 528
  - ammonia 5 178 388
  - amphipods 12
  - anaerobic 358
  - analysis of variance 395
  - annelids 370
  - Apalachee 191
  - arctic 319
  - Australia 388
  - Baltic 335
  - Bathyporia sarsi 11
  - Baule Mitschlerlich 511
  - Bay 11 12 72 76 178 191 208 224 388 389 433
  - benthic oxygen demand 33 542
  - bioenhancement 447
  - biomass 409 447
  - bioturbation 539
  - bloom 10
  - BOD 539
  - Bothnia 137
  - Byfjorden 352
  - C/N 333
  - California 400 447
  - cannery 76 447

Capitella capitata 11 12
carbon 542
chambers 178
Chesapeake 72
chlorinated hydrocarbons 137
COD 338
coliforms 542
community structure 11 371
conference 528
Cook 319
Craiglin 393
crustaceans 338 352 370
cycles 224 410 528
cysts 10
Damariscotta 106
dehydrogenase 358
Delaware 539
density 393
deoxygenation 542
detergent 234 335
detritus 528
diatoms 5
dinoflagellate 10
disease 305 356
dissolved solids 137
distribution 269
diversity 9 120 389 395 409 447
DO 72 106 137 319 335 389 447 542
ecocline 371
Econfina 540
economics 508
energy transfer 72 335
England 370
Estuary 33 87 106 119 352 389 539 540
fauna 87 388 389 393 539
fertilizer 393
Firth of Forth 395
fish 106 305 335 356 447 528 542
fisheries 338 528
Florida 191 433
flux 178
foraminifera 72
France 234
Galveston 208
Gonyaulax 10
Gothenburg 352
gradient 371
Great Britian 119 120 529
growth rates 106
Gulf 137 234
Harbor 400 447
heat 542
Hillsborough 433
Hobsons 389
Hydrobia ulvae 393
hydrology 87 137 208 224
ice 542
indicator species 12 191 208 269 331 335 352 370 371 400 529
indices 208 269 371 395
industry 119 208 508
Inlet 319
inorganic 178
intertidal 395
invertebrates 12 106 191 331 433 528
iron 137
Japan 338
Kiel 11 12
Kungsbackafjorden 352
laboratory culture 5 106
Lagoon 9
Lake 358
larvae 106
life cycles 248
light 542
Limnodrilus 539
Linnhe Eil 370
Loch 370 393
long term 120
Los Angeles 400 447
macroalgae 335
macrofauna 9 11 72 76 137 352 356 395 409
macrophytes 72 333 511 529 540
Maine 106
management 508 528
Marseilles 234
Massachusetts 10 331
meiofauna 352
metabolic heat release 358
metabolism 224 358
methods 542
microbes 72 319 528
microcalorimetry 358
mining 87
Mississippi 356
model 33 335 338 438 542

molluscs 9 370
mud flats 191
Narragansett 178
nematodes 331
New Jersey 224
New York 410
nitrate 5 178 224
nitrification 410
nitrite 5 178
nitrogen 87 319 338 528
nutrients 72 137 358 388 410 511 528 542
oil 137 338 400 528
oligochaetes 11 400 539
Oregon 33
organic 269 539
organic enrichment 371
organic matter 338 358 410
organisms 234 319 335 358 410 447 508 528 542
orthophosphate 5
Oslofjord 248
oxygen 358
oyster reefs 191
Pamlico 87
parasites 356
Penobscot 106
pesticides 137 356 508 528
pH 319
Phaeophyta 333
phosphate 178 224
phosphorus 87 137 319 528
phytoplankton 72 87 137 511 542
plankton 319 447
plants 508
polychaetes 12 400
Port Phillip 388
Posidonia oceanica 234
predictions 433
primary 5 137 335 410 511 542
processes 224 358
productivity 5 137 335 393 410 447 511 542
public opinion 508
Puget 305 358
pulp mill 191 370 409
Pygospio elegans 11
Raritan 224
rate constants 542
reaeration 542
recovery 371
recreation 508
red tide 10
reproduction 120
Rhode Island 178
Saldanha 76
salinity 33 106 319 388 389
Saltkallefjord 352
Sea 335 338
seagrass 191 234 438 528
seasons 120 224 248 331 395
sediment water 178
sediments 33 106 137 208 338 358 371 388 410 433 539
Seto 338
settlement 106
sewage 11 12 72 119 234 305 319 331 335 338 356 388 400 433 447
sewage treatment farm 388
Shannons Index 9
Sheepscot 106
silica 319 528
Sound 305 358
South Africa 76
Spain 333
spatial distribution 248 542
spores 10
stress 528
succession 370 371 409
sulfate 338
sulfide 33 338
Sweden 352
symposium 137 335
Tees 119
temperature 106 178
temporal distribution 248 542
Tenholloway 540
tertiary 433 508
Texas 208 438
Theora fragilis 389
tides 33
toxicity 10
trace metals 72 137 356 438 528
turbidity 511
Tyne 119
urea 528
Washington 305 358
wastes 76 119 120 137 191 208 400 447 508 539
Wear 119

  Werribee 388
  wetlands 528
  Woods Hole 331
  Yaquina 33
  Yarra 389
  zooplankton 72 87 137 335 352 528 542
benthic oxygen demand
  algae mats 33
  bacteria 440
  Bay 440
  benthic 33 542
  bloom 80
  BOD 221
  Buzzards 440
  carbon 221 542
  carbon oxygen demand 80
  chlorophyll 80
  COD 440
  coliforms 221 542
  deoxygenation 542
  DO 80 221 542
  Estuary 33 80 221
  fish 542
  freshwater 420
  heat 542
  hydrology 420
  ice 542
  light 420 542
  methods 542
  model 33 80 420 542
  nitrogen 80
  nitrogen oxygen demand 80
  nutrients 80 221 542
  one dimensional 420
  Oregon 33
  organisms 542
  phosphorus 80
  phytoplankton 80 221 542
  Potomac 80 221
  primary 80 542
  productivity 80 542
  rate constants 542
  reaeration 80 542
  respiration 80 440
  runoff 420
  salinity 33
  sediments 33 440
  sewage 440
  spatial distribution 542
  stochastic 420
  sulfide 33
  temperature 420
  temporal distribution 542
  tides 33
  turbidity 420
  wastes 221
  Yaquina 33
  zooplankton 542
Bermuda
  bloom 24
  light 24
  macrophytes 24
  nutrients 24
  primary 24
  productivity 24
bibliography
  Bay 73 156 345 346 451 475
  bloom 13
  Chesapeake 73 156 345 346 451 475
  detergent 436
  dinoflagellate 13
  directory 73
  DO 213
  dredging 4
  economics 4
  ecosystem 84
  Estuary 30 124
  eutrophication 4 15 51 55 56 57 73 124 211 213 250 263 264 265 266 267 268 325 344 345 346 435 457 532
  fisheries 124
  hydrology 124 250 263 264 265 266 267 268
  industry 211 457
  instruments 436
  James 30
  land development 56 57 84
  management 73 325 435
  Maryland 451
  methods 213 435 436
  model 250 263 264 265 266 267 268 345 346 436
  nutrients 436
  oil 4 211 344 436
  pesticides 4 344 435 436
  pollution 4
  primary 124

  productivity 124
  Puget 84
  radioactivity 4 345 346
  remote sensing 211
  resources 56 57 211 345 346
  sewage 15
  Sound 84
  St Lawrence 124
  suspended solids 124
  thermal 4 211 213 250 263 264 265 266 267 268 344 435
  trace metals 4 124 213 435 436
  United Kingdom 15 51
  Virginia 156 475
  Washington 84 112
Bight
  abundance 113
  aerobic 172
  ammonium 113 172
  anaerobic 172
  ATP 172 275
  bioaccumulation 121
  biomass 275
  bloom 275 286
  cadmium 275
  calorific content 172
  Ceratium 275
  chlorophyll 113
  decomposition 172
  DIC 172
  distribution 113
  DOC 172
  fish 121
  freshwater 113
  hypertrophication 286
  indicator species 121
  indices 189
  industry 275
  Kiel 121
  microbes 275
  mussels 121
  New Jersey 113
  New York 113 172 189 275 286
  nitrate 113 172
  nitrite 113 172
  Norway 121
  nutrients 286
  oil 121
  PC 172
  phosphate 113
  phytoplankton 113 286
  PN 172
  Rockaway Point 113
  salinity 113
  sediments 189 275
  sewage 172 189
  silica 113
  steroids 189
  suspended solids 113
  temperature 113
  wastes 275
bioaccumulation
  Bight 121
  fish 121
  indicator species 121
  Kiel 121
  mussels 121
  Norway 121
  oil 121
bioenhancement
  assimilation capacity 446
  benthic 447
  biomass 447
  BOD 446
  California 447
  cannery 447
  diversity 447
  DO 447
  fish 447
  Harbor 447
  Los Angeles 447
  nutrients 446
  organisms 447
  plankton 447
  productivity 447
  sewage 447
  wastes 447
biological
  chemical 230
  processes 230
  stabilization 230
  wastes 230
biomass
  abundance 32 167
  aerobic 537
  algae 133 140 160 339 537
  algae bluegreen 66 247 533
  ammonia 62 203 247 466
  Anchoa mitchilli 32
  annelids 167

ATP 275 434
Australia 154
bacteria 339
batch culture 144
Bay 32 52 65 133 140 200 231 296 466
benthic 409 447
Bight 275
bioenhancement 447
birds 339
bloom 144 201 275 306 445 519 533 537
BOD 519
British Columbia 247
C/N 62
cadmium 275
calcium 339
California 62 128 447
Canada 52
cannery 447
carbon 110 144 339
carbon/chlorophyll 62 434
Ceratium 275
Chesapeake 133 140 296
chlorophyll 65 128 140 154 296 519
Chlorophyta 144
Chowan 533
continuous culture 144 160
CO2 144 537
crabs 231
crustaceans 339
Cyanophyta 144
cycles 247
C14 140 537
density 537
detritus 65 537
diatoms 445
distribution 128
diurnal 62
diversity 32 167 409 447 533
DO 154 304 332 447 519
DON 201 466
DPO 466
Duwamish 519
energy transfer 231
Estuary 66 133 154 167 201 203 304 336 434 519 533
Etang de Berre 306
excretion rates 466
fauna 167
fish 32 231 339 447
foraminifera 339
France 306
freshwater 231 519
Galveston 32 231
gastrotrichs 167
Great Britian 167
Grevelingen 336
Harbor 447
Hawaii 65 200 466
heterotrophic 339
hydrology 154 201 306
H3 154
indicator species 32
indices 32
industry 275
inorganic 201 203
insects 339
Japan 445
Kaneohe 65 200 466
Ks 62
light 336
Little River 154
Los Angeles 447
macrofauna 409
macrophytes 52 247 537
management 231
marshes 339
Maryland 304
meiofauna 339
metabolism 466 525
methods 296
microbes 133 167 203 247 275 332 445 525 533 537
microcosms 140
mining 66 201 203
model 231
molluscs 339
N/P 160
nanoplankton 296
nematodes 167
Netherlands 336
New York 275
nitrate 128 201 203
nitrogen 62 65 66 110 144 160 201 247 339
nitrogen fixation 144
North Carolina 203 533
nutrients 62 128 160 203 304 306

  - 336 445
  - N15 62
  - oligochaetes 167
  - organic matter 306
  - organisms 447
  - orthophosphate 133
  - Pamlico 66 201 203
  - Patuxent 304
  - pH 144 332
  - PHB 525
  - phosphate 52 203 247 466
  - phosphorus 66 110 154 201 247 304 339 533
  - phytoplankton 62 65 66 110 128 144 154 201 203 296 304 339 434 519 533
  - plankton 306 447
  - PN 200
  - POC 65
  - poly B hydroxybutyrate 332 525
  - polychaetes 167
  - pond experiment 110 339
  - pool experiment 66
  - primary 62 140 154 296 304 336 445
  - productivity 62 140 154 231 296 304 336 339 445 447
  - pulp mill 409
  - P32 154
  - Quinte 52
  - Rhode 133
  - salinity 154 231 332
  - Sea 445
  - secondary 144 231
  - sediments 201 247 275 304 332 525 537
  - sewage 52 62 140 144 160 167 339 447
  - shrimp 231
  - size composition 200
  - size dependent 466
  - St Lawrence 434
  - succession 110 144 200 201 409
  - Tar 201
  - Tees 167
  - temperature 128 154 519
  - tertiary 52 339
  - Texas 32 231
  - thermal 304
  - tides 519
  - toxicity 32
  - turnover rates 537
  - uptake rates 133 533 537
  - urea 62
  - Vm 62 537
  - wastes 32 66 275 447
  - water column 537
  - water velocity 336
  - winter 445
  - zooplankton 140 154 200 296 466
  - Zostera marina 336
- biosorption
  - C14 543
  - fish 543
  - methianine 543
  - urea 543
- bioturbation
  - benthic 539
  - BOD 539
  - Delaware 539
  - Estuary 539
  - fauna 539
  - Limnodrilus 539
  - oligochaetes 539
  - organic 539
  - sediments 539
  - wastes 539
- birds
  - algae 256 339 443
  - bacteria 256 339
  - biomass 339
  - calcium 339
  - carbon 256 339
  - Clyde 443
  - community structure 256
  - crustaceans 256 339
  - Estuary 443
  - feeding grounds 443
  - fish 256 339
  - foraminifera 256 339
  - heterotrophic 256 339
  - insects 256 339
  - intertidal 443
  - invertebrates 443
  - marshes 339
  - meiofauna 256 339
  - metabolism 256
  - molluscs 256 339
  - nitrogen 256 339
  - phosphorus 256 339

  - phytoplankton 256 339
  - pond experiment 256 339
  - productivity 256 339
  - sewage 256 339
  - tertiary 339
- Biscayne
  - Bay 427
  - chemical 427
  - Florida 427
  - free surface 427
  - model 427
  - processes 427
  - sediments 427
  - three dimensional 427
  - time dependent 427
  - transport 427
  - wind 427
- Black
  - Chaetoceros simplex 303
  - indicator species 303
  - nitrate 303
  - phosphate 303
  - phytoplankton 303
  - Sea 303
  - sewage 303
- black necrosis
  - Burry Inlet 2
  - Crangon crangon 2
  - detergent 2
  - DO 2
  - Great Britian 2
  - microbes 2
  - pH 2
  - salinity 2
  - temperature 2
  - trace metals 2
- bloom
  - Acartia 227
  - aerobic 537
  - Albemarle 450
  - algae 432 537
  - algae bluegreen 533
  - ammonia 204 450 520
  - ash 382
  - assay 414
  - ATP 275
  - Balanus 227
  - batch culture 144
  - Bay 227 287 524
  - Bayou 251 317
  - Belgium 376
  - benthic 10
  - benthic oxygen demand 80
  - Bermuda 24
  - bibliography 13
  - Bight 275 286
  - biomass 144 201 275 306 445 519 533 537
  - BOD 519
  - C/N 450
  - cadmium 275
  - Calanus pacificus 363
  - carbon 144 382
  - carbon oxygen demand 80
  - Ceratium 275
  - Chaetoceros 363
  - chlorophyll 80 382 519
  - Chlorophyta 144
  - Chowan 450 533
  - conference 279
  - continuous culture 144
  - CO2 144 432 537
  - Cyanophyta 144
  - cysts 10
  - C14 382 537
  - density 537
  - deposition 376
  - detritus 537
  - diatoms 376 414 445
  - Dickinson 251
  - DIN 450
  - dinoflagellate 10 13 279 524
  - diversity 533
  - DO 80 251 317 376 519
  - DON 201 450
  - Duwamish 519 520 521
  - Estuary 80 201 204 227 376 450 519 520 521 533
  - Etang de Berre 306
  - Euphaussid furcilia 363
  - Eurytemora 227
  - fatty acids 382
  - feeding rates 363
  - fertilizer 204
  - fish 317
  - fish kills 251
  - Florida 317
  - France 306
  - freshwater 204 519
  - Fundy 524

Gonyaulax 10
Gonyaulax excavata 524
Gymnodinium 317
herring 524
hydrology 201 306 376 414 520 521
hypertrophication 286
industry 275
inorganic 201
interface salt fresh 376
Japan 445
latitudinal gradients 227
light 24 521
Limacina retroversa 524
macrophytes 24 537
Massachusetts 10
Massartia rotundata 287
microbes 275 445 533 537
mining 201
model 80
N/P 414
nanoplankton 363
Narragansett 227
Neuse 204
New Jersey 227
New York 275 286 287
nitrate 201 204 382 414
nitrogen 80 144 201
nitrogen fixation 144
nitrogen oxygen demand 80
North Carolina 204 450 533
Norway 414
Nova Scotia 382
nutrients 24 80 227 286 306 376 445 521
Olisthodiscus luteus 287
organic matter 227 306
orthophosphate 414
Pamlico 201
Periphyton 521
pH 144 432
phosphate 520
phosphorus 80 201 204 251 382 432 533
phytoflagellate 287
phytoplankton 80 144 201 204 227 251 286 317 363 382 414 450 519 520 521 533
plankton 306
Potomac 80
primary 24 80 382 445 450
productivity 24 80 363 382 445 450
Prorocentrum micans 287
Pseudocalanus minutus 363
pteropods 524
Raritan 227
reaeration 80
red tide 10
respiration 80 382
Rhode Island 227
salinity 204 227 287
Scheldt 376
Sea 445
seasons 227 450 521
secondary 144
sediments 201 275 376 537
self purification 376
sewage 144 204 251 432 520
silica 382 414
Sound 450
spores 10
succession 144 201
suspended solids 376
Tar 201
temperature 519
Texar 317
tides 519
toxicity 10 317
trace metals 376 414
transport 376
Trondheimsfjord 414
turnover rates 537
uptake rates 533 537
Virginia 227
Vm 537
Washington 520
wastes 204 227 275 317
water column 537
winter 445
York 227
zooplankton 227 363

boat traffic
  agrochemicals 455
  alkalinity 455
  Bay 455
  Chesapeake 455
  chlorine 455
  disease 455
  dredging 455

  epiphytes 455
  fauna 455
  nutrients 455
  oil 455
  pH 455
  salinity 455
  specie key 455
  submerged vegetation 455
  temperature 455
  trace metals 455
  turbidity 455
  water velocity 455
BOD
  Alaska 320
  ammonia 311 477 487
  assimilation capacity 446
  Bay 71 353 495
  benthic 539
  benthic oxygen demand 221
  bioenhancement 446
  biomass 519
  bioturbation 539
  bloom 519
  C/N 136 324
  California 477
  carbon 221 324 342 495
  Charleston 136
  chemical 109
  Chesapeake 495
  chlorophyll 495 519
  Clyde 284
  COD 349
  coliforms 1 221 290 353
  Cook 320
  cycles 342 477
  DC 1 283
  Delaware 109 342 477 523 539
  Delta 477
  denitrification 324
  deoxygenation 349
  DIN 477
  dispersion coefficient 283
  distribution 71
  DO 1 36 71 99 212 221 283 284 290 311 342 353 477 495 519 541
  DOC 311
  DOD 283
  DON 311
  Duwamish 519
  dye 1
  energy transfer 348
  Estuary 1 99 109 212 221 283 284 342 477 495 519 523 539
  fauna 539
  flux 342
  freshwater 284 519
  Great Britian 274
  Harbor 136
  hydrology 71 212 284
  industry 109 136 284 348
  Inlet 320
  interface salt fresh 311
  Jamaica 353
  James 495
  Japan 349
  light 36
  Limnodrilus 539
  management 109
  Michaelis Menton 71
  microbes 487 541
  mixing depth 541
  model 1 71 99 109 212 283 342 348 353 477 523
  municipal 109
  NaCl 36
  New York 353
  nitrate 487
  nitrification 487
  nitrite 290 311 477 487
  Nitrobacter 487
  nitrogen 342 353 477 541
  Nitrosomona 487
  nonpoint sources 523 541
  nutrients 1 71 221 342 446 495
  oligochaetes 539
  organic 539 541
  organic matter 290 324
  oxidation 477
  Patuxent 495
  pesticides 348
  pH 71 290 311
  phosphorus 342 353 541
  phytoplankton 1 71 221 274 342 477 519
  point sources 541
  Potomac 1 99 221 283 342 477 495
  predictions 284 541
  profiles 541
  pulp mill 136
  Rappahannock 495

- real time 212
- respiration 487
- runoff 541
- Sacramento San Joquin 477
- salinity 71 212 290 311 353 541
- salts 36
- San Francisco 71
- seasons 71 274 290
- secondary 348
- sediments 36 539 541
- self purification 349
- sewage 136 274 284 320 324 348
- shellfish 290
- soil erosion 541
- South Carolina 136
- stochastic 99 477
- storm loading 523
- surface waters 541
- suspended solids 36
- Susquehanna 495
- temperature 36 71 284 290 320 519 541
- thermal 541
- tidal average 212
- tides 1 519
- TOC 349
- TOD 349
- trace metals 311 348
- turbidity 36 541
- two dimensional 353
- Virginia 212
- wastes 109 136 221 284 342 348 539
- York 212 495
- zooplankton 342 477

Bothnia
- benthic 137
- chlorinated hydrocarbons 137
- dissolved solids 137
- DO 137
- Gulf 137
- hydrology 137
- iron 137
- macrofauna 137
- nutrients 137
- oil 137
- pesticides 137
- phosphorus 137
- phytoplankton 137
- primary 137
- productivity 137
- sediments 137
- symposium 137
- trace metals 137
- wastes 137
- zooplankton 137

bound
- dissolved 3
- fertilizer 3
- nitrate 3
- phosphorus 3
- pond experiment 3
- P32 3
- sediments 3

boundary layer
- ammonium 522
- carbon 522
- cycles 522
- growth rates 522
- kelp 522
- Ks 522
- Macrocystis 522
- morphology 522
- nitrogen 522
- nutrients 522
- primary 522
- productivity 522
- Vm 522
- water velocity 522

Brazil
- Balanus 257
- Bay 257
- Guanabara 257
- indicator species 257

British Columbia
- algae bluegreen 247
- ammonia 247
- biomass 247
- canal 512
- cycles 247
- dredging 512
- flushing 512
- macrophytes 247
- microbes 247
- nitrogen 247
- nutrients 512
- phosphate 247
- phosphorus 247
- salinity 512
- sediments 247

- temperature 512
- tides 512
- wastes 512

Broad River
- detritus 292
- Estuary 292
- fertilizer 292
- Florida 292
- leaves 292
- mangroves 292
- pesticides 292
- Shark 292
- trace metals 292

Broadkill
- chlorophyll 101
- Delaware 101
- DO 101
- Estuary 101
- inorganic 101
- Murderkill 101
- nitrogen 101
- nutrients 101
- pH 101
- phosphorus 101
- salinity 101
- tides 101
- wetlands 101

bubbles
- argon 396
- Bay 396
- Chesapeake 396
- CO2 396
- H2S 396
- methane 396
- nitrogen 396
- sediment water 396

budget
- Bayou 316
- Florida 316
- nitrogen 316
- phosphorus 316
- Texar 316

buoys
- California 37
- ceramic panel substrates 37
- chlorinated hydrocarbons 37
- dispersion 37
- economics 37
- methods 37
- Obelia dichtoma 37
- productivity 37
- sewage 37
- trace metals 37

Burrard
- distribution 460
- fiord 460
- Harbor 460
- Inlet 460
- phytoplankton 460
- primary 460
- productivity 460
- succession 460
- Vancouver 460

Burry Inlet
- black necrosis 2
- Crangon crangon 2
- detergent 2
- DO 2
- Great Britian 2
- microbes 2
- pH 2
- salinity 2
- temperature 2
- trace metals 2

Bush
- Estuary 373
- predictions 373

Buzzards
- bacteria 440
- Bay 406 440
- benthic oxygen demand 440
- C/N 406
- chlorophyll 406
- COD 440
- detritus 406
- Massachusetts 406
- nanoplankton 406
- POC 406
- PON 406
- respiration 440
- seasons 406
- sediments 440
- sewage 440
- suspended solids 406
- zooplankton 406

Byfjorden
- benthic 352
- crustaceans 352
- Estuary 352
- Gothenburg 352

    indicator species 352
    Kungsbackafjorden 352
    macrofauna 352
    meiofauna 352
    Saltkallefjord 352
    Sweden 352
    zooplankton 352
C/N
    Albemarle 450
    alkaline phosphatase 482
    ammonia 62 450
    ammonium 188 482
    ATP 465
    Bay 188 406 465
    benthic 333
    biomass 62
    bloom 450
    BOD 136 324
    Buzzards 406
    California 62
    carbon 324 482
    carbon/chlorophyll 62
    Charleston 136
    chlorophyll 406 482
    Chowan 450
    denitrification 324
    detritus 406
    DIN 450
    diurnal 62 482
    DOC 150
    DON 150 450
    Estuary 450
    fisheries 465
    Georgia 150
    growth rates 188
    Harbor 136
    Hawaii 188
    industry 136
    Kaneohe 188
    Ks 62 482
    macrophytes 333
    Massachusetts 406
    methods 465
    nanoplankton 406
    nitrate 188 482
    nitrogen 62 482
    North Carolina 450
    nutrients 62 465
    N15 62
    Olisthodiscus luteus 482
    organic matter 324
    PC 465
    Phaeophyta 333
    phosphorus 482
    phytoplankton 62 188 450
    PN 465
    POC 406
    PON 406
    primary 62 450 465
    productivity 62 450 465
    pulp mill 136
    runoff 150 465
    Savannah 150
    seasons 406 450
    sewage 62 136 188 324
    Sound 150 450
    South Carolina 136
    Spain 333
    St Margaret 465
    suspended solids 406 465
    uptake rates 188 482
    urea 62 188
    Vm 62
    wastes 136
    zooplankton 406
cadmium
    ammonium 210
    ATP 275
    Bight 275
    biomass 275
    bloom 275
    Ceratium 275
    industry 275
    marshes 210
    microbes 275
    New York 275
    nitrogen 210
    nutrients 210
    phosphorus 210
    sediments 210 275
    tides 210
    trace metals 210
    wastes 275
    zinc 210
Calanus pacificus
    bloom 363
    Chaetoceros 363
    Euphaussid furcilia 363
    feeding rates 363
    nanoplankton 363

    phytoplankton 363
    productivity 363
    Pseudocalanus minutus 363
    zooplankton 363
calcium
    algae 339
    Aqaba 146
    bacteria 339
    biomass 339
    birds 339
    carbon 339
    crustaceans 339
    fish 339
    foraminifera 339
    Gulf 146
    heterotrophic 339
    insects 339
    Jordan 146
    marshes 339 461
    meiofauna 339
    molluscs 339
    nitrogen 339 461
    phosphate 146
    phosphorus 339 461
    phytoplankton 339
    plants 461
    pond experiment 339
    potassium 461
    productivity 339
    sediments 461
    sewage 146 339
    tertiary 339
California
    algae 400
    ammonia 62 477
    ammonium 129
    Bay 8
    benthic 400 447
    bioenhancement 447
    biomass 62 128 447
    BOD 477
    buoys 37
    C/N 62
    cannery 447
    carbon/chlorophyll 62
    ceramic panel substrates 37
    chlorinated hydrocarbons 37
    chlorophyll 128 155
    cycles 129 477
    Delaware 477
    Delta 477
    DIN 477
    dispersion 37
    distribution 128 155
    diurnal 62 129
    diversity 155 447
    DO 8 441 447 477
    economics 37
    energy transfer 276
    Estuary 477
    fauna 276
    fish 447
    flushing 155
    flux 187
    Gulf 155
    Harbor 400 447
    Humboldt 8
    hydrology 441
    indicator species 400
    intertidal 276
    Ks 62
    Lagoon 155
    Los Angeles 400 447
    macrophytes 276
    metabolism 276
    methods 37
    model 477
    nitrate 128 129
    nitrite 477
    nitrogen 62 129 187 477
    nutrients 62 128 441
    N15 62 129
    Obelia dichtoma 37
    oil 400
    oligochaetes 400
    organisms 447
    oxidation 477
    P/N 441
    pH 8
    phosphorus 187
    phytoplankton 62 128 129 155 187 441 477
    plankton 447
    polychaetes 400
    pond experiment 8
    Potomac 477
    primary 62 129 155 187 276 441
    productivity 37 62 129 155 187 276 441 447
    respiration 441

  - Sacramento San Joquin 477
  - salinity 441
  - salmonids 8
  - seasons 276 441
  - secchi disc 441
  - sediments 187
  - sewage 8 37 62 129 276 400 447
  - silica 187
  - stochastic 477
  - temperature 128 441
  - tides 155
  - trace metals 37
  - uptake rates 129
  - urea 62 129
  - Vm 62
  - wastes 400 447
  - zooplankton 477
- calorific content
  - aerobic 172
  - ammonium 172
  - anaerobic 172
  - ATP 172
  - Bight 172
  - decomposition 172
  - DIC 172
  - DOC 172
  - macroinvertebrates 277
  - macrophytes 277
  - New York 172
  - nitrate 172
  - nitrite 172
  - PC 172
  - PN 172
  - sewage 172 277
- Canada
  - Aquaforte 145
  - Bay 52
  - biomass 52
  - euglenoid 145
  - Harbor 145
  - indicator species 145
  - macrophytes 52
  - nanoplankton 145
  - phosphate 52
  - phytoplankton 145
  - Quinte 52
  - secchi disc 145
  - sewage 52 145
  - St Johns 145
  - tertiary 52
- canal
  - agriculture 384
  - artificial recharge 138
  - British Columbia 512
  - dissolved solids 138
  - Dniester 384
  - dredging 512
  - economics 138
  - Estuary 138 384
  - fauna 384
  - flushing 512
  - industry 384
  - nitrification 138
  - nutrients 512
  - ozonization 138
  - recycle 138
  - salinity 512
  - sewage 138 384
  - temperature 512
  - Thames 138
  - tides 512
  - wastes 384 512
  - water supply 138
  - zooplankton 384
- Cancer
  - crabs 139
  - eggs 139
  - epibiotic fouling 139
  - microbes 139
  - nutrients 139
- cannery
  - acetylene 25
  - Bay 76
  - benthic 76 447
  - bioenhancement 447
  - biomass 447
  - California 447
  - diversity 447
  - DO 447
  - fish 447
  - Harbor 447
  - Inlet 25
  - intertidal 25
  - Klebsiella pneumoniae 25
  - Los Angeles 447
  - macrofauna 76
  - New Zealand 25
  - nitrogen fixation 25
  - nutrients 25
  - organisms 447

    plankton 447
    productivity 447
    Saldanha 76
    sediments 25
    sewage 25 447
    slaughterhouse 25
    South Africa 76
    Waimea 25
    wastes 25 76 447
Capitella capitata
    amphipods 12
    Bathyporia sarsi 11
    Bay 11 12
    benthic 11 12
    community structure 11
    indicator species 12
    invertebrates 12
    Kiel 11 12
    macrofauna 11
    oligochaetes 11
    polychaetes 12
    Pygospio elegans 11
    sewage 11 12
carbohydrates
    amino acids 225 456
    ATP 193 295
    bacteria 456
    bacteria proteolytic 456
    Basin 295
    Bedford 295
    carbon 193 295
    chlorophyll 193
    clams 225
    crude fiber 193
    C14 456
    Estuary 193
    fauna 456
    flagellates 295
    fungus 456
    glycine 225
    heterotrophic 456
    indices 456
    marshes 193
    Maryland 193
    Mercenaria 225
    methods 456
    microbes 456
    nitrogen 193
    oil 225 456
    particulate matter 295
    Patuxent 193
    phosphorus 193
    phytoplankton 295 456
    processes 456
    protein 295
    pulp mill 456
    salinity 456
    sewage 225 456
    stress 225
    symposium 456
    taurine 225
    thermal 456
    trace metals 456
    zooplankton 295
carbon
    abundance 499
    Aisne 35
    algae 256 312 339
    alkaline phosphatase 482
    ammonia 387 473
    ammonium 394 482 522
    Anabaena 312
    ash 382
    ATP 135 193 295
    bacteria 256 339
    Basin 295
    batch culture 144
    Bay 22 168 387 473 495 499
    Bayou 181
    Bedford 295
    benthic 542
    benthic oxygen demand 221 542
    biomass 110 144 339
    birds 256 339
    bloom 144 382
    BOD 221 324 342 495
    boundary layer 522
    C/N 324 482
    calcium 339
    carbohydrates 193 295
    Carter 21
    Chesapeake 22 168 473 495
    Chlorella 312
    chlorophyll 70 193 220 382 454
    473 482 495
    Chlorophyta 144
    coliforms 221 542
    community structure 256
    conceptual 168
    continuous culture 116 144

Copepoda 195
CO2 144 220 312
Creek 21
crude fiber 193
crustaceans 195 256 339
ctenophores 362
Cyanophyta 144
cycles 21 342 499 522
C14 382
Delaware 342
denitrification 324
deoxygenation 542
detritus 22 192 195
DIC 473
distribution 377 449
diurnal 482
DO 220 221 342 387 394 495 542
DOC 473
energy transfer 192 195 362
Estuary 27 35 135 181 192 193 195 220 221 342 377 449 495
Eurytemora affinis 195
fatty acids 382
fish 256 339 542
flagellates 295
Florida 181
flux 22 342 362 387
foraminifera 256 339
France 35
growth rates 70 312 522
heat 542
heterotrophic 256 339
ice 542
indices 220
inorganic 27 181
insects 256 339
isotope 449
James 27 495
kelp 522
Ks 482 522
Laminaria 70
light 542
Loch 454
Macrocystis 522
macrophytes 70
Malpeque 499
marshes 21 22 192 193 339
Maryland 192 193 195
meiofauna 256 339
metabolism 256
methods 35 135 542
microbes 27 135 195 220 499
microcosms 362 387
Microcystis 312
model 27 168 342 542
molluscs 256 339
morphology 522
Narragansett 387
Nevis 454
Newport 135
nitrate 27 70 382 394 454 473 482
nitrite 27 473
nitrogen 21 22 35 110 144 181 193 256 339 342 362 377 387 482 499 522
nitrogen fixation 144
North 454
North Carolina 135
Nova Scotia 382
nutrients 116 168 192 220 221 342 362 387 394 473 495 522 542
Olisthodiscus luteus 482
organic 27 135
organic matter 324 394
organisms 542
oxidation rates 35
oxygen 377
oysters 499
particulate matter 295
Patuxent 192 193 195 495
pesticides 220
pH 144
phaeophytin 473
phosphate 27 181 394 454
phosphorus 19 21 22 110 181 193 256 339 342 382 387 473 482 499
phytoplankton 27 110 116 144 221 256 295 339 342 382 394 542
POC 454
pond experiment 110 256 339
Potomac 220 221 342 377 449 495
predictions 27
primary 21 22 181 192 195 362 382 473 522 542
processes 27
productivity 21 22 181 192 195 256 339 362 382 454 473 499 522 542
protein 295

- Rappahannock 495
- rate constants 542
- reaeration 542
- respiration 382
- Rhode Island 387
- Schofield 27
- Scotland 454
- Scottlana canadensis 195
- Sea 454
- seasons 135
- secondary 144
- sediment water 21 181 387
- sediments 19 135 387
- Seine 35
- sewage 19 27 116 144 256 324 339
- silica 382
- Southampton 394
- spatial distribution 542
- stochastic 27
- succession 110 116 144
- Susquehanna 495
- TDC 473
- temperature 27 35 394
- temporal distribution 542
- tertiary 339
- Texar 181
- tides 19 22
- TOC 220
- toxicity 116
- trace metals 387 394
- turnover rates 394
- uptake rates 482
- Virginia 21 27
- Vm 522
- Ware 21
- wastes 220 221 342
- water velocity 522
- wetlands 192 195
- York 495
- zooplankton 295 342 394 542

carbon oxygen demand
- benthic oxygen demand 80
- bloom 80
- chlorophyll 80
- DO 80
- Estuary 80
- model 80
- nitrogen 80
- nitrogen oxygen demand 80
- nutrients 80
- phosphorus 80
- phytoplankton 80
- Potomac 80
- primary 80
- productivity 80
- reaeration 80
- respiration 80

carbon/chlorophyll
- ammonia 62
- ATP 434
- biomass 62 434
- C/N 62
- California 62
- diurnal 62
- Estuary 434
- Ks 62
- nitrogen 62
- nutrients 62
- N15 62
- phytoplankton 62 434
- primary 62
- productivity 62
- sewage 62
- St Lawrence 434
- urea 62
- Vm 62

carbonate ion
- DOC 308
- molluscs 308
- pH 308
- salinity 308

Carter
- carbon 21
- Creek 21
- cycles 21
- marshes 21
- nitrogen 21
- phosphorus 21
- primary 21
- productivity 21
- sediment water 21
- Virginia 21
- Ware 21

CBOD
- ammonia 407
- chlorophyll 407
- coliforms 407
- DO 407 408
- Estuary 407 408
- inorganic 407

- model 407 408
- NBOD 408
- nitrate 407
- nitrite 407
- nitrogen 407
- one dimensional 407 408
- organic 407
- Pagan 407 408
- phosphorus 407
- phytoplankton 407
- real time 407 408
- salinity 407 408

ceramic panel substrates
- buoys 37
- California 37
- chlorinated hydrocarbons 37
- dispersion 37
- economics 37
- methods 37
- Obelia dichtoma 37
- productivity 37
- sewage 37
- trace metals 37

Ceratium
- ATP 275
- Bight 275
- biomass 275
- bloom 275
- cadmium 275
- industry 275
- microbes 275
- New York 275
- sediments 275
- wastes 275

Chaetoceros
- bloom 363
- Calanus pacificus 363
- Euphaussid furcilia 363
- feeding rates 363
- nanoplankton 363
- phytoplankton 363
- productivity 363
- Pseudocalanus minutus 363
- zooplankton 363

Chaetoceros simplex
- Black 303
- indicator species 303
- nitrate 303
- phosphate 303
- phytoplankton 303
- Sea 303
- sewage 303

Chaetodon miliaris
- Bay 392
- fish 392
- growth rates 392
- Hawaii 392
- Kaneohe 392
- reproduction 392
- sewage 392
- zooplankton 392

chambers
- ammonia 178
- Bay 178
- benthic 178
- flux 178
- inorganic 178
- Narragansett 178
- nitrate 178
- nitrite 178
- phosphate 178
- Rhode Island 178
- sediment water 178
- temperature 178

Channel
- Houston Ship 253
- hydrology 253
- reaeration 253

charcoal adsorption
- acid extraction 206
- ATP 206
- methods 206
- sediments 206
- tris extraction 206

Charleston
- BOD 136
- C/N 136
- Harbor 136
- industry 136
- pulp mill 136
- sewage 136
- South Carolina 136
- wastes 136

chemical
- Bay 427
- Bayou 102
- biological 230
- Biscayne 427
- BOD 109
- chlorophyll 102

  Chocolate 102
  cycles 428
  Delaware 109
  diversity 102
  DO 102
  Estuary 109
  eutrophic 20
  fish 516
  Florida 427
  food processing 516
  free surface 427
  Harbor 20
  hydrology 20
  Hymeniacidon sanguinea 359
  indicator species 359
  indices 16 102
  industry 109 359 516
  Italy 359
  management 109 428
  methods 179
  microbes 16 20 179 516
  model 109 427
  municipal 109
  nutrients 428 516
  Oregon 516
  plankton 20
  Porifera 359
  processes 230 427
  productivity 102 428
  radioactivity 516
  resources 516
  respiration 102
  seasons 102
  sediment water 179
  sediments 427
  sewage 359 516
  Sphaerotilus 516
  stabilization 230
  Taylor 102
  Texas 102
  thermal 516
  three dimensional 427
  time dependent 427
  trace metals 516
  transport 427
  wastes 20 102 109 230 359
  wind 427
  zooplankton 102
chemostat
  growth rates 169
  intracellular 169
  model 169
  nitrogen 169
  phytoplankton 169
Chesapeake
  advection 42
  agencies 18
  Agnes 415 421
  agrochemicals 455
  algae 72 133 140
  alkaline phosphatase 468
  alkalinity 67 184 293 380 455
  ammonia 67 184 293 473
  ammonium 298 467
  argon 396 397
  Bay 18 22 41 42 45 67 72 73 74 79 91 92 133 140 141 156 168 173 184 207 293 296 297 298 301 318 345 346 355 380 396 397 415 417 419 421 422 429 451 455 467 468 469 473 475 485 495 510
  benthic 72
  bibliography 73 156 345 346 451 475
  biomass 133 140 296
  boat traffic 455
  BOD 495
  bubbles 396
  carbon 22 168 473 495
  Chickahominy 173
  chloride 293
  chlorine 184 455
  chlorophyll 67 79 140 184 296 415 473 495
  coliforms 380
  conceptual 168
  Coriolis 42
  CO2 396 397
  cycles 91 297
  C14 140
  DC 380
  deterministic 419
  detritus 22
  DIC 473
  diffusion 419 467
  dilution 510
  DIP 45
  directory 73
  disease 455
  dissolved 207

distribution 293 417
DO 67 72 184 380 495
DOC 473
DOP 469
dredging 318 455
dye 318
energy transfer 72 141
epiphytes 455
Estuary 67 79 133 141 173 380 415 419 467 495 510
eutrophication 73 345 346
fauna 18 455
fertilizer 355
finite difference 41
fisheries 74
flora 18
flux 22
foraminifera 72
growth rates 355
heat 141
Hurricane 415 421
hydrology 41 42 91 141 510
H2S 396
indicator species 417
indices 92
industry 301 380
interstitial 45 207 293 485
iron 45 293 485
James 173 380 495
Ks 468 469
land development 92
linear regression 173
local 297
macrofauna 72
macrophytes 72
management 73 74 429
manganese 207 293
marshes 22
Maryland 380 451
methane 396 397
methods 18 296 485
Michaelis Menton 415
microbes 72 133 141 297 417
microcosms 140
model 41 42 168 207 345 346 415 419 467 510
nanoplankton 296
nitrate 67 298 380 467 473
nitrite 67 298 473
nitrogen 22 67 79 91 297 396 397 415
nutrients 72 79 92 141 168 173 297 355 380 455 473 495
oil 318 455
one dimensional 419
organic 141
organic matter 422
orthophosphate 133 184 469
oxidation rates 485
Patuxent 141 173 380 495
pesticides 380
pH 67 184 207 293 380 455
phaeophytin 473
phosphate 67 184 293 380
phosphomonoester 468
phosphorus 22 79 91 297 415 468 473
phytoplankton 67 72 79 91 141 296 297 298 415 468 469
plants 141
polyphosphate 469
POM 421
Potomac 67 173 380 419 467 495
power plant 141
primary 22 91 140 141 296 473
processes 184
productivity 22 67 91 140 141 296 473
public opinion 429
P32 469
quasi linear 415
radioactivity 345 346
rainfall 297
Rappahannock 173 380 495
redox potential 293
remote sensing 318
resources 345 346 429
Rhode 133
salinity 67 184 422 455
seagrass 355
seasons 173 293 397
secchi disc 422
sediment water 396
sediments 297 301 380 397 417 421
Severn 510
sewage 72 140 301 318 380 417 421 510
silica 293
soil erosion 421

    specie key 455
    steady state 207
    submerged vegetation 455
    sulfate 184 293
    sulfide 184
    suspended solids 417 421 422
    Susquehanna 79 173 380 415 495
    symposium 297
    TDC 473
    temperature 67 184 455
    tertiary 301
    thermal 141
    tides 22
    trace metals 72 184 380 455
    transport 301
    turbidity 67 455
    turnover rates 469
    two dimensional 41 42
    uptake rates 133 297
    urea 298
    vertical distribution 184
    vertical transport 297
    Virginia 156 380 475
    Vm 468 469
    wastes 301 380 415
    water column 417
    water velocity 455
    watersheds 92 173 380
    wind 422
    York 173 380 495
    zooplankton 67 72 140 296 297
Chickahominy
    Bay 173
    Chesapeake 173
    Estuary 173
    James 173
    linear regression 173
    nutrients 173
    Patuxent 173
    Potomac 173
    Rappahannock 173
    seasons 173
    Susquehanna 173
    watersheds 173
    York 173
Chinhae
    Bay 238
    disease 238
    fertilizer 238
    Korea 238
    Porphyra 238
    primary 238
    productivity 238
    wastes 238
Chlorella
    algae 312
    Anabaena 312
    carbon 312
    CO2 312
    growth rates 312
    Microcystis 312
Chlorella salina
    ammonia 69
    nitrate 69
    phosphate 69
    protein 69
    salinity 69
    sewage 69
    uptake rates 69
chloride
    alkalinity 293
    ammonia 293
    Bay 293
    Chesapeake 293
    distribution 293
    interstitial 293
    iron 293
    manganese 293
    pH 293
    phosphate 293
    redox potential 293
    seasons 293
    silica 293
    sulfate 293
chlorinated hydrocarbons
    benthic 137
    Bothnia 137
    buoys 37
    California 37
    ceramic panel substrates 37
    dispersion 37
    dissolved solids 137
    DO 137
    economics 37 491
    Gulf 137
    hydrology 137 491
    iron 137
    macrofauna 137
    management 491
    Mediterranean 491

  - methods 37
  - microbes 491
  - nutrients 137 491
  - Obelia dichtoma 37
  - oil 137 491
  - pesticides 137
  - phosphorus 137
  - phytoplankton 137
  - primary 137
  - productivity 37 137
  - radioactivity 491
  - resources 491
  - Sea 491
  - sediments 137 491
  - sewage 37
  - symposium 137
  - trace metals 37 137 491
  - wastes 137
  - zooplankton 137
- chlorine
  - agrochemicals 455
  - alkalinity 184 455
  - ammonia 184
  - Bay 184 455
  - boat traffic 455
  - Chesapeake 184 455
  - chlorophyll 184
  - disease 455
  - DO 184
  - dredging 455
  - epiphytes 455
  - fauna 455
  - nutrients 455
  - oil 455
  - orthophosphate 184
  - pH 184 455
  - phosphate 184
  - processes 184
  - salinity 184 455
  - specie key 455
  - submerged vegetation 455
  - sulfate 184
  - sulfide 184
  - temperature 184 455
  - trace metals 184 455
  - turbidity 455
  - vertical distribution 184
  - water velocity 455
- chlorophyll
  - Aberdeen 453
  - abundance 43 113
  - Agnes 415
  - Albemarle 43
  - algae 140
  - algae bluegreen 215
  - alkaline phosphatase 470 482
  - alkalinity 47 67 184
  - alpha fluorescence 329
  - ammonia 43 67 184 289 407 473 481
  - ammonium 113 482
  - ash 382
  - ATP 193
  - Australia 154 424
  - Bay 64 65 67 79 140 184 288 296 300 322 365 406 415 423 453 470 473 495
  - Bayou 102
  - benthic oxygen demand 80
  - Bight 113
  - biomass 65 128 140 154 296 519
  - bloom 80 382 519
  - BOD 495 519
  - Broadkill 101
  - Buzzards 406
  - C/N 406 482
  - California 128 155
  - carbohydrates 193
  - carbon 70 193 220 382 454 473 482 495
  - carbon oxygen demand 80
  - CBOD 407
  - chemical 102
  - Chesapeake 67 79 140 184 296 415 473 495
  - chlorine 184
  - Chocolate 102
  - Cochin 391
  - COD 289
  - coliforms 407
  - community structure 174
  - CO2 220
  - crude fiber 193
  - C14 140 382 391 453
  - Delaware 101
  - detritus 65 406 424
  - DIC 473
  - distribution 113 128 155 470
  - diurnal 482
  - diversity 102 155 300

DNA 470
DO 47 67 80 101 102 154 174 184 220 407 495 519
DOC 473
Duwamish 481 519
energetics 365
enzymes 470
Estuary 47 67 79 80 101 154 174 193 215 220 289 350 391 403 407 415 423 481 495 519
fatty acids 382 423
Fladen Ground 453
flushing 155
freshwater 113 519
growth rates 70
Gulf 155
Hacking 424
Hawaii 64 65
Hurricane 415
hydrology 43 154 174 424
H3 154
indicator species 481
indices 102 220 350 470
inorganic 101 407
James 47 495
Japan 322
Kaneohe 64 65
Ks 482
Lagoon 155
Laminaria 70
land development 43
light 174 424
Little River 154
Loch 454
macrophytes 70
management 215
marshes 193
Maryland 193 350
Massachusetts 406
Massartia rotundata 365
methods 296 350 424
Michaelis Menton 415
microbes 220 423 470
microcosms 140
microflagellates 174
microplankton 403
model 64 80 407 415
Murderkill 101
nanoplankton 174 288 296 300 403 406
Narragansett 423
Nevis 454
New Jersey 113 300
New York 113
Newark 300
nitrate 64 67 70 113 128 382 407 454 473 481 482
nitrite 67 113 407 473 481
nitrogen 43 65 67 79 80 101 193 407 415 482
nitrogen oxygen demand 80
North 453 454
North Carolina 43
Nova Scotia 382
NO2 47
NO3 47
nutrients 28 79 80 101 128 215 220 288 289 322 391 473 495
oil 423
Olisthodiscus luteus 482
one dimensional 407
organic 407
organic matter 28
orthophosphate 184
Pagan 407
Parramatta 403
Patuxent 193 350 495
Periphyton 481
pesticides 220
pH 47 67 101 184
phaeophytin 473
phosphate 64 67 113 184 454 481
phosphorus 43 47 79 80 101 154 193 289 382 407 415 470 473 482
phytoplankton 28 43 47 64 65 67 79 80 113 128 154 155 174 288 296 300 322 329 382 407 415 424 519
plankton 288 365
PN 47
POC 65 406 453 454
PON 406
Port 424
Potomac 67 80 215 220 289 495
primary 28 43 64 80 140 154 155 174 288 296 382 391 403 453 473 481
processes 184 453
productivity 28 43 64 67 80 102 140 154 155 174 288 296 365 382

  391 403 453 454 473 481
  protein 470
  Providence 423
  P32 154
  quasi linear 415
  Rappahannock 495
  Raritan 288 365
  reaeration 80
  real time 407
  remote sensing 329 350
  respiration 28 80 102 365 382
  Rockaway Point 113
  runoff 424
  salinity 43 47 67 101 113 154
  174 184 407
  Scotland 454
  Sea 453 454
  seasons 102 300 391 406 453
  sediments 289 424
  seston 470
  sewage 64 140 215 423
  silica 113 382
  Sound 43
  sulfate 184
  sulfide 184
  suspended solids 113 350 406 423
  424
  Susquehanna 79 415 495
  Taunton 423
  Taylor 102
  TDC 473
  temperature 43 47 67 113 128 154
  174 184 391 519
  Texas 102
  tides 101 155 519
  TOC 220
  Tokyo 470
  trace metals 184
  turbidity 43 67
  uptake rates 482
  Uranouchi 322
  vertical distribution 184
  Washington 481
  wastes 102 220 322 415 481
  weight 289
  wetlands 101
  York 174 495
  zooplankton 67 102 140 154 296
  391 406
Chlorophyta
  algae 430
  ammonia 430
  ammonium 31
  batch culture 144
  biomass 144
  bloom 144
  carbon 144
  continuous culture 144
  CO2 144
  Cyanophyta 144 430
  Estuary 31 430
  Hudson 31
  light 31
  Maryland 430
  nitrate 31
  nitrogen 144
  nitrogen fixation 144
  pH 144
  phosphate 430
  phytoplankton 31 144
  Potomac 430
  secondary 144 430
  sewage 144 430
  Skeletonema 31
  succession 144
  uptake rates 31
Chocolate
  Bayou 102
  chemical 102
  chlorophyll 102
  diversity 102
  DO 102
  indices 102
  productivity 102
  respiration 102
  seasons 102
  Taylor 102
  Texas 102
  wastes 102
  zooplankton 102
Chowan
  Albemarle 450
  algae bluegreen 533
  ammonia 450
  biomass 533
  bloom 450 533
  C/N 450
  DIN 450
  diversity 533
  DON 450

  - Estuary 450 533
  - microbes 533
  - North Carolina 450 533
  - phosphorus 533
  - phytoplankton 450 533
  - primary 450
  - productivity 450
  - seasons 450
  - Sound 450
  - uptake rates 533
- Chrysaora quinquecirrha
  - ammonium 38
  - nitrate 38
  - pH 38
  - phosphate 38
  - polyp 38
  - remote sensing 38
  - sea nettle 38
  - sewage 38
- Cladocera
  - Bay 147
  - Evadne 310
  - Evadne tergestina 147
  - Greece 245 310
  - Gulf 245 310
  - indicator species 245 310
  - industry 245
  - Malagasy Republic 147
  - Nosy Be 147
  - Penilia avirostris 147
  - phytoplankton 147
  - rainfall 147
  - Saronic 245 310
  - seasons 147 245 310
  - sewage 245 310
  - temperature 245 310
  - tropical 147
  - wastes 245
  - zooplankton 147 245
- clams
  - amino acids 225
  - carbohydrates 225
  - glycine 225
  - Mercenaria 225
  - oil 225
  - sewage 225
  - stress 225
  - taurine 225
- clay
  - adsorption 259
  - Belgium 535
  - diatoms 535
  - dissolved 535
  - Doboy 385
  - Estuary 535
  - flux 385 458
  - Georgia 385
  - Harbor 458
  - Hong Kong 458
  - inorganic 385
  - land development 458
  - microbes 385
  - nutrients 259
  - organic 259
  - pH 259
  - phosphate 259 385 458
  - phosphorus 259
  - P32 385
  - salinity 259 458
  - Scheldt 535
  - seagrass 374
  - sediment water 259 385
  - sediments 458 535
  - sewage 259 374
  - silica 535
  - Sound 385
  - temperature 259
  - Tolo 458
  - turbidity 374
  - uptake rates 259
  - Virginia 259
- Clyde
  - algae 443
  - birds 443
  - BOD 284
  - DO 284
  - Enteromorpha 375
  - Estuary 284 375 443
  - fauna 375
  - feeding grounds 443
  - fisheries 375
  - freshwater 284
  - hydrology 284
  - industry 284
  - intertidal 443
  - invertebrates 443
  - molluscs 375
  - nutrients 375
  - predictions 284
  - sand 375

  - Scotland 375
  - sediments 375
  - sewage 284 375
  - temperature 284
  - wastes 284
  - worms 375
- cobalamin
  - Long Island 509
  - nutrients 509
  - orthophosphate 509
  - phytoplankton 509
  - seasons 509
  - Sound 509
  - thiamine 509
- Cochin
  - chlorophyll 391
  - C14 391
  - Estuary 391
  - nutrients 391
  - primary 391
  - productivity 391
  - seasons 391
  - temperature 391
  - zooplankton 391
- Cockburn
  - growth rates 63
  - Posidonia australis 63
  - seagrass 63
  - seasons 63
  - sediments 63
  - Sound 63
- COD
  - algae 442
  - ammonia 289
  - bacteria 440
  - Bay 440
  - benthic 338
  - benthic oxygen demand 440
  - BOD 349
  - Buzzards 440
  - chlorophyll 289
  - crustaceans 338
  - deoxygenation 349
  - Estuary 289
  - fisheries 338
  - industry 442
  - Japan 338 349
  - Louisiana 442
  - marshes 442
  - microbes 442
  - model 338
  - nitrogen 338
  - nutrients 289 442
  - oil 338
  - organic matter 338
  - phosphorus 289
  - Potomac 289
  - respiration 440
  - runoff 442
  - Sea 338
  - sediments 289 338 440
  - self purification 349
  - Seto 338
  - sewage 338 440 442
  - sulfate 338
  - sulfide 338
  - TOC 349 442
  - TOD 349
  - wastes 442
  - weight 289
- Codium
  - algae 497
  - assay 497
  - Enteromorpha 497
  - nutrients 497
- coliforms
  - aerobic 122 183
  - alkalinity 380
  - ammonia 407
  - Bay 23 94 353 380
  - benthic 542
  - benthic oxygen demand 221 542
  - BOD 1 221 290 353
  - carbon 221 542
  - CBOD 407
  - Chesapeake 380
  - chlorophyll 407
  - cycles 183
  - DC 1 380
  - deoxygenation 542
  - diversity 94
  - DO 1 221 290 353 380 407 542
  - dye 1
  - economics 94
  - Estuary 1 183 221 380 407
  - feces 163
  - fish 542
  - fisheries 94
  - Great Britian 23
  - gulls 163

- Hawaii 94
- heat 542
- hydrology 183
- ice 542
- industry 380
- inorganic 407
- Jamaica 353
- James 380
- Kaneohe 94
- light 542
- Liverpool 23
- management 183
- Maryland 380
- methods 542
- microbes 122 183
- model 1 183 353 407 542
- New York 353
- nitrate 380 407
- nitrite 290 407
- nitrogen 94 163 183 353 407
- nutrients 1 221 380 542
- one dimensional 407
- organic 407
- organic matter 290
- organisms 542
- Pagan 407
- pathogens 163
- Patuxent 380
- pesticides 380
- pH 290 380
- phosphate 380
- phosphorus 94 163 353 407
- phytoplankton 1 221 407 542
- plankton 122
- Potomac 1 183 221 380
- predictions 183
- primary 542
- processes 183
- productivity 542
- Rappahannock 380
- rate constants 542
- reaeration 542
- real time 183 407
- recreation 94
- red tide 122
- salinity 290 353 407
- seasons 290
- sediments 380
- sewage 23 94 122 163 380
- shellfish 290
- spatial distribution 542
- Susquehanna 380
- temperature 290
- temporal distribution 542
- tides 1 183
- trace metals 380
- tracer 23
- Transient Water Quality Network 183
- two dimensional 353
- Virginia 380
- wastes 221 380
- watersheds 380
- York 380
- zooplankton 542

coliphage
- copper 505
- enterovirus 505
- sewage 505
- shellfish 505

Columbia
- algae mats 357
- Estuary 175 357
- Eurytemora 175
- indicator species 357
- light 175
- linear regression 175
- nitrate 175
- Oregon 175
- phosphate 175
- phytoplankton 175
- seasons 175
- silica 175
- specie key 357
- zooplankton 175

Colville
- Alaska 7
- Estuary 7
- fisheries 7
- hydrology 7
- nutrients 7
- primary 7
- productivity 7
- resources 7

community structure
- algae 89 256
- animals 89
- bacteria 256
- Bathyporia sarsi 11
- Bay 11

  - benthic 11 371
  - birds 256
  - Capitella capitata 11
  - carbon 256
  - chlorophyll 174
  - crustaceans 256
  - diversity 88
  - DO 174
  - ecocline 371
  - Estuary 89 174
  - fish 88 256
  - foraminifera 256
  - gradient 371
  - heat 89
  - heterotrophic 256
  - hydrology 174
  - indicator species 371
  - indices 371
  - insects 256
  - Kiel 11
  - light 174
  - macrofauna 11
  - meiofauna 256
  - metabolism 88 256
  - methods 483
  - microflagellates 174
  - molluscs 256
  - nanoplankton 174
  - nitrogen 256
  - North Carolina 89
  - nutrients 88 89
  - oligochaetes 11
  - organic enrichment 371
  - phosphorus 256
  - phytoplankton 174 256
  - pond experiment 89 256
  - primary 174 483
  - productivity 89 174 256
  - Pygospio elegans 11
  - recipient analog 483
  - recovery 371
  - respiration 89
  - salinity 174
  - seasons 89
  - secondary 483
  - sediments 371
  - sewage 11 89 256 483
  - South Creek 89
  - stress 88
  - succession 371
  - temperature 89 174
  - tertiary 483
  - Texas 88
  - York 174
  - zooplankton 88
- conceptual
  - Bay 168
  - carbon 168
  - Chesapeake 168
  - model 168
  - nutrients 168
- conference
  - amino acids 528
  - benthic 528
  - bloom 279
  - cycles 528
  - detritus 528
  - dinoflagellate 279
  - fish 528
  - fisheries 528
  - invertebrates 528
  - management 528
  - microbes 528
  - nitrogen 528
  - nutrients 528
  - oil 528
  - organisms 528
  - pesticides 528
  - phosphorus 528
  - seagrass 528
  - silica 528
  - stress 528
  - trace metals 528
  - urea 528
  - wetlands 528
  - zooplankton 528
- Connecticut
  - aerobic 58
  - anaerobic 58
  - assay 58
  - Copps Brook 58
  - degradation 58
  - DOC 58
  - interstitial 58
  - metabolism 58
  - microbes 58
  - model 58
  - nutrients 58
  - organic matter 58
  - POC 58

    sediments 58
    tetrazolium salt 58
    watersheds 58
continuous culture
    algae 160
    batch culture 144
    biomass 144 160
    bloom 144
    carbon 116 144
    Chlorophyta 144
    CO2 144
    Cyanophyta 144
    N/P 160
    nitrogen 144 160
    nitrogen fixation 144
    nutrients 116 160
    pH 144
    phytoplankton 116 144
    secondary 144
    sewage 116 144 160
    succession 116 144
    toxicity 116
Cook
    Alaska 319 320
    arctic 319
    benthic 319
    BOD 320
    DO 319
    Inlet 319 320
    microbes 319
    nitrogen 319
    organisms 319
    pH 319
    phosphorus 319
    plankton 319
    salinity 319
    sewage 319 320
    silica 319
    temperature 320
Copepoda
    carbon 195
    crustaceans 195
    detritus 195
    energy transfer 195
    Estuary 195
    Eurytemora affinis 195
    Maryland 195
    microbes 195
    Patuxent 195
    primary 195
    productivity 195
    Scottlana canadensis 195
    wetlands 195
copper
    coliphage 505
    enterovirus 505
    sewage 505
    shellfish 505
Copps Brook
    aerobic 58
    anaerobic 58
    assay 58
    Connecticut 58
    degradation 58
    DOC 58
    interstitial 58
    metabolism 58
    microbes 58
    model 58
    nutrients 58
    organic matter 58
    POC 58
    sediments 58
    tetrazolium salt 58
    watersheds 58
coral
    Bay 182
    Hawaii 182
    Kaneohe 182
    microbes 182
    nitrogen fixation 182
    secondary 182
    sediments 182
    sewage 182
Coriolis
    advection 42
    Bay 42
    Chesapeake 42
    hydrology 42
    model 42
    two dimensional 42
Corpus Christi
    Bay 372
    matrix 372
    model 372
    nitrogen 372
    Texas 372
CO2
    aerobic 537
    algae 312 432 537

- Anabaena 312
- argon 396 397
- batch culture 144
- Bay 396 397
- biomass 144 537
- bloom 144 432 537
- bubbles 396
- carbon 144 220 312
- Chesapeake 396 397
- Chlorella 312
- chlorophyll 220
- Chlorophyta 144
- continuous culture 144
- Cyanophyta 144
- C14 537
- density 537
- detritus 537
- DO 105 220
- Estuary 220
- growth rates 312
- H2S 396
- indices 220
- Lagoon 105
- macrophytes 537
- methane 396 397
- microbes 220 537
- Microcystis 312
- model 105
- nitrogen 144 396 397
- nitrogen fixation 144
- nutrients 220
- pesticides 220
- pH 105 144 432
- phosphorus 432
- phytoplankton 144
- Potomac 220
- seasons 397
- secondary 144
- sediment water 396
- sediments 397 537
- sewage 105 144 432
- stabilization 105
- succession 144
- temperature 105
- TOC 220
- turnover rates 537
- uptake rates 537
- Vm 537
- wastes 105 220
- water column 537

- crabs
  - Bay 231
  - biomass 231
  - Cancer 139
  - eggs 139
  - energy transfer 231
  - epibiotic fouling 139
  - fish 231
  - freshwater 231
  - Galveston 231
  - management 231
  - microbes 139
  - model 231
  - nutrients 139
  - productivity 231
  - salinity 231
  - secondary 231
  - shrimp 231
  - Texas 231
- Craiglin
  - benthic 393
  - density 393
  - DO 171
  - fauna 393
  - fertilizer 171 393
  - fish 171
  - flounder 171
  - growth rates 171
  - Hydrobia ulvae 393
  - Loch 171 393
  - productivity 393
  - sexual maturity 171
- Crangon crangon
  - black necrosis 2
  - Burry Inlet 2
  - detergent 2
  - DO 2
  - Great Britian 2
  - microbes 2
  - pH 2
  - salinity 2
  - temperature 2
  - trace metals 2
- Creek
  - carbon 21
  - Carter 21
  - cycles 21
  - marshes 21
  - nitrogen 21
  - phosphorus 21

  - primary 21
  - productivity 21
  - sediment water 21
  - Virginia 21
  - Ware 21
- crude fiber
  - ATP 193
  - carbohydrates 193
  - carbon 193
  - chlorophyll 193
  - Estuary 193
  - marshes 193
  - Maryland 193
  - nitrogen 193
  - Patuxent 193
  - phosphorus 193
- crustaceans
  - algae 256 339
  - annelids 370
  - bacteria 256 339
  - benthic 338 352 370
  - biomass 339
  - birds 256 339
  - Byfjorden 352
  - calcium 339
  - carbon 195 256 339
  - COD 338
  - community structure 256
  - Copepoda 195
  - detritus 195
  - energy transfer 195
  - England 370
  - Estuary 195 352
  - Eurytemora affinis 195
  - fish 256 339
  - fisheries 338
  - foraminifera 256 339
  - Gothenburg 352
  - heterotrophic 256 339
  - indicator species 352 370
  - insects 256 339
  - Japan 338
  - Kungsbackafjorden 352
  - laboratory culture 260
  - Linnhe Eil 370
  - Loch 370
  - macrofauna 352
  - marshes 339
  - Maryland 195
  - meiofauna 256 339 352
  - metabolism 256
  - microbes 195
  - model 338
  - molluscs 256 339 370
  - nitrogen 256 338 339
  - oil 338
  - organic matter 338
  - Patuxent 195
  - phosphorus 256 339
  - phytoplankton 256 339
  - pond experiment 256 339
  - primary 195
  - productivity 195 256 339
  - pulp mill 370
  - Saltkallefjord 352
  - Scottlana canadensis 195
  - Sea 338
  - sediments 338
  - Seto 338
  - sewage 256 338 339
  - succession 370
  - sulfate 338
  - sulfide 338
  - Sweden 352
  - tertiary 339
  - wetlands 195
  - zooplankton 352
- ctenophores
  - carbon 362
  - energy transfer 362
  - flux 362
  - microcosms 362
  - nitrogen 362
  - nutrients 362
  - primary 362
  - productivity 362
- Cyanophyta
  - algae 430
  - algae bluegreen 254
  - ammonia 430
  - batch culture 144
  - biomass 144
  - bloom 144
  - carbon 144
  - Chlorophyta 144 430
  - continuous culture 144
  - CO2 144
  - Estuary 430
  - fish kills 254
  - hosts 254

  indicator species 254
  Maryland 430
  microbes 254
  nitrogen 144
  nitrogen fixation 144
  pH 144
  phosphate 430
  phytoplankton 144
  Potomac 430
  Schizothrix calicola 254
  secondary 144 430
  sewage 144 430
  succession 144
  viruses 254
cycles
  abundance 499
  aerobic 183
  algae bluegreen 247
  amino acids 528
  ammonia 247 477
  ammonium 129 186 522
  animals 186
  Bay 91 224 297 499
  benthic 224 410 528
  biomass 247
  BOD 342 477
  boundary layer 522
  British Columbia 247
  California 129 477
  carbon 21 342 499 522
  Carter 21
  chemical 428
  Chesapeake 91 297
  coliforms 183
  conference 528
  Creek 21
  Delaware 342 477
  Delta 477
  Denmark 233
  detritus 528
  DIN 477
  diurnal 129
  DO 241 342 464 477
  Estuary 183 185 186 342 477
  fertilizer 464
  fish 528
  fisheries 528
  flux 342
  growth rates 522
  hydrology 91 183 224 241
  industry 464
  inorganic 186
  invertebrates 528
  kelp 522
  Ks 522
  local 297
  Macrocystis 522
  macrophytes 247
  Malpeque 499
  management 183 428 528
  marshes 21
  metabolism 224
  microbes 183 247 297 499 528
  mining 464
  model 183 342 477
  morphology 522
  New Jersey 224
  New York 410
  nitrate 129 186 224
  nitrification 410
  nitrite 186 477
  nitrogen 21 48 91 129 183 185 186 247 297 342 477 499 522 528
  North Carolina 185 186
  nutrients 186 241 297 342 410 428 522 528
  N15 129
  oil 528
  organic 186
  organic matter 410
  organisms 410 528
  oxidation 233 477
  oysters 499
  Pamlico 185 186
  pesticides 528
  phosphate 224 247
  phosphorus 21 91 241 247 297 342 464 499 528
  phytoplankton 91 129 297 342 477
  plants 186
  Potomac 183 342 477
  predictions 183
  primary 21 91 129 185 410 522
  processes 183 185 224
  productivity 21 91 129 185 410 428 499 522
  rainfall 297
  Raritan 224
  real time 183
  reduction 233

  - runoff 464
  - Sacramento San Joquin 477
  - salinity 241
  - seagrass 528
  - seasons 186 224
  - sediment water 21
  - sediments 186 233 247 297 410
  - sewage 129 464
  - silica 528
  - stochastic 477
  - stress 528
  - sulphur 233
  - symposium 297
  - tides 183
  - trace metals 528
  - Transient Water Quality Network 183
  - turnover rates 233
  - uptake rates 129 297
  - urea 129 186 528
  - vertical transport 297
  - Virginia 21
  - Vm 522
  - Ware 21
  - wastes 342 464
  - water velocity 522
  - wetlands 528
  - zooplankton 297 342 477 528
- cysts
  - benthic 10
  - bloom 10
  - dinoflagellate 10
  - Gonyaulax 10
  - Massachusetts 10
  - red tide 10
  - spores 10
  - toxicity 10
- C14
  - Aberdeen 453
  - aerobic 537
  - algae 140 537
  - algae colonial 152
  - amino acids 456
  - ash 382
  - bacteria 456
  - bacteria proteolytic 456
  - Bay 140 453
  - biomass 140 537
  - biosorption 543
  - bloom 382 537
  - carbohydrates 456
  - carbon 382
  - Chesapeake 140
  - chlorophyll 140 382 391 453
  - Cochin 391
  - CO2 537
  - density 537
  - detritus 537
  - Estuary 391
  - fatty acids 382
  - fauna 456
  - fish 543
  - Fladen Ground 453
  - fungus 456
  - heterotrophic 456
  - indices 456
  - macrophytes 537
  - methianine 543
  - methods 152 456
  - microbes 456 537
  - microcosms 140
  - mucus 152
  - nitrate 382
  - North 453
  - Nova Scotia 382
  - nutrients 391
  - oil 456
  - phosphorus 382
  - phytoplankton 382 456
  - POC 453
  - primary 140 152 382 391 453
  - processes 453 456
  - productivity 140 152 382 391 453
  - pulp mill 456
  - respiration 382
  - salinity 456
  - Sea 453
  - seasons 391 453
  - sediments 537
  - sewage 140 456
  - silica 152 382
  - symposium 456
  - temperature 391
  - thermal 456
  - trace metals 456
  - turnover rates 537
  - uptake rates 537
  - urea 543
  - Vm 537
  - water column 537

    zooplankton 140 391
Damariscotta
    benthic 106
    DO 106
    Estuary 106
    fish 106
    growth rates 106
    invertebrates 106
    laboratory culture 106
    larvae 106
    Maine 106
    Penobscot 106
    salinity 106
    sediments 106
    settlement 106
    Sheepscot 106
    temperature 106
DC
    alkalinity 380
    Bay 380
    BOD 1 283
    Chesapeake 380
    coliforms 1 380
    dispersion coefficient 283
    DO 1 283 380
    DOD 283
    dye 1
    Estuary 1 283 380
    industry 380
    James 380
    Maryland 380
    model 1 283
    nitrate 380
    nutrients 1 380
    Patuxent 380
    pesticides 380
    pH 380
    phosphate 380
    phytoplankton 1
    Potomac 1 283 380
    Rappahannock 380
    sediments 380
    sewage 380
    Susquehanna 380
    tides 1
    trace metals 380
    Virginia 380
    wastes 380
    watersheds 380
    York 380
decomposition
    aerobic 172
    ammonium 172
    anaerobic 172
    ATP 172
    Bight 172
    calorific content 172
    DIC 172
    DOC 172
    electron transfer 299
    energy transfer 299
    growth rates 299
    microbes 299
    New York 172
    nitrate 172
    nitrite 172
    organic matter 299
    PC 172
    PN 172
    redox potential 299
    sewage 172
    steady state 299
    substrates 299
definition
    eutrophication 151
degradation
    aerobic 58
    anaerobic 58
    assay 58
    Connecticut 58
    Copps Brook 58
    DOC 58
    interstitial 58
    metabolism 58
    microbes 58
    model 58
    nutrients 58
    organic matter 58
    POC 58
    sediments 58
    tetrazolium salt 58
    watersheds 58
dehydrogenase
    anaerobic 358
    benthic 358
    Lake 358
    metabolic heat release 358
    metabolism 358
    microcalorimetry 358
    nutrients 358

  organic matter 358
  organisms 358
  oxygen 358
  processes 358
  Puget 358
  sediments 358
  Sound 358
  Washington 358
Delaware
  ammonia 477
  benthic 539
  bioturbation 539
  BOD 109 342 477 523 539
  Broadkill 101
  California 477
  carbon 342
  chemical 109
  chlorophyll 101
  cycles 342 477
  Delta 477
  DIN 477
  DO 101 342 477
  economics 134
  Estuary 101 109 134 342 411 477 523 539
  fauna 539
  fisheries 411
  flux 342
  industry 109 134
  inorganic 101
  Limnodrilus 539
  management 109 411
  model 109 342 411 477 523
  municipal 109
  Murderkill 101
  nitrite 477
  nitrogen 101 342 477
  nonpoint sources 523
  North 411
  nutrients 101 342
  oligochaetes 539
  organic 539
  oxidation 477
  pH 101
  phosphorus 101 342
  phytoplankton 342 411 477
  Potomac 342 477
  runoff 134
  Sacramento San Joquin 477
  salinity 101
  Sea 411
  sediments 539
  sewage 134
  stochastic 477
  storm loading 134 523
  succession 411
  tides 101
  wastes 109 134 342 539
  wetlands 101
  zooplankton 342 477
Delta
  ammonia 477
  BOD 477
  California 477
  cycles 477
  Delaware 477
  DIN 477
  DO 477
  Estuary 477
  model 477
  nitrite 477
  nitrogen 477
  oxidation 477
  phytoplankton 477
  Potomac 477
  Sacramento San Joquin 477
  stochastic 477
  zooplankton 477
denitrification
  acetylene 444
  activated sludge 514
  ammonia 157 190 444
  anaerobic 127
  Bay 190
  Belgium 504
  BOD 324
  C/N 324
  carbon 324
  diffusion 127
  eutrophic 157
  Fiji Island 326
  floodwaters 127
  inorganic 326
  interstitial 504
  Japan 190
  Louisiana 127
  macrophytes 157
  Mangoku 190
  mangroves 326
  microbes 326

    model 157 504
    nitrate 127 157 444 504
    nitrification 157 504 514
    nitrite 504
    nitrogen 157 326
    N15 190
    organic 157
    organic matter 157 324 504
    phytoplankton 157
    PON 190
    processes 157
    redox potential 127
    reduction 444
    respiration 514
    secondary 326
    sediments 190 326 444 504
    sewage 324 326
    Simoda 190
    tertiary 326
    Tokyo 190
    uptake rates 157
    Ura 190
    zooplankton 157
Denmark
    cycles 233
    oxidation 233
    reduction 233
    sediments 233
    sulphur 233
    turnover rates 233
density
    aerobic 537
    algae 537
    bacteria 246
    Bay 198 323
    Bengal 323
    benthic 393
    biomass 537
    bloom 537
    CO2 537
    Craiglin 393
    C14 537
    detritus 537
    dispersion 530
    diversity 246
    DO 323
    dye 530
    Estuary 530
    fauna 393
    fertilizer 393
    heterotrophic 246
    Hydrobia ulvae 393
    hydrology 198 280 530
    Loch 393
    longitudinal 530
    macrophytes 537
    microbes 537
    mixing 530
    model 198 280 530
    Narragansett 198
    nutrients 323
    point sources 530
    productivity 393
    salinity 198
    sediments 246 537
    self purification 246
    stratification 280
    three dimensional 198
    three layer 280
    turnover rates 537
    uptake rates 537
    vertical shear 530
    Vm 537
    water column 537
    York 530
density homogeneous
    model 258
    specified time 258
    two dimensional 258
    unsteady flow 258
deoxygenation
    benthic 542
    benthic oxygen demand 542
    BOD 349
    carbon 542
    COD 349
    coliforms 542
    DO 542
    DOC 104
    Estuary 104
    fish 542
    heat 542
    ice 542
    Japan 349
    light 542
    methods 542
    model 542
    nutrients 104 542
    organisms 542
    Pamlico 104

  - phytoplankton 542
  - POC 104
  - primary 104 542
  - productivity 104 542
  - rate constants 542
  - reaeration 542
  - respiration 104
  - self purification 349
  - spatial distribution 542
  - temporal distribution 542
  - TOC 104 349
  - TOD 349
  - zooplankton 542
- deposition
  - Belgium 376
  - bloom 376
  - detritus 328
  - diatoms 376
  - DO 376
  - Estuary 328 376
  - hydrology 376
  - interface salt fresh 376
  - microbes 328
  - nutrients 376
  - processes 328
  - Rappahannock 328
  - redox potential 328
  - salinity 328
  - Scheldt 376
  - sediments 328 376
  - self purification 376
  - suspended solids 376
  - trace metals 376
  - transport 376
- detergent
  - algae bluegreen 335
  - Baltic 335
  - benthic 234 335
  - bibliography 436
  - black necrosis 2
  - Burry Inlet 2
  - Crangon crangon 2
  - DO 2 148 270 335
  - dredging 148
  - energy transfer 335
  - Estuary 148
  - fish 335
  - France 234
  - Great Britian 2
  - Gulf 234
  - indicator species 335
  - inorganic 413
  - instruments 436
  - macroalgae 335
  - Marseilles 234
  - methods 436
  - microbes 2
  - model 335 436
  - municipal 413
  - N/P 413
  - nitrogen 413
  - nutrients 270 436
  - oil 436
  - organic matter 148 413
  - organisms 234 335
  - PC 270
  - pesticides 436
  - pH 2
  - phosphorus 413
  - phytoplankton 413
  - plankton 270
  - PN 270
  - Posidonia oceanica 234
  - primary 335
  - productivity 335
  - salinity 2 270
  - Sea 335
  - seagrass 234
  - seston 270
  - sewage 148 234 335
  - symposium 335
  - temperature 2 270
  - Thames 148
  - trace metals 2 436
  - wastes 413
  - zooplankton 335
- deterministic
  - Bay 419
  - Chesapeake 419
  - diffusion 419
  - Estuary 419
  - model 419
  - one dimensional 419
  - Potomac 419
- detritus
  - aerobic 537
  - algae 537
  - amino acids 528
  - Australia 424
  - Bay 22 65 406

  benthic 528
  biomass 65 537
  bloom 537
  Broad River 292
  Buzzards 406
  C/N 406
  carbon 22 192 195
  Chesapeake 22
  chlorophyll 65 406 424
  conference 528
  Copepoda 195
  CO2 537
  crustaceans 195
  cycles 528
  C14 537
  density 537
  deposition 328
  energy transfer 75 192 195
  Estuary 192 195 292 328
  Eurytemora affinis 195
  fertilizer 292
  fish 528
  fisheries 528
  Florida 292
  flux 22
  Hacking 424
  Hawaii 65
  hydrology 424
  invertebrates 528
  Kaneohe 65
  leaves 292
  light 424
  macrophytes 537
  management 528
  mangroves 292
  marshes 22 75 192
  Maryland 192 195
  Massachusetts 406
  methods 424
  microbes 75 195 328 528 537
  model 75
  nanoplankton 406
  nitrogen 22 65 528
  nutrients 75 192 528
  oil 528
  organisms 528
  Patuxent 192 195
  pesticides 292 528
  phosphorus 22 528
  phytoplankton 65 424
  POC 65 406
  PON 406
  Port 424
  primary 22 192 195
  processes 328
  productivity 22 192 195
  Rappahannock 328
  redox potential 328
  runoff 424
  salinity 328
  Scottlana canadensis 195
  seagrass 528
  seasons 406
  sediments 328 424 537
  Shark 292
  silica 528
  Spartina 75
  stress 528
  suspended solids 406 424
  tides 22
  trace metals 292 528
  turnover rates 537
  uptake rates 537
  urea 528
  Vm 537
  water column 537
  wetlands 192 195 528
  zooplankton 406 528
diagenesis
  microbes 502
  model 502
  nitrogen 502
  silica 502
diatoms
  ammonia 5
  assay 414
  Belgium 376 535
  benthic 5
  biomass 445
  bloom 376 414 445
  clay 535
  deposition 376
  dinoflagellate 479
  dissolved 535
  distribution 153
  diversity 197
  DO 376
  Estuary 376 535
  filter feeders 347
  flagellates 347

  - Great Britian 197
  - growth rates 479
  - hydrology 376 414
  - indicator species 197
  - indices 197
  - interface salt fresh 376
  - Japan 445
  - laboratory culture 5
  - long term 153
  - Michaelis Menton 347
  - microbes 445
  - model 347
  - N/P 414
  - nitrate 5 414
  - nitrite 5
  - nitrogen 479
  - North 153
  - Norway 414
  - nutrients 376 445
  - orthophosphate 5 414
  - phytoplankton 153 414 479
  - primary 5 445
  - productivity 5 445
  - Scheldt 376 535
  - Sea 153 445
  - sediments 376 535
  - self purification 376
  - sewage 197 479
  - silica 347 414 535
  - suspended solids 376
  - temperature 153
  - time constants 347
  - trace metals 376 414 479
  - transport 376
  - Trondheimsfjord 414
  - winter 445
  - zooplankton 153 347
- DIC
  - aerobic 172
  - ammonia 473
  - ammonium 172
  - anaerobic 172
  - ATP 172
  - Bay 473
  - Bight 172
  - calorific content 172
  - carbon 473
  - Chesapeake 473
  - chlorophyll 473
  - decomposition 172
  - DOC 172 473
  - New York 172
  - nitrate 172 473
  - nitrite 172 473
  - nutrients 473
  - PC 172
  - phaeophytin 473
  - phosphorus 473
  - PN 172
  - primary 473
  - productivity 473
  - sewage 172
  - TDC 473
- Dickinson
  - Bayou 251
  - bloom 251
  - DO 251
  - fish kills 251
  - phosphorus 251
  - phytoplankton 251
  - sewage 251
- diffusion
  - ammonium 467
  - anaerobic 127
  - Bay 419 467
  - Chesapeake 419 467
  - denitrification 127
  - deterministic 419
  - Estuary 419 467
  - floodwaters 127
  - frequency analysis 261
  - Louisiana 127
  - model 261 419 467
  - nitrate 127 467
  - one dimensional 419
  - Potomac 419 467
  - redox potential 127
- dilution
  - Bay 510
  - Chesapeake 510
  - Estuary 510
  - hydrology 510
  - model 510
  - Severn 510
  - sewage 510
- DIN
  - Albemarle 450
  - ammonia 450 477
  - Bay 199
  - bloom 450

    BOD 477
    C/N 450
    California 477
    Chowan 450
    cycles 477
    Delaware 477
    Delta 477
    DO 477
    DON 450
    DRP 199
    Estuary 450 477
    Great Britian 199
    Liverpool 199
    long term 199
    model 477
    nitrite 477
    nitrogen 199 477
    North Carolina 450
    oxidation 477
    phosphorus 199
    phytoplankton 450 477
    Potomac 477
    primary 450
    productivity 450
    Sacramento San Joquin 477
    seasons 199 450
    Sound 450
    stochastic 477
    zooplankton 477
dinoflagellate
    Bay 524
    benthic 10
    bibliography 13
    bloom 10 13 279 524
    conference 279
    cysts 10
    diatoms 479
    Fundy 524
    Gonyaulax 6 10
    Gonyaulax excavata 524
    growth rates 479
    herring 524
    Limacina retroversa 524
    Massachusetts 10
    nitrogen 479
    phytoplankton 479
    pteropods 524
    red tide 10
    sewage 479
    spores 10
    toxicity 6 10
    trace metals 479
DIP
    Bay 45
    Chesapeake 45
    interstitial 45
    iron 45
directory
    Bay 73
    bibliography 73
    Chesapeake 73
    eutrophication 73
    management 73
disease
    agrochemicals 455
    alkalinity 455
    Bay 238 455
    benthic 305 356
    boat traffic 455
    Chesapeake 455
    Chinhae 238
    chlorine 455
    dredging 455
    epiphytes 455
    fauna 455
    fertilizer 238
    fish 305 356
    Korea 238
    macrofauna 356
    Mississippi 356
    nutrients 455
    oil 455
    parasites 356
    pesticides 356
    pH 455
    Porphyra 238
    primary 238
    productivity 238
    Puget 305
    salinity 455
    sewage 305 356
    Sound 305
    specie key 455
    submerged vegetation 455
    temperature 455
    trace metals 356 455
    turbidity 455
    Washington 305
    wastes 238
    water velocity 455

dispersion
    buoys 37
    California 37
    ceramic panel substrates 37
    chlorinated hydrocarbons 37
    density 530
    dye 530
    economics 37
    Estuary 530
    hydrology 530
    longitudinal 530
    methods 37
    mixing 530
    model 530
    Obelia dichtoma 37
    point sources 530
    productivity 37
    sewage 37
    trace metals 37
    vertical shear 530
    York 530
dispersion coefficient
    BOD 283
    DC 283
    DO 283
    DOD 283
    Estuary 170 283
    model 170 283
    Oregon 170
    Potomac 283
    slack water 170
    Yaquina 170
disposal
    dredging 531
    wetlands 531
dissolved
    Bay 207
    Belgium 535
    bound 3
    Chesapeake 207
    clay 535
    diatoms 535
    Estuary 131 535
    fertilizer 3
    inorganic 131
    interstitial 207
    manganese 207
    Mississippi 131
    model 207
    nitrate 3
    Orinoco 131
    pH 207
    phosphorus 3
    plumes 131
    pond experiment 3
    P32 3
    Savannah 131
    Scheldt 535
    sediments 3 535
    silica 131 535
    steady state 207
    suspended solids 131
    uptake rates 131
dissolved solids
    artificial recharge 138
    Bayou 313
    benthic 137
    Bothnia 137
    canal 138
    chlorinated hydrocarbons 137
    DO 137 313
    economics 138
    Estuary 138
    glucose 313
    Gulf 137
    hydrology 137
    iron 137
    kinetics 313
    macrofauna 137
    microbes 313
    nitrification 138
    nutrients 137 313
    oil 137
    ozonization 138
    pesticides 137
    phosphate 313
    phosphorus 137
    phytoplankton 137
    primary 137
    productivity 137 313
    recycle 138
    redox potential 313
    sediment water 313
    sediments 137
    sewage 138
    symposium 137
    Thames 138
    trace metals 137
    wastes 137
    water supply 138

  zooplankton 137
distribution
  abundance 113 383
  alkaline phosphatase 470
  alkalinity 293 383
  ammonia 50 293
  ammonium 113
  assay 383
  Bay 71 293 417 470
  benthic 269
  Bight 113
  biomass 128
  BOD 71
  Burrard 460
  California 128 155
  carbon 377 449
  Chesapeake 293 417
  chloride 293
  chlorophyll 113 128 155 470
  diatoms 153
  diversity 155
  DNA 470
  DO 71
  enzymes 470
  Estuary 50 309 377 449
  fiord 460
  flushing 155
  freshwater 113
  Gulf 155
  Harbor 460
  hydrology 71
  indicator species 269 383 417
  indices 125 269 470
  Inlet 460
  interstitial 293
  intertidal 309
  invertebrates 383
  Irish 309
  iron 293
  isotope 449
  Lagoon 155
  Lake 383
  long term 153
  macrofauna 309
  manganese 293
  Mersey 309
  Michaelis Menton 71
  microbes 417 470
  Mississippi 125
  model 71
  New Jersey 113
  New York 113
  nitrate 50 113 125 128
  nitrite 50 113
  nitrogen 50 377
  North 153
  nutrients 50 71 125 128 383
  organic 50 269 309
  oxygen 377
  pH 71 293 383
  phosphate 50 113 125 293
  phosphorus 470
  phytoplankton 71 113 128 153 155 460
  plankton 383
  Pontchartrain 383
  Potomac 377 449
  primary 155 383 460
  productivity 155 383 460
  protein 470
  redox potential 293
  resources 125
  Rockaway Point 113
  runoff 383
  salinity 50 71 113 383
  San Francisco 71
  Sea 153 309
  seasons 50 71 293 309
  sediments 417
  seston 470
  sewage 417
  silica 113 293
  silicate 50
  Sound 125
  St Lawrence 50
  succession 460
  sulfate 293
  suspended solids 113 417
  temperature 50 71 113 128 153
  tides 155
  Tokyo 470
  urea 50
  Vancouver 460
  wastes 309
  water column 417
  zooplankton 153
diurnal
  alkaline phosphatase 482
  ammonia 62
  ammonium 129 482

    biomass 62
    C/N 62 482
    California 62 129
    carbon 482
    carbon/chlorophyll 62
    chlorophyll 482
    cycles 129
    DO 93
    Estuary 93
    Ks 62 482
    Maryland 93
    nitrate 129 482
    nitrogen 62 129 482
    nutrients 62
    N15 62 129
    Olisthodiscus luteus 482
    Patuxent 93
    phosphorus 482
    phytoplankton 62 129
    primary 62 93 129
    productivity 62 93 129
    respiration 93
    sewage 62 93 129
    uptake rates 129 482
    urea 62 129
    Vm 62
diversity
    abundance 32 120 167 389 472
    algae 120
    algae bluegreen 533
    analysis of variance 395
    Anchoa mitchilli 32
    annelids 167
    bacteria 246
    Bay 32 94 300 389
    Bayou 102
    benthic 9 120 389 395 409 447
    bioenhancement 447
    biomass 32 167 409 447 533
    bloom 533
    California 155 447
    cannery 447
    chemical 102
    chlorophyll 102 155 300
    Chocolate 102
    Chowan 533
    coliforms 94
    community structure 88
    density 246
    diatoms 197
    distribution 155
    DO 102 389 447
    economics 94
    Estuary 167 389 533
    fauna 167 389
    Firth of Forth 395
    fish 17 32 88 447
    fisheries 94
    flushing 155
    Galveston 32
    gastrotrichs 167
    Great Britian 120 167 197
    Gulf 155
    Harbor 447
    Hawaii 94
    heterotrophic 246
    Hobsons 389
    indicator species 32 197 472
    indices 32 102 197 395
    intertidal 17 395
    invertebrates 17
    Kaneohe 94
    Lagoon 9 155
    Lebanon 472
    long term 120
    Los Angeles 447
    macrofauna 9 17 395 409
    metabolism 88
    microbes 167 533
    microcosms 364
    molluscs 9
    nanoplankton 300
    nematodes 167
    New Jersey 300
    Newark 300
    nitrogen 94
    North Carolina 533
    nutrients 88 364 472
    oligochaetes 167
    organisms 447
    phosphorus 94 533
    phytoplankton 155 300 472 533
    plankton 364 447
    polychaetes 167
    primary 155
    productivity 102 155 364 447
    Puget 17
    pulp mill 409
    recreation 94
    reproduction 120

- respiration 102
- salinity 389
- seasons 102 120 300 395
- sediments 17 246
- self purification 246
- sewage 17 94 167 197 447 472
- Shannons Index 9
- Sound 17
- stress 88
- succession 409
- Taylor 102
- Tees 167
- Texas 32 88 102
- Theora fragilis 389
- tides 155
- toxicity 32
- uptake rates 533
- Washington 17
- wastes 32 102 120 447
- Yarra 389
- zooplankton 88 102

DNA
- alkaline phosphatase 470
- Bay 470
- chlorophyll 470
- distribution 470
- enzymes 470
- indices 470
- microbes 470
- phosphorus 470
- protein 470
- seston 470
- Tokyo 470

Dniester
- agriculture 384
- canal 384
- Estuary 384
- fauna 384
- industry 384
- sewage 384
- wastes 384
- zooplankton 384

DO
- abundance 389
- Alaska 319
- algae 72 81 216
- algae bluegreen 335
- alkalinity 47 67 184 380
- ammonia 29 67 184 311 314 387 407 477 518
- ammonium 394
- animals 202 518
- Apalachee 278
- arctic 319
- Australia 154
- Baltic 335
- Bay 8 67 71 72 184 226 278 323 353 380 387 389 401 495
- Bayou 102 251 313 314 315 317
- Belgium 376
- Bengal 323
- benthic 72 106 137 319 335 389 447 542
- benthic oxygen demand 80 221 542
- bibliography 213
- bioenhancement 447
- biomass 154 304 332 447 519
- black necrosis 2
- bloom 80 251 317 376 519
- BOD 1 36 71 99 212 221 283 284 290 311 342 353 477 495 519 541
- Bothnia 137
- Broadkill 101
- Burry Inlet 2
- California 8 441 447 477
- cannery 447
- carbon 220 221 342 387 394 495 542
- carbon oxygen demand 80
- CBOD 407 408
- chemical 102
- Chesapeake 67 72 184 380 495
- chlorinated hydrocarbons 137
- chlorine 184
- chlorophyll 47 67 80 101 102 154 174 184 220 407 495 519
- Chocolate 102
- Clyde 284
- coliforms 1 221 290 353 380 407 542
- community structure 174
- Cook 319
- CO2 105 220
- Craiglin 171
- Crangon crangon 2
- cycles 241 342 464 477
- Damariscotta 106
- DC 1 283 380
- Delaware 101 342 477
- Delta 477

density 323
deoxygenation 542
deposition 376
detergent 2 148 270 335
diatoms 376
Dickinson 251
DIN 477
dispersion coefficient 283
dissolved solids 137 313
distribution 71
diurnal 93
diversity 102 389 447
DOC 311
DOD 283
DON 311
dredging 148
Duwamish 519
dye 1
energy transfer 72 335
Estuary 1 29 47 67 80 81 93 99 101 106 148 154 174 202 212 216 220 221 222 283 284 304 342 376 380 389 407 408 477 495 518 519
Etang de Berre 307
eutrophication 213
fauna 389
fertilizer 171 202 464
fish 106 171 202 278 317 335 447 542
fish kills 251 401
Florida 278 314 317
flounder 171
flux 315 342 387
foraminifera 72
freshwater 222 284 519
Galveston 401
gas bubbles 401
glucose 313
Grays 369
Great Britian 2
growth rates 106 171
Gulf 137
Gymnodinium 317
Harbor 369 447
heat 542
Hobsons 389
Humboldt 8
hydrology 71 97 137 154 174 212 226 241 284 376 441
H3 154
ice 542
indicator species 335
indices 102 220
industry 202 284 380 464
Inlet 319
inorganic 101 407
instruments 272
interface salt fresh 311 376
invertebrates 106
iron 137
Jamaica 353
James 47 380 495
kinetics 313
laboratory culture 106
Lagoon 105
land development 216
larvae 106
light 36 174 542
Little River 154
Loch 171
Los Angeles 447
Louisiana 126
macroalgae 335
macrofauna 72 137
macroinvertebrates 314
macrophytes 72
Maine 106
marshes 126
Maryland 93 304 380
methods 213 272 542
Michaelis Menton 71
microbes 2 72 216 220 313 319 332 541
microcosms 194 387
microflagellates 174
mining 202 464
mixing depth 541
model 1 29 71 80 97 99 105 212 283 335 342 353 407 408 477 542
mucus 401
Murderkill 101
N/P 226
NaCl 36
nanoplankton 174
Narragansett 387
NBOD 408
New Jersey 226
New York 353
nitrate 67 126 226 314 380 394 407

nitrite 67 290 311 407 477
nitrogen 29 67 80 101 194 202 242 319 342 353 387 407 477 541
nitrogen oxygen demand 80
nonpoint sources 541
North Carolina 202
NO2 47
NO3 47
nutrients 1 71 72 80 101 137 216 220 221 222 226 241 270 304 307 313 323 342 376 380 387 394 441 495 518 542
O/P 307
oil 137
one dimensional 407 408
organic 407 541
organic matter 148 290 394
organisms 319 335 447 542
orthophosphate 117 184
oxidation 477
P/N 441
Pagan 407 408
Pamlico 202
Patuxent 93 304 380 495
PC 270
Penobscot 106
pesticides 137 220 380
pH 2 8 47 67 71 101 105 184 290 311 315 319 332 380
phosphate 67 184 202 226 313 314 315 380 394 518
phosphorus 47 80 101 137 154 194 241 242 251 304 319 342 353 387 407 464 541
phytoplankton 1 47 67 71 72 80 137 154 174 194 202 221 251 304 314 317 342 394 407 441 477 519 542
plankton 202 226 270 319 447
PN 47 270
point sources 541
poly B hydroxybutyrate 332
pond experiment 8
Potomac 1 67 80 81 99 216 220 221 222 283 342 380 477 495
predictions 284 541
primary 80 93 137 154 174 202 304 335 441 542
processes 184 315
productivity 67 80 93 102 137 154 174 194 202 304 313 335 441 447 542
profiles 541
Puget 117
pulp mill 278
P32 154
Rappahannock 380 495
Raritan 226
rate constants 542
reaeration 80 542
real time 212 407 408
redox potential 126 313 315
resources 216 222
respiration 80 93 102 441
Rhode Island 387
runoff 216 464 541
Sacramento San Joquin 477
salinity 2 47 67 71 101 106 154 174 184 202 212 226 241 270 290 311 315 319 332 353 389 407 408 441 541
salmonids 8 401
salts 36
San Francisco 71
saturation 401
Scheldt 376
Sea 335
seasons 71 102 226 290 441
secchi disc 441
sediment water 242 313 315 387
sediments 36 106 126 137 242 304 332 376 380 387 541
self purification 376
seston 270
settlement 106
sewage 8 72 93 105 148 202 251 284 319 335 369 380 447 464
sexual maturity 171
Sheepscot 106
shellfish 290
silica 319
soil erosion 541
Sound 117
Southampton 394
spatial distribution 542
stabilization 105
stochastic 99 477
stratification 307
sulfate 184
sulfide 184

  - surface waters 541
  - suspended solids 36 376
  - Susquehanna 380 495
  - symposium 137 335
  - Taylor 102
  - temperature 2 36 47 67 71 105 106 154 174 184 202 226 270 284 290 315 369 394 441 519 541
  - temporal distribution 542
  - Texar 314 315 317
  - Texas 102 401
  - Thames 29 148
  - Theora fragilis 389
  - thermal 213 304 541
  - tidal average 212
  - tides 1 81 101 518 519
  - TOC 220 314
  - toxicity 317
  - trace metals 2 72 137 184 213 216 242 311 376 380 387 394
  - transport 376
  - turbidity 36 67 541
  - turnover rates 394
  - two dimensional 353
  - upwelling 369
  - vertical distribution 184
  - Virginia 212 380 518
  - viruses 216
  - Washington 369
  - wastes 81 102 105 117 137 216 220 221 222 284 317 342 380 447 464
  - water quality 97
  - watersheds 380
  - wetlands 101
  - Yarra 389
  - York 174 212 380 495 518
  - zooplankton 67 72 102 137 154 194 314 335 342 394 477 542

- Doboy
  - clay 385
  - flux 385
  - Georgia 385
  - inorganic 385
  - microbes 385
  - phosphate 385
  - P32 385
  - sediment water 385
  - Sound 385
- DOC
  - aerobic 58 172
  - ammonia 311 473
  - ammonium 172
  - anaerobic 58 172
  - assay 58
  - ATP 172
  - Bay 473
  - Bight 172
  - BOD 311
  - C/N 150
  - calorific content 172
  - carbon 473
  - carbonate ion 308
  - Chesapeake 473
  - chlorophyll 473
  - Connecticut 58
  - Copps Brook 58
  - decomposition 172
  - degradation 58
  - deoxygenation 104
  - DIC 172 473
  - DO 311
  - DON 150 311
  - Estuary 104
  - Georgia 150
  - inorganic 416
  - interface salt fresh 311
  - interstitial 58
  - manganese 416
  - metabolism 58
  - microbes 58
  - model 58
  - molluscs 308
  - New York 172
  - nitrate 172 473
  - nitrite 172 311 473
  - nutrients 58 104 416 473
  - organic matter 58
  - Pamlico 104
  - PC 172
  - pH 308 311
  - phaeophytin 473
  - phosphorus 473
  - phytoplankton 416
  - PN 172
  - POC 58 104
  - primary 104 416 473
  - productivity 104 416 473
  - respiration 104
  - runoff 150

  - salinity 308 311
  - Savannah 150
  - sediments 58
  - sewage 172 416
  - Sound 150
  - TDC 473
  - tetrazolium salt 58
  - TOC 104
  - trace metals 311
  - watersheds 58
- DOD
  - BOD 283
  - DC 283
  - dispersion coefficient 283
  - DO 283
  - Estuary 283
  - model 283
  - Potomac 283
- DOM
  - Long Island 404
  - microbes 404
  - organic aggregates 404
  - phytoplankton 404
  - POM 404
  - seasons 404
  - Sound 404
  - zooplankton 404
- DON
  - Albemarle 450
  - ammonia 176 177 311 450 466
  - Bay 466
  - biomass 201 466
  - bloom 201 450
  - BOD 311
  - C/N 150 450
  - Chowan 450
  - DIN 450
  - DO 311
  - DOC 150 311
  - DPO 466
  - Estuary 201 450
  - excretion rates 466
  - Georgia 150 176 177
  - Hawaii 466
  - hydrology 201
  - inorganic 201
  - interface salt fresh 311
  - Kaneohe 466
  - marshes 177
  - metabolism 466
  - mining 201
  - nitrate 176 177 201
  - nitrite 176 177 311
  - nitrogen 201
  - North Carolina 450
  - Pamlico 201
  - pH 176 311
  - phosphate 466
  - phosphorus 201
  - phytoplankton 201 450
  - PON 177
  - pools 177
  - primary 450
  - productivity 450
  - rainfall 176
  - runoff 150
  - salinity 311
  - Savannah 150
  - seasons 450
  - sediments 201
  - size dependent 466
  - Sound 150 450
  - succession 201
  - Tar 201
  - tidal creek 177
  - trace metals 311
  - zooplankton 466
- DOP
  - Bay 469
  - Chesapeake 469
  - Ks 469
  - orthophosphate 469
  - phytoplankton 469
  - polyphosphate 469
  - P32 469
  - turnover rates 469
  - Vm 469
- DPO
  - ammonia 466
  - Bay 466
  - biomass 466
  - DON 466
  - excretion rates 466
  - Hawaii 466
  - Kaneohe 466
  - metabolism 466
  - phosphate 466
  - size dependent 466
  - zooplankton 466
- dredging

    agencies 14
    agrochemicals 455
    alkalinity 455
    Bay 318 455
    bibliography 4
    boat traffic 455
    British Columbia 512
    canal 512
    Chesapeake 318 455
    chlorine 455
    detergent 148
    disease 455
    disposal 531
    DO 148
    dye 318
    economics 4 498
    epiphytes 455
    Estuary 148
    eutrophication 4
    fauna 455
    fisheries 96 498
    flood control 96
    Florida 14
    flushing 512
    industry 498
    land development 96
    larvae 107
    local 14
    Louisiana 96
    management 96 498
    nutrients 96 455 498 512
    oil 4 318 455
    organic matter 148
    pesticides 4
    pH 455
    phytoplankton 96
    pollution 4
    power plant 498
    public opinion 498
    radioactivity 4
    recreation 96
    remote sensing 318
    resources 498
    runoff 96
    salinity 455 512
    sewage 14 96 148 318
    soil erosion 96
    specie key 455
    state 14
    submerged vegetation 455
    symposium 498
    temperature 455 512
    Thames 148
    thermal 4
    tides 512
    toxicity 107
    trace metals 4 455
    turbidity 455
    wastes 512
    water velocity 455
    wetlands 14 96 531
    zooplankton 107
DRP
    Bay 199
    DIN 199
    Great Britian 199
    Liverpool 199
    long term 199
    nitrogen 199
    phosphorus 199
    seasons 199
dry weight
    methods 489
    suspended solids 489
Dunaliella
    algae 496
    assay 496
    nutrients 496
Duwamish
    ammonia 481 520
    biomass 519
    bloom 519 520 521
    BOD 519
    chlorophyll 481 519
    DO 519
    Estuary 480 481 519 520 521
    freshwater 519
    hydrology 520 521
    indicator species 481
    light 521
    nitrate 481
    nitrite 481
    nutrients 480 521
    Periphyton 481 521
    phosphate 481 520
    phytoplankton 519 520 521
    primary 481
    productivity 481
    salt wedge 480
    seasons 521

- sewage 520
- temperature 519
- tides 519
- Washington 480 481 520
- wastes 481

dye
- Anacostia 78
- Bay 318
- BOD 1
- Chesapeake 318
- coliforms 1
- DC 1
- density 530
- dispersion 530
- DO 1
- dredging 318
- Estuary 1 78 530
- FWQA Dynamic 78
- hydrology 530
- longitudinal 530
- Maryland 68
- mixing 530
- model 1 78 530
- nutrients 1
- oil 318
- outfall diffuser 68
- phytoplankton 1
- point sources 530
- Potomac 1 78
- predictions 78
- remote sensing 318
- salinity 68
- sewage 68 318
- temperature 68
- Thomann 78
- tides 1 78
- vertical shear 530
- York 530

dynamic programming algorithm
- Lagrangian multipliers 240
- management 240
- model 240

east coast
- fisheries 77
- juveniles 77
- salinity 77
- temperature 77
- zooplankton 77

ecocline
- benthic 371
- community structure 371
- gradient 371
- indicator species 371
- indices 371
- organic enrichment 371
- recovery 371
- sediments 371
- succession 371

Econfina
- benthic 540
- Estuary 540
- macrophytes 540
- Tenholloway 540

economics
- artificial recharge 138
- Bay 94
- benthic 508
- bibliography 4
- buoys 37
- California 37
- canal 138
- ceramic panel substrates 37
- chlorinated hydrocarbons 37 491
- coliforms 94
- Delaware 134
- dispersion 37
- dissolved solids 138
- diversity 94
- dredging 4 498
- Estuary 134 138 217
- eutrophication 4
- fisheries 94 494 498
- Great Britian 85
- Hawaii 94
- hydrology 491
- industry 134 498 508
- Kaneohe 94
- management 85 217 491 494 498 508
- Mediterranean 491
- methods 37
- microbes 491
- nitrification 138
- nitrogen 94
- nutrients 217 491 494 498
- Obelia dichtoma 37
- oil 4 491
- organisms 508
- ozonization 138
- pesticides 4 508

  - phosphorus 94
  - plants 508
  - pollution 4
  - Potomac 217
  - power plant 498
  - productivity 37
  - public opinion 498 508
  - radioactivity 4 491
  - recreation 94 508
  - recycle 138
  - resources 491 494 498
  - runoff 134
  - Sea 491
  - sediments 491
  - sewage 37 94 134 138
  - storm loading 134
  - symposium 494 498
  - tertiary 508
  - Thames 138
  - thermal 4
  - trace metals 4 37 491
  - wastes 134 508
  - water supply 138
- ecosystem
  - bibliography 84
  - land development 84
  - Puget 84
  - Sound 84
  - Washington 84
- eggs
  - Cancer 139
  - crabs 139
  - epibiotic fouling 139
  - microbes 139
  - nutrients 139
- electron transfer
  - decomposition 299
  - energy transfer 299
  - growth rates 299
  - microbes 299
  - organic matter 299
  - redox potential 299
  - steady state 299
  - substrates 299
- Elizabeth
  - Estuary 327
  - Harbor 327
  - industry 327
  - James 327
  - Little Creek 327
  - Lynnhaven 327
  - management 327
  - model 327
  - Nansemond 327
  - nonpoint sources 327
  - Pagan 327
  - Poquoson 327
  - predictions 327
  - sewage 327
  - wastes 327
  - York 327
- energetics
  - Bay 365
  - chlorophyll 365
  - Massartia rotundata 365
  - plankton 365
  - productivity 365
  - Raritan 365
  - respiration 365
- energy transfer
  - algae 72
  - algae bluegreen 335
  - Baltic 335
  - Bay 72 141 231 354
  - benthic 72 335
  - biomass 231
  - BOD 348
  - California 276
  - carbon 192 195 362
  - Chesapeake 72 141
  - Copepoda 195
  - crabs 231
  - crustaceans 195
  - ctenophores 362
  - decomposition 299
  - detergent 335
  - detritus 75 192 195
  - DO 72 335
  - electron transfer 299
  - Estuary 141 192 195
  - Eurytemora affinis 195
  - fauna 276
  - fish 231 335 534
  - flux 362
  - foraminifera 72
  - freshwater 231
  - Galveston 231
  - growth rates 299 534
  - heat 141
  - hydrology 141 354

  - indicator species 335
  - industry 348
  - intertidal 276
  - macroalgae 335
  - macrofauna 72
  - macrophytes 72 276
  - management 231
  - marshes 75 192
  - Maryland 192 195
  - metabolism 276 534
  - microbes 72 75 141 195 299
  - microcosms 362
  - model 75 231 335 348 354
  - nitrogen 362
  - nutrients 72 75 141 192 362
  - organic 141
  - organic matter 299
  - organisms 335
  - Patuxent 141 192 195
  - pesticides 348
  - phytoplankton 72 141
  - plants 141
  - power plant 141
  - primary 141 192 195 276 335 362
  - processes 354
  - productivity 141 192 195 231 276 335 362 534
  - redox potential 299
  - salinity 231
  - San Francisco 354
  - Scottlana canadensis 195
  - Sea 335
  - seasons 276
  - secondary 231 348
  - sewage 72 276 335 348
  - shrimp 231
  - Spartina 75
  - steady state 299
  - stress 534
  - substrates 299
  - symposium 335
  - Texas 231
  - thermal 141
  - trace metals 72 348
  - transport 354
  - wastes 348
  - wetlands 192 195
  - zooplankton 72 335
- England
  - annelids 370
  - benthic 370
  - crustaceans 370
  - indicator species 370
  - Linnhe Eil 370
  - Loch 370
  - molluscs 370
  - pulp mill 370
  - succession 370
- Enteromorpha
  - algae 497
  - assay 497
  - Clyde 375
  - Codium 497
  - Estuary 375
  - fauna 375
  - fisheries 375
  - molluscs 375
  - nutrients 375 497
  - sand 375
  - Scotland 375
  - sediments 375
  - sewage 375
  - worms 375
- enterovirus
  - coliphage 505
  - copper 505
  - secondary 439
  - sediments 439
  - sewage 439 505
  - shellfish 505
- enzymes
  - alkaline phosphatase 470
  - ammonia 165
  - Bay 470
  - chlorophyll 470
  - distribution 470
  - DNA 470
  - indices 470
  - methods 165
  - microbes 470
  - percolator 165
  - phosphorus 470
  - protein 470
  - sediments 165
  - seston 470
  - sulfate 165
  - Tokyo 470
  - urea 165
- epibiotic fouling
  - Cancer 139

  - crabs 139
  - eggs 139
  - microbes 139
  - nutrients 139
- epiphytes
  - agrochemicals 455
  - alkalinity 455
  - Bay 455
  - boat traffic 455
  - Chesapeake 455
  - chlorine 455
  - disease 455
  - dredging 455
  - fauna 455
  - nutrients 455
  - oil 455
  - pH 455
  - salinity 455
  - specie key 455
  - submerged vegetation 455
  - temperature 455
  - trace metals 455
  - turbidity 455
  - water velocity 455
- Estuary
  - abundance 167 389
  - Acartia 227
  - aerobic 183
  - Agnes 415
  - agriculture 218 384
  - Aisne 35
  - Alaska 7
  - Albemarle 450
  - algae 81 87 89 119 133 216 430 443
  - algae bluegreen 66 215 218 533
  - algae mats 33 130 357
  - alkalinity 47 67 380
  - ammonia 29 50 67 203 204 289 407 430 450 477 481 518 520
  - ammonium 31 186 467
  - Anacostia 78
  - animals 89 186 202 518
  - annelids 167
  - artificial recharge 138
  - ATP 135 193 434
  - Australia 154
  - bacteria attached 164
  - bacteria free 164
  - Balanus 227
  - barnacles 507
  - Bay 67 79 133 141 173 227 380 389 402 415 419 423 467 495 510
  - Bayou 181
  - Belgium 376 535
  - benthic 33 87 106 119 352 389 539 540
  - benthic oxygen demand 33 80 221
  - bibliography 30 124
  - biomass 66 133 154 167 201 203 304 336 434 519 533
  - bioturbation 539
  - birds 443
  - bloom 80 201 204 227 376 450 519 520 521 533
  - BOD 1 99 109 212 221 283 284 342 477 495 519 523 539
  - Broad River 292
  - Broadkill 101
  - Bush 373
  - Byfjorden 352
  - C/N 450
  - California 477
  - canal 138 384
  - carbohydrates 193
  - carbon 27 35 135 181 192 193 195 220 221 342 377 449 495
  - carbon oxygen demand 80
  - carbon/chlorophyll 434
  - CBOD 407 408
  - chemical 109
  - Chesapeake 67 79 133 141 173 380 415 419 467 495 510
  - Chickahominy 173
  - chlorophyll 47 67 79 80 101 154 174 193 215 220 289 350 391 403 407 415 423 481 495 519
  - Chlorophyta 31 430
  - Chowan 450 533
  - clay 535
  - Clyde 284 375 443
  - Cochin 391
  - COD 289
  - coliforms 1 183 221 380 407
  - Columbia 175 357
  - Colville 7
  - community structure 89 174
  - Copepoda 195
  - CO2 220
  - crude fiber 193

crustaceans 195 352
Cyanophyta 430
cycles 183 185 186 342 477
C14 391
Damariscotta 106
DC 1 283 380
Delaware 101 109 134 342 411 477 523 539
Delta 477
density 530
deoxygenation 104
deposition 328 376
detergent 148
deterministic 419
detritus 192 195 292 328
diatoms 376 535
diffusion 419 467
dilution 510
DIN 450 477
dispersion 530
dispersion coefficient 170 283
dissolved 131 535
dissolved solids 138
distribution 50 309 377 449
diurnal 93
diversity 167 389 533
Dniester 384
DO 1 29 47 67 80 81 93 99 101 106 148 154 174 202 212 216 220 221 222 283 284 304 342 376 380 389 407 408 477 495 518 519
DOC 104
DOD 283
DON 201 450
dredging 148
Duwamish 480 481 519 520 521
dye 1 78 530
Econfina 540
economics 134 138 217
Elizabeth 327
energy transfer 141 192 195
Enteromorpha 375
Eurytemora 175 227
Eurytemora affinis 195
eutrophication 124
factorial productivity 367
fatty acids 423
fauna 87 167 375 384 389 539
feeding grounds 443
fertilizer 202 204 292
fish 106 202
fisheries 7 124 375 411
Florida 181 292 402
flushing 218
flux 342
France 35
freshwater 204 219 222 284 402 519
FWQA Dynamic 78
gastrotrichs 167
glucose 164
Gothenburg 352
Great Britian 119 167
Grevelingen 336
growth rates 106
Harbor 327
heat 89 141
history 158
Hobsons 389
Hudson 31 209 218
Humber 164
Hurricane 415
hydrology 7 87 90 124 141 154 174 183 201 212 284 376 510 520 521 530
H3 154
indicator species 352 357 481
indices 220 350
industry 109 119 134 202 284 327 380 384
inorganic 27 101 131 181 186 201 203 407 506
interface salt fresh 376
intertidal 309 443
invertebrates 106 443
Ireland 130
Irish 309
iron 492 493
isopleths 223
isotope 449
James 27 30 47 173 327 380 495
Kungsbackafjorden 352
laboratory culture 106
Laita 98
land development 209 216
larvae 106
latitudinal gradients 227
leaves 292
light 31 174 175 336 521
Limnodrilus 539

linear regression 173 175
Little Creek 327
Little River 154
longitudinal 530
Louisiana 402
Lynnhaven 327
macrofauna 309 352
macrophytes 103 540
Maine 106
management 53 109 183 209 215 217 327 402 411
mangroves 292
marshes 158 192 193 507
Maryland 93 192 193 195 304 350 380 430
Massachusetts 82
meiofauna 352
Mersey 309
methods 35 135 249 350 426 493
Michaelis Menton 415
microbes 27 133 135 141 167 183 195 203 216 220 328 423 533
microflagellates 174
microplankton 403
mineralization 164
mining 66 87 90 201 202 203
Mississippi 131
mixing 530
model 1 27 29 33 78 80 98 99 109 170 183 212 223 255 283 327 341 342 407 408 411 415 419 467 477 478 507 510 523 530
molluscs 375
mud flats 130
municipal 109
Murderkill 101
mussels 507
nanoplankton 174 403
Nansemond 327
Narragansett 227 423
NBOD 408
nematodes 167
Netherlands 336
Neuse 204
New Jersey 227 426
New York 426
Newport 135
nitrate 27 31 50 67 82 143 175 186 201 203 204 218 219 380 407 467 481
nitrification 138
nitrite 27 50 67 186 219 407 477 481
nitrogen 29 35 50 66 67 79 80 87 101 181 183 185 186 193 201 202. 342 377 407 415 477 478 506
nitrogen oxygen demand 80
nonpoint sources 223 327 523
North 411
North Carolina 89 90 135 185 186 202 203 204 402 450 492 493 533
North Inlet 507
NO2 47
NO3 47
nutrients 1 7 50 79 80 82 89 101 104 130 141 143 173 186 192 203 214 215 216 217 218 220 221 222 223 227 249 289 304 336 341 342 375 376 380 391 402 478 480 495 518 521
oil 423
oligochaetes 167 539
one dimensional 255 407 408 419
Oregon 33 170 175
organic 27 50 130 135 141 186 309 407 506 539
organic matter 148 164 227 474
Orinoco 131
orthophosphate 133
oxidation 477
oxidation rates 35
oxygen 377
oysters 507
ozonization 138
Pagan 327 407 408
Palm 402
Pamlico 66 87 90 103 104 185 186 201 202 203 492 493
Parramatta 403
Patuxent 93 141 173 192 193 195 304 350 380 495
Pb210 158
Penobscot 106
Periphyton 481 521
pesticides 220 292 380
pH 47 67 101 380
phosphate 27 50 67 82 143 175 181 202 203 218 219 380 430 481 492 518 520
phosphorus 47 66 79 80 87 90 101

154 181 193 201 204 223 289 304
342 407 415 478 493 533
phytoplankton 1 27 31 47 66 67
79 80 82 87 90 141 154 174 175
201 202 203 204 221 227 304 341
342 367 407 411 415 434 450 477
478 506 507 519 520 521 533
Pines 82
plankton 202
plants 141 186
plumes 131
plutonium 158
PN 47
POC 104
point sources 218 530
polychaetes 167
pond experiment 89
pool experiment 66
populations mixed 367
populations single 367
Poquoson 327
Portugal 474
Potomac 1 53 67 78 80 81 99 173
183 214 215 216 217 218 219 220
221 222 223 255 283 289 341 342
377 380 419 430 449 467 477 478
495
power plant 141
predictions 27 78 183 284 327
373
primary 7 80 93 104 124 141 154
174 181 185 192 195 202 304 336
367 391 403 450 481 507
processes 27 183 185 223 328 506
507
productivity 7 67 80 89 93 104
124 141 154 174 181 185 192 195
202 304 336 367 391 403 450 481
507
profiles 214
Providence 423
pulp mill 98
P32 154
quasi linear 415
radioactivity 402
Rangia 90
Rappahannock 173 328 380 495
Raritan 227 426
reaeration 80
real time 183 212 407 408
records 158
recreation 82
recycle 138
redox potential 328
remote sensing 350
resources 7 209 216 222
respiration 80 89 93 104
Rhode 133
Rhode Island 227
Rogerstown 130
runoff 134 143 216 223 402
Sacramento 341
Sacramento San Joquin 477
Sado 474
salinity 33 47 50 67 90 101 106
154 174 202 204 212 227 328 389
407 408 492
salmonids 98
salt wedge 480
Saltkallefjord 352
salts 143
sampling frequency 249
sand 375
Santee 402
Savannah 131 158
Scheldt 376 535
Schofield 27
Scotland 375
Scottlana canadensis 195
Sea 309 411
seasons 50 89 103 135 173 175
186 227 309 391 450 506 521
secondary 430
sediment water 181
sediments 33 90 106 135 158 186
201 219 289 304 328 375 376 380
492 493 535 539
Seine 35
self purification 376
settlement 106
Severn 510
sewage 27 82 89 93 119 134 138
148 167 202 204 215 218 219 284
327 375 380 384 423 430 510 520
Shark 292
Sheepscot 106
silica 131 175 535
silicate 50
Skeletonema 31 367
slack water 170

Sound 450
South Carolina 402
South Creek 89
spatial distribution 219 223 426
specie key 357
Squamish 249
St Lawrence 50 124 434
stochastic 27 99 255 477
storm loading 134 523
Suagus 82
succession 201 367 411
sulfide 33
suspended solids 124 131 164 350 376 423 492
Susquehanna 79 173 380 415 495
swamps 402
Sweden 352
symposium 341
Tagus 474
Tar 201
Taunton 423
Tees 119 167
temperature 27 35 47 50 67 89 106 154 174 202 284 391 474 519
temporal distribution 219 223 426
Tenholloway 540
Texar 181
Thames 29 138 143 148
Theora fragilis 389
thermal 141 304
Thomann 78
tidal average 212
tides 1 33 78 81 101 183 507 518 519
time dependent 255
TKN 219
TOC 104 220
trace metals 124 216 292 376 380 426
Transient Water Quality Network 183
transport 223 376
turbidity 67
Tyne 119
Ulva 82
United Kingdom 143
uptake rates 31 90 131 133 533
urea 50 186
Vellar 506
vertical shear 530
Virginia 27 212 227 380 518
viruses 216
Washington 480 481 520
wastes 66 81 90 109 119 130 134 143 204 216 218 220 221 222 223 227 284 309 327 342 380 384 415 481 539
water column 507
water supply 138
water velocity 336
watersheds 173 219 380
Wear 119
weight 289
wetlands 101 192 195 402
worms 375
Yaquina 33 170
Yarra 389
yeast 474
York 173 174 212 227 327 367 380 495 518 530
zooplankton 67 87 154 175 227 341 342 352 384 391 477
Zostera marina 336

Etang de Berre
- biomass 306
- bloom 306
- DO 307
- France 306
- hydrology 306
- nutrients 306 307
- O/P 307
- organic matter 306
- plankton 306
- stratification 307

euglenoid
- Aquaforte 145
- Canada 145
- Harbor 145
- indicator species 145
- nanoplankton 145
- phytoplankton 145
- secchi disc 145
- sewage 145
- St Johns 145

Euphaussid furcilia
- bloom 363
- Calanus pacificus 363
- Chaetoceros 363
- feeding rates 363

  - nanoplankton 363
  - phytoplankton 363
  - productivity 363
  - Pseudocalanus minutus 363
  - zooplankton 363
- Eurytemora
  - Acartia 227
  - Balanus 227
  - Bay 227
  - bloom 227
  - Columbia 175
  - Estuary 175 227
  - latitudinal gradients 227
  - light 175
  - linear regression 175
  - Narragansett 227
  - New Jersey 227
  - nitrate 175
  - nutrients 227
  - Oregon 175
  - organic matter 227
  - phosphate 175
  - phytoplankton 175 227
  - Raritan 227
  - Rhode Island 227
  - salinity 227
  - seasons 175 227
  - silica 175
  - Virginia 227
  - wastes 227
  - York 227
  - zooplankton 175 227
- Eurytemora affinis
  - carbon 195
  - Copepoda 195
  - crustaceans 195
  - detritus 195
  - energy transfer 195
  - Estuary 195
  - Maryland 195
  - microbes 195
  - Patuxent 195
  - primary 195
  - productivity 195
  - Scottlana canadensis 195
  - wetlands 195
- eutrophic
  - ammonia 157
  - chemical 20
  - denitrification 157
  - Harbor 20
  - hydrology 20
  - macrophytes 157
  - microbes 20
  - model 157
  - nitrate 157
  - nitrification 157
  - nitrogen 157
  - organic 157
  - organic matter 157
  - phytoplankton 157
  - plankton 20
  - processes 157
  - uptake rates 157
  - wastes 20
  - zooplankton 157
- eutrophication
  - Bay 73 345 346
  - bibliography 4 15 51 55 56 57 73 124 211 213 250 263 264 265 266 267 268 325 344 345 346 435 457 532
  - Chesapeake 73 345 346
  - definition 151
  - directory 73
  - DO 213
  - dredging 4
  - economics 4
  - Estuary 124
  - fisheries 124
  - hydrology 124 250 263 264 265 266 267 268
  - industry 211 457
  - land development 56 57
  - management 73 325 435
  - methods 213 435
  - model 250 263 264 265 266 267 268 345 346
  - oil 4 211 344
  - pesticides 4 344 435
  - pollution 4
  - primary 124
  - productivity 124
  - radioactivity 4 345 346
  - remote sensing 211
  - resources 56 57 211 345 346
  - sewage 15
  - St Lawrence 124
  - suspended solids 124
  - thermal 4 211 213 250 263 264

    265 266 267 268 344 435
    trace metals 4 124 213 435
    United Kingdom 15 51
Evadne
    Cladocera 310
    Greece 310
    Gulf 310
    indicator species 310
    Saronic 310
    seasons 310
    sewage 310
    temperature 310
Evadne tergestina
    Bay 147
    Cladocera 147
    Malagasy Republic 147
    Nosy Be 147
    Penilia avirostris 147
    phytoplankton 147
    rainfall 147
    seasons 147
    tropical 147
    zooplankton 147
exchange diffusion
    ammonia 123
    methods 123
    nitrate 123
    phosphate 123
    secondary 123
    wastes 123
excretion rates
    ammonia 466
    Bay 466
    biomass 466
    DON 466
    DPO 466
    Hawaii 466
    Kaneohe 466
    metabolism 466
    phosphate 466
    size dependent 466
    zooplankton 466
factorial productivity
    Estuary 367
    phytoplankton 367
    populations mixed 367
    populations single 367
    primary 367
    productivity 367
    Skeletonema 367
    succession 367
    York 367
fatty acids
    ash 382
    Bay 423
    bloom 382
    carbon 382
    chlorophyll 382 423
    C14 382
    Estuary 423
    microbes 423
    Narragansett 423
    nitrate 382
    Nova Scotia 382
    oil 423
    phosphorus 382
    phytoplankton 382
    primary 382
    productivity 382
    Providence 423
    respiration 382
    sewage 423
    silica 382
    suspended solids 423
    Taunton 423
fauna
    abundance 167 389
    agencies 18
    agriculture 384
    agrochemicals 455
    algae 87
    alkalinity 455
    amino acids 456
    ammonia 388
    annelids 167
    Australia 388
    bacteria 456
    bacteria proteolytic 456
    Bay 18 388 389 455
    benthic 87 388 389 393 539
    biomass 167
    bioturbation 539
    boat traffic 455
    BOD 539
    California 276
    canal 384
    carbohydrates 456
    Chesapeake 18 455
    chlorine 455
    Clyde 375

    Craiglin 393
    C14 456
    Delaware 539
    density 393
    disease 455
    diversity 167 389
    Dniester 384
    DO 389
    dredging 455
    energy transfer 276
    Enteromorpha 375
    epiphytes 455
    Estuary 87 167 375 384 389 539
    fertilizer 393
    fisheries 375
    flora 18
    fungus 456
    gastrotrichs 167
    Great Britian 167
    heterotrophic 456
    Hobsons 389
    Hydrobia ulvae 393
    hydrology 87
    indices 456
    industry 384
    intertidal 276
    Limnodrilus 539
    Loch 393
    macrophytes 276
    metabolism 276
    methods 18 456
    microbes 167 456
    mining 87
    molluscs 375
    nematodes 167
    nitrogen 87
    nutrients 375 388 455
    oil 455 456
    oligochaetes 167 539
    organic 539
    Pamlico 87
    pH 455
    phosphorus 87
    phytoplankton 87 456
    polychaetes 167
    Port Phillip 388
    primary 276
    processes 456
    productivity 276 393
    pulp mill 456
    salinity 388 389 455 456
    sand 375
    Scotland 375
    seasons 276
    sediments 375 388 539
    sewage 167 276 375 384 388 456
    sewage treatment farm 388
    specie key 455
    submerged vegetation 455
    symposium 456
    Tees 167
    temperature 455
    Theora fragilis 389
    thermal 456
    trace metals 455 456
    turbidity 455
    wastes 384 539
    water velocity 455
    Werribee 388
    worms 375
    Yarra 389
    zooplankton 87 384
feces
    coliforms 163
    gulls 163
    nitrogen 163
    pathogens 163
    phosphorus 163
    sewage 163
federal
    local 484
    management 484
    state 484
feed forward
    feedback 462
    model 462
    self adaptation 462
    self organization 462
feedback
    feed forward 462
    model 462
    self adaptation 462
    self organization 462
feeding grounds
    algae 443
    birds 443
    Clyde 443
    Estuary 443
    intertidal 443
    invertebrates 443

feeding rates
    bloom 363
    Calanus pacificus 363
    Chaetoceros 363
    Euphaussid furcilia 363
    nanoplankton 363
    phytoplankton 363
    productivity 363
    Pseudocalanus minutus 363
    zooplankton 363
fertilizer
    agriculture 282 517
    ammonia 204 273
    animals 202
    Bay 238 355
    benthic 393
    bloom 204
    bound 3
    Broad River 292
    Chesapeake 355
    Chinhae 238
    Craiglin 171 393
    cycles 464
    density 393
    detritus 292
    disease 238
    dissolved 3
    DO 171 202 464
    Estuary 202 204 292
    fauna 393
    fish 171 202
    flood control 517
    Florida 292
    flounder 171
    freshwater 204
    growth rates 171 355
    Hydrobia ulvae 393
    hydrology 517
    industry 202 361 464 517
    ion exchange 273
    Korea 238
    land development 517
    leaves 292
    Loch 171 393
    mangroves 292
    mining 202 464
    Neuse 204
    nitrate 3 204
    nitrogen 202
    North Carolina 202 204 517
    nutrients 282 355 517
    Pamlico 202
    pesticides 292 517
    phosphate 202 273 361
    phosphorus 3 204 464
    phytoplankton 202 204 361
    plankton 202
    pond experiment 3
    Porphyra 238
    primary 202 238 361
    productivity 202 238 361 393
    P32 3
    recreation 517
    red tide 361
    resources 517
    runoff 464
    salinity 202 204
    seagrass 355
    secondary 273
    sediments 3
    sewage 202 204 273 464
    sexual maturity 171
    Shark 292
    temperature 202
    trace metals 292
    wastes 204 238 282 464
    watersheds 517
Fiji Island
    denitrification 326
    inorganic 326
    mangroves 326
    microbes 326
    nitrogen 326
    secondary 326
    sediments 326
    sewage 326
    tertiary 326
filter feeders
    diatoms 347
    flagellates 347
    Michaelis Menton 347
    model 347
    silica 347
    time constants 347
    zooplankton 347
finite difference
    Bay 41
    Chesapeake 41
    hydrology 41
    model 34 41

  - one dimensional 34
  - two dimensional 41
- fiord
  - Burrard 460
  - distribution 460
  - Harbor 460
  - Inlet 460
  - phytoplankton 460
  - primary 460
  - productivity 460
  - succession 460
  - Vancouver 460
- Firth of Forth
  - analysis of variance 395
  - benthic 395
  - diversity 395
  - indices 395
  - intertidal 395
  - macrofauna 395
  - seasons 395
- fish
  - abundance 32
  - algae 256 339
  - algae bluegreen 335
  - amino acids 528
  - ammonia 44
  - Anchoa mitchilli 32
  - animals 202
  - Apalachee 278
  - bacteria 256 339
  - Baltic 335
  - Bay 32 231 278 392
  - Bayou 317
  - benthic 106 305 335 356 447 528 542
  - benthic oxygen demand 542
  - Bight 121
  - bioaccumulation 121
  - bioenhancement 447
  - biomass 32 231 339 447
  - biosorption 543
  - birds 256 339
  - bloom 317
  - calcium 339
  - California 447
  - cannery 447
  - carbon 256 339 542
  - Chaetodon miliaris 392
  - chemical 516
  - coliforms 542
  - community structure 88 256
  - conference 528
  - crabs 231
  - Craiglin 171
  - crustaceans 256 339
  - cycles 528
  - C14 543
  - Damariscotta 106
  - deoxygenation 542
  - detergent 335
  - detritus 528
  - disease 305 356
  - diversity 17 32 88 447
  - DO 106 171 202 278 317 335 447 542
  - energy transfer 231 335 534
  - Estuary 106 202
  - fertilizer 171 202
  - fisheries 528
  - Florida 278 317
  - flounder 171
  - food processing 516
  - foraminifera 256 339
  - freshwater 231
  - Galveston 32 231
  - growth rates 106 171 392 534
  - Gymnodinium 317
  - Harbor 447
  - Hawaii 392
  - heat 542
  - heterotrophic 256 339
  - hydrology 515
  - ice 542
  - indicator species 32 121 335
  - indices 32
  - industry 202 516
  - insects 256 339
  - intertidal 17
  - invertebrates 17 106 528
  - Kaneohe 392
  - Kiel 121
  - laboratory culture 106
  - larvae 106
  - light 542
  - Loch 171
  - Los Angeles 447
  - macroalgae 335
  - macrofauna 17 356
  - Maine 106
  - management 231 515 528

  marshes 339
  meiofauna 256 339
  metabolism 88 256 534
  methianine 543
  methods 542
  microbes 516 528
  mining 202 513
  Mississippi 356
  model 231 335 515 542
  molluscs 256 339
  mussels 121
  nitrogen 202 256 339 528
  North Carolina 202
  Norway 121
  nutrients 88 515 516 528 542
  oil 121 513 528
  Oregon 516
  organisms 335 447 528 542
  Pamlico 202
  parasites 356
  Penobscot 106
  pesticides 356 513 528
  pH 44
  phosphate 202
  phosphorus 256 339 528
  phytoplankton 202 256 317 339 515 542
  plankton 202 447
  pond experiment 256 339
  primary 202 335 515 542
  productivity 202 231 256 335 339 447 515 534 542
  Puget 17 305 515
  pulp mill 278 513
  radioactivity 513 516
  rate constants 542
  reaeration 542
  reproduction 392
  resources 516
  runoff 513
  salinity 44 106 202 231
  Sea 335
  seagrass 528
  secondary 231
  sediments 17 106
  settlement 106
  sewage 17 202 256 305 335 339 356 392 447 513 516
  sexual maturity 171
  Sheepscot 106
  shrimp 231
  silica 528
  Sound 17 305 515
  spatial distribution 542
  Sphaerotilus 516
  stress 88 528 534
  succession 515
  symposium 335
  temperature 44 106 202
  temporal distribution 542
  tertiary 339
  Texar 317
  Texas 32 88 231
  thermal 513 516
  three dimensional 515
  toxicity 32 317
  trace metals 356 516 528
  trophic levels 515
  urea 528 543
  Washington 17 305 515
  wastes 32 317 447 513
  wetlands 528
  zooplankton 88 335 392 528 542
fish kills
  algae bluegreen 254
  Bay 401
  Bayou 251
  bloom 251
  Cyanophyta 254
  Dickinson 251
  DO 251 401
  Galveston 401
  gas bubbles 401
  hosts 254
  indicator species 254
  microbes 254
  mucus 401
  phosphorus 251
  phytoplankton 251
  salmonids 401
  saturation 401
  Schizothrix calicola 254
  sewage 251
  Texas 401
  viruses 254
fisheries
  Alaska 7
  amino acids 528
  ATP 465
  Barataria 95

  Basin 95
  Bay 74 94 465 488
  benthic 338 528
  bibliography 124
  C/N 465
  Chesapeake 74
  Clyde 375
  COD 338
  coliforms 94
  Colville 7
  conference 528
  crustaceans 338
  cycles 528
  Delaware 411
  detritus 528
  diversity 94
  dredging 96 498
  east coast 77
  economics 94 494 498
  Enteromorpha 375
  Estuary 7 124 375 411
  eutrophication 124
  fauna 375
  fish 528
  flood control 96
  Hawaii 94
  hydrology 7 124
  industry 488 498
  invertebrates 528
  Japan 338 488
  juveniles 77
  Kaneohe 94
  land development 96
  Louisiana 95 96
  management 74 96 291 398 411 494 498 528
  methods 465
  microbes 528
  model 338 411
  molluscs 375
  nitrogen 94 338 528
  North 411
  nursery grounds 95
  nutrients 7 95 96 375 465 494 498 528
  oil 338 528
  organic matter 338
  organisms 528
  PC 465
  pesticides 528
  phosphorus 94 528
  phytoplankton 96 411
  PN 465
  power plant 498
  primary 7 124 465
  productivity 7 124 465
  public opinion 498
  pulp mill 488
  recreation 94 96
  resources 7 398 494 498
  runoff 96 465
  salinity 77 95
  sand 375
  Scotland 375
  Sea 338 411
  seagrass 528
  sediments 338 375
  Seto 338
  sewage 94 96 338 375 488
  silica 528
  soil erosion 96
  St Lawrence 124
  St Margaret 465
  stress 528
  succession 411
  sulfate 338
  sulfide 338
  Suruga 488
  suspended solids 124 465
  symposium 494 498
  temperature 77
  trace metals 124 528
  urea 528
  wastes 488
  wetlands 95 96 528
  worms 375
  zooplankton 77 528
Fladen Ground
  Aberdeen 453
  Bay 453
  chlorophyll 453
  C14 453
  North 453
  POC 453
  primary 453
  processes 453
  productivity 453
  Sea 453
  seasons 453
flagellates

    ATP 295
    Basin 295
    Bedford 295
    carbohydrates 295
    carbon 295
    diatoms 347
    filter feeders 347
    Michaelis Menton 347
    model 347
    particulate matter 295
    phytoplankton 295
    protein 295
    silica 347
    time constants 347
    zooplankton 295 347
flood control
    agriculture 517
    dredging 96
    fertilizer 517
    fisheries 96
    hydrology 517
    industry 517
    land development 96 517
    Louisiana 96
    management 96
    North Carolina 517
    nutrients 96 517
    pesticides 517
    phytoplankton 96
    recreation 96 517
    resources 517
    runoff 96
    sewage 96
    soil erosion 96
    watersheds 517
    wetlands 96
floodwaters
    anaerobic 127
    denitrification 127
    diffusion 127
    Louisiana 127
    nitrate 127
    redox potential 127
flora
    agencies 18
    Bay 18
    Chesapeake 18
    fauna 18
    methods 18
Florida
    agencies 14
    ammonia 314
    Apalachee 191 278
    Bay 191 278 402 427 433
    Bayou 181 314 316 317
    benthic 191 433
    Biscayne 427
    bloom 317
    Broad River 292
    budget 316
    carbon 181
    chemical 427
    detritus 292
    DO 278 314 317
    dredging 14
    Estuary 181 292 402
    fertilizer 292
    fish 278 317
    free surface 427
    freshwater 402
    Gymnodinium 317
    Hillsborough 433
    indicator species 191
    inorganic 181
    invertebrates 191 433
    leaves 292
    local 14
    Louisiana 402
    macroinvertebrates 314
    management 402
    mangroves 292
    model 427
    mud flats 191
    nitrate 314
    nitrogen 181 316
    North Carolina 402
    nutrients 402
    oyster reefs 191
    Palm 402
    pesticides 292
    phosphate 181 314
    phosphorus 181 316
    phytoplankton 314 317
    predictions 433
    primary 181
    processes 427
    productivity 181
    pulp mill 191 278
    radioactivity 402
    runoff 402

- Santee 402
- seagrass 191
- sediment water 181
- sediments 427 433
- sewage 14 433
- Shark 292
- South Carolina 402
- state 14
- swamps 402
- tertiary 433
- Texar 181 314 316 317
- three dimensional 427
- time dependent 427
- TOC 314
- toxicity 317
- trace metals 292
- transport 427
- wastes 191 317
- wetlands 14 402
- wind 427
- zooplankton 314

flounder
- Craiglin 171
- DO 171
- fertilizer 171
- fish 171
- growth rates 171
- Loch 171
- sexual maturity 171

flushing
- agriculture 218
- algae bluegreen 218
- British Columbia 512
- California 155
- canal 512
- chlorophyll 155
- distribution 155
- diversity 155
- dredging 512
- Estuary 218
- Gulf 155
- Hudson 218
- indices 437
- Lagoon 155
- marina 437
- model 437
- nitrate 218
- nomogram 437
- nutrients 218 512
- phosphate 218
- phytoplankton 155
- point sources 218
- Potomac 218
- primary 155
- productivity 155
- salinity 512
- sediments 437
- sewage 218
- temperature 512
- tides 155 512
- wastes 218 512

flux
- ammonia 178 387
- Bay 22 178 366 379 387
- Bayou 315
- benthic 178
- BOD 342
- California 187
- carbon 22 342 362 387
- chambers 178
- Chesapeake 22
- clay 385 458
- ctenophores 362
- cycles 342
- Delaware 342
- detritus 22
- DO 315 342 387
- Doboy 385
- energy transfer 362
- Estuary 342
- Georgia 385
- Harbor 458
- Hong Kong 458
- inorganic 178 385
- land development 458
- marshes 22
- microbes 385
- microcosms 362 379 387
- model 342 366
- Narragansett 178 379 387
- negentropy 366
- nitrate 178
- nitrite 178
- nitrogen 22 187 342 362 387
- nutrients 342 362 387
- pH 315
- phosphate 178 315 385 458
- phosphorus 22 187 342 379 387
- phytoplankton 187 342
- plankton 366

  Potomac 342
  primary 22 187 362
  processes 315
  productivity 22 187 362
  P32 385
  Raritan 366
  redox potential 315
  Rhode Island 178 387
  salinity 315 458
  sediment water 178 315 379 385 387
  sediments 187 387 458
  silica 187
  Sound 385
  temperature 178 315
  Texar 315
  tides 22
  Tolo 458
  trace metals 387
  wastes 342
  zooplankton 342
food processing
  chemical 516
  fish 516
  industry 516
  microbes 516
  nutrients 516
  Oregon 516
  radioactivity 516
  resources 516
  sewage 516
  Sphaerotilus 516
  thermal 516
  trace metals 516
foraminifera
  algae 72 256 339
  bacteria 256 339
  Bay 72
  benthic 72
  biomass 339
  birds 256 339
  calcium 339
  carbon 256 339
  Chesapeake 72
  community structure 256
  crustaceans 256 339
  DO 72
  energy transfer 72
  fish 256 339
  heterotrophic 256 339
  insects 256 339
  macrofauna 72
  macrophytes 72
  marshes 339
  meiofauna 256 339
  metabolism 256
  microbes 72
  molluscs 256 339
  nitrogen 256 339
  nutrients 72
  phosphorus 256 339
  phytoplankton 72 256 339
  pond experiment 256 339
  productivity 256 339
  sewage 72 256 339
  tertiary 339
  trace metals 72
  zooplankton 72
France
  Aisne 35
  benthic 234
  biomass 306
  bloom 306
  carbon 35
  detergent 234
  Estuary 35
  Etang de Berre 306
  Gulf 234
  hydrology 306
  Marseilles 234
  methods 35
  nitrogen 35
  nutrients 306
  organic matter 306
  organisms 234
  oxidation rates 35
  plankton 306
  Posidonia oceanica 234
  seagrass 234
  Seine 35
  sewage 234
  temperature 35
free surface
  Bay 427
  Biscayne 427
  chemical 427
  Florida 427
  model 427
  processes 427
  sediments 427

  three dimensional 427
  time dependent 427
  transport 427
  wind 427
frequency analysis
  diffusion 261
  model 261
freshwater
  abundance 113
  ammonia 204
  ammonium 113
  autotrophic 86
  Bay 86 231 378 402
  benthic oxygen demand 420
  Bight 113
  biomass 231 519
  bloom 204 519
  BOD 284 519
  chlorophyll 113 519
  Clyde 284
  crabs 231
  distribution 113
  DO 222 284 519
  Duwamish 519
  energy transfer 231
  Estuary 204 219 222 284 402 519
  fertilizer 204
  fish 231
  Florida 402
  Galveston 231
  heterotrophic 86
  hydrology 284 378 420
  industry 86 284
  light 420
  Louisiana 402
  management 231 402
  metabolism 86
  microcosms 86
  model 231 378 420
  Neuse 204
  New Jersey 113
  New York 113
  nitrate 113 204 219
  nitrite 113 219
  North Carolina 204 402
  nutrients 86 222 402
  one dimensional 420
  Palm 402
  phosphate 113 219
  phosphorus 204
  phytoplankton 86 113 204 519
  Potomac 219 222
  predictions 284
  primary 86
  productivity 86 231
  radioactivity 402
  resources 222
  respiration 86
  Rockaway Point 113
  runoff 402 420
  salinity 113 204 231
  San Francisco 378
  Santee 402
  secondary 231
  sediments 219
  sewage 204 219 284
  shrimp 231
  silica 113 378
  South Carolina 402
  spatial distribution 219
  stochastic 420
  suspended solids 113
  swamps 402
  temperature 113 284 420 519
  temporal distribution 219
  Texas 86 231
  tides 519
  TKN 219
  Trinity 86
  turbidity 420
  two dimensional 378
  wastes 86 204 222 284
  watersheds 219
  wetlands 402
  zooplankton 86
fucaceae
  intertidal 334
  Mytilus 334
  pulp mill 334
  Spain 334
  stress 334
  Ulvales 334
  wastes 334
Fundy
  Bay 524
  bloom 524
  dinoflagellate 524
  Gonyaulax excavata 524
  herring 524
  Limacina retroversa 524

  - pteropods 524
- fungus
  - amino acids 456
  - bacteria 456
  - bacteria proteolytic 456
  - carbohydrates 456
  - C14 456
  - fauna 456
  - heterotrophic 456
  - indices 456
  - methods 456
  - microbes 456 501
  - oil 456
  - phytoplankton 456
  - processes 456
  - pulp mill 456
  - salinity 456
  - seasons 501
  - sewage 456
  - symposium 456
  - synthesis 501
  - thermal 456
  - trace metals 456
  - vitamins 501
  - yeast 501
- FWQA Dynamic
  - Anacostia 78
  - dye 78
  - Estuary 78
  - model 78
  - Potomac 78
  - predictions 78
  - Thomann 78
  - tides 78
- Galveston
  - abundance 32
  - Anchoa mitchilli 32
  - Bay 32 208 231 401
  - benthic 208
  - biomass 32 231
  - crabs 231
  - diversity 32
  - DO 401
  - energy transfer 231
  - fish 32 231
  - fish kills 401
  - freshwater 231
  - gas bubbles 401
  - hydrology 208
  - indicator species 32 208
  - indices 32 208
  - industry 208
  - management 231
  - model 231
  - mucus 401
  - productivity 231
  - salinity 231
  - salmonids 401
  - saturation 401
  - secondary 231
  - sediments 208
  - shrimp 231
  - Texas 32 208 231 401
  - toxicity 32
  - wastes 32 208
- gas bubbles
  - Bay 401
  - DO 401
  - fish kills 401
  - Galveston 401
  - mucus 401
  - salmonids 401
  - saturation 401
  - Texas 401
- gastrotrichs
  - abundance 167
  - annelids 167
  - biomass 167
  - diversity 167
  - Estuary 167
  - fauna 167
  - Great Britian 167
  - microbes 167
  - nematodes 167
  - oligochaetes 167
  - polychaetes 167
  - sewage 167
  - Tees 167
- Georgia
  - ammonia 176 177
  - C/N 150
  - clay 385
  - Doboy 385
  - DOC 150
  - DON 150 176 177
  - flux 385
  - inorganic 385
  - marshes 59 177
  - metabolism 386
  - microbes 59 385

  - model 386
  - nitrate 176 177
  - nitrite 176 177
  - pH 176
  - phosphate 385
  - phosphorus 386
  - PON 177
  - pools 177
  - processes 386
  - P32 385
  - rainfall 176
  - runoff 150
  - Savannah 150
  - seasons 386
  - sediment water 385 386
  - sediments 59
  - Sound 150 385
  - suspended solids 59
  - tidal creek 177
  - vitamin B12 59
- Germany
  - indicator species 166
  - myxobacteria 166
  - sewage 166
- Giens
  - growth rates 285
  - Gulf 285
  - Posidonia oceanica 285
  - sediments 285
  - sewage 285
- global
  - management 490
  - monitoring 490
  - research 490
  - resources 490
- glucose
  - bacteria attached 164
  - bacteria free 164
  - Bayou 313
  - dissolved solids 313
  - DO 313
  - Estuary 164
  - Humber 164
  - kinetics 313
  - microbes 313
  - mineralization 164
  - nutrients 313
  - organic matter 164
  - phosphate 313
  - productivity 313
  - redox potential 313
  - sediment water 313
  - suspended solids 164
- glycine
  - amino acids 225
  - carbohydrates 225
  - clams 225
  - Mercenaria 225
  - oil 225
  - sewage 225
  - stress 225
  - taurine 225
- Gonyaulax
  - benthic 10
  - bloom 10
  - cysts 10
  - dinoflagellate 6 10
  - Massachusetts 10
  - red tide 10
  - spores 10
  - toxicity 6 10
- Gonyaulax excavata
  - Bay 524
  - bloom 524
  - dinoflagellate 524
  - Fundy 524
  - herring 524
  - Limacina retroversa 524
  - pteropods 524
- Gothenburg
  - benthic 352
  - Byfjorden 352
  - crustaceans 352
  - Estuary 352
  - indicator species 352
  - Kungsbackafjorden 352
  - macrofauna 352
  - meiofauna 352
  - Saltkallefjord 352
  - Sweden 352
  - zooplankton 352
- gradient
  - benthic 371
  - community structure 371
  - ecocline 371
  - indicator species 371
  - indices 371
  - organic enrichment 371
  - recovery 371
  - sediments 371

    succession 371
Grays
    DO 369
    Harbor 369
    sewage 369
    temperature 369
    upwelling 369
    Washington 369
Great Britian
    abundance 120 167
    algae 119 120
    annelids 167
    Bay 23 199
    benthic 119 120 529
    biomass 167
    black necrosis 2
    BOD 274
    Burry Inlet 2
    coliforms 23
    Crangon crangon 2
    detergent 2
    diatoms 197
    DIN 199
    diversity 120 167 197
    DO 2
    DRP 199
    economics 85
    Estuary 119 167
    fauna 167
    gastrotrichs 167
    indicator species 197 529
    indices 197
    industry 119
    Liverpool 23 199
    long term 120 199
    macrophytes 529
    management 85
    microbes 2 167
    nematodes 167
    nitrogen 199
    oligochaetes 167
    pH 2
    phosphorus 199
    physico chemical treatment 294
    phytoplankton 274
    polychaetes 167
    reproduction 120
    salinity 2
    seasons 120 199 274
    sewage 23 119 167 197 274 294
    Tees 119 167
    temperature 2
    trace metals 2
    tracer 23
    Tyne 119
    wastes 119 120
    Wear 119
Greece
    Cladocera 245 310
    Evadne 310
    Gulf 245 310
    indicator species 245 310
    industry 245
    Saronic 245 310
    seasons 245 310
    sewage 245 310
    temperature 245 310
    wastes 245
    zooplankton 245
Grevelingen
    biomass 336
    Estuary 336
    light 336
    Netherlands 336
    nutrients 336
    primary 336
    productivity 336
    water velocity 336
    Zostera marina 336
growth rates
    algae 236 312
    ammonium 188 522
    Anabaena 312
    aquaculture 360
    Bay 188 355 392
    benthic 106
    boundary layer 522
    C/N 188
    carbon 70 312 522
    Chaetodon miliaris 392
    chemostat 169
    Chesapeake 355
    Chlorella 312
    chlorophyll 70
    Cockburn 63
    CO2 312
    Craiglin 171
    cycles 522
    Damariscotta 106
    decomposition 299

  diatoms 479
  dinoflagellate 479
  DO 106 171
  electron transfer 299
  energy transfer 299 534
  Estuary 106
  fertilizer 171 355
  fish 106 171 392 534
  flounder 171
  Giens 285
  Gulf 285
  Harbor 39
  Hawaii 188 392
  indicator species 39
  intracellular 169
  invertebrates 106
  Kaneohe 188 392
  kelp 522
  Ks 522
  laboratory culture 106
  Laminaria 70
  larvae 106
  Loch 171
  Long 39
  Macrocystis 522
  macrophytes 70
  Maine 106
  metabolism 534
  microbes 299
  Microcystis 312
  model 169
  molluscs 39
  morphology 522
  Mytilus edulis 360
  Newfoundland 39
  nitrate 70 188
  nitrogen 169 479 522
  Norway 236
  nutrients 236 355 522
  organic matter 299
  Penobscot 106
  phosphorus 39 236
  phytoplankton 169 188 459 479
  Posidonia australis 63
  Posidonia oceanica 285
  primary 236 522
  productivity 522 534
  pulp mill 459
  redox potential 299
  reproduction 392
  salinity 106
  seagrass 63 355
  seasons 63
  secondary 236
  sediments 63 106 285
  settlement 106
  sewage 188 236 285 360 392 479
  sexual maturity 171
  Sheepscot 106
  Sound 63
  steady state 299
  stress 534
  substrates 299
  temperature 106
  tertiary 236
  trace metals 479
  uptake rates 188
  urea 188
  Vm 522
  water velocity 522
  zooplankton 392
Guanabara
  Balanus 257
  Bay 257
  Brazil 257
  indicator species 257
Guayanilla
  algae bluegreen 243
  algae mats 243
  bacteria 243
  Bay 243
  heterotrophic 243
  nitrogen fixation 243
  Puerto Rico 243
  sediments 243
  thermal 243
Gulf
  Aqaba 146
  benthic 137 234
  Bothnia 137
  calcium 146
  California 155
  chlorinated hydrocarbons 137
  chlorophyll 155
  Cladocera 245 310
  detergent 234
  dissolved solids 137
  distribution 155
  diversity 155
  DO 137

    Evadne 310
    flushing 155
    France 234
    Giens 285
    Greece 245 310
    growth rates 285
    hydrology 137
    indicator species 245 310
    industry 245
    iron 137
    Jordan 146
    Lagoon 155
    macrofauna 137
    Marseilles 234
    nutrients 137
    oil 137
    organisms 234
    pesticides 137
    phosphate 146
    phosphorus 137
    phytoplankton 137 155
    Posidonia oceanica 234 285
    primary 137 155
    productivity 137 155
    Saronic 245 310
    seagrass 234
    seasons 245 310
    sediments 137 285
    sewage 146 234 245 285 310
    symposium 137
    temperature 245 310
    tides 155
    trace metals 137
    wastes 137 245
    zooplankton 137 245
gulls
    coliforms 163
    feces 163
    nitrogen 163
    pathogens 163
    phosphorus 163
    sewage 163
Gymnodinium
    Bayou 317
    bloom 317
    DO 317
    fish 317
    Florida 317
    phytoplankton 317
    Texar 317
    toxicity 317
    wastes 317
Hacking
    Australia 424
    chlorophyll 424
    detritus 424
    hydrology 424
    light 424
    methods 424
    phytoplankton 424
    Port 424
    runoff 424
    sediments 424
    suspended solids 424
Harbor
    algae 400
    Aquaforte 145
    benthic 400 447
    bioenhancement 447
    biomass 447
    BOD 136
    Burrard 460
    C/N 136
    California 400 447
    Canada 145
    cannery 447
    Charleston 136
    chemical 20
    clay 458
    distribution 460
    diversity 447
    DO 369 447
    Elizabeth 327
    Estuary 327
    euglenoid 145
    eutrophic 20
    fiord 460
    fish 447
    flux 458
    Grays 369
    growth rates 39
    Hong Kong 458
    hydrology 20
    indicator species 39 145 400
    industry 136 327
    Inlet 460
    James 327
    land development 458
    Little Creek 327
    Long 39

  - Los Angeles 400 447
  - Lynnhaven 327
  - management 327
  - microbes 20
  - model 327
  - molluscs 39
  - nanoplankton 145
  - Nansemond 327
  - Newfoundland 39
  - nonpoint sources 327
  - oil 400
  - oligochaetes 400
  - organisms 447
  - Pagan 327
  - phosphate 458
  - phosphorus 39
  - phytoplankton 145 460
  - plankton 20 447
  - polychaetes 400
  - Poquoson 327
  - predictions 327
  - primary 460
  - productivity 447 460
  - pulp mill 136
  - salinity 458
  - secchi disc 145
  - sediments 458
  - sewage 136 145 327 369 400 447
  - South Carolina 136
  - St Johns 145
  - succession 460
  - temperature 369
  - Tolo 458
  - upwelling 369
  - Vancouver 460
  - Washington 369
  - wastes 20 136 327 400 447
  - York 327
- Hawaii
  - ammonia 466
  - ammonium 188
  - Bay 64 65 94 182 188 200 330 392 466
  - biomass 65 200 466
  - C/N 188
  - Chaetodon miliaris 392
  - chlorophyll 64 65
  - coliforms 94
  - coral 182
  - detritus 65
  - diversity 94
  - DON 466
  - DPO 466
  - economics 94
  - excretion rates 466
  - fish 392
  - fisheries 94
  - growth rates 188 392
  - Kaneohe 64 65 94 182 188 200 330 392 466
  - metabolism 466
  - microbes 182
  - microcopepods 330
  - model 64
  - nitrate 64 188
  - nitrogen 65 94 330
  - nitrogen fixation 182
  - P/B 330
  - phosphate 64 466
  - phosphorus 94
  - phytoplankton 64 65 188
  - PN 200
  - POC 65
  - primary 64
  - productivity 64 330
  - recreation 94
  - reproduction 392
  - secondary 182 330
  - sediments 182
  - sewage 64 94 182 188 330 392
  - size composition 200
  - size dependent 466
  - succession 200
  - uptake rates 188
  - urea 188
  - zooplankton 200 392 466
- heat
  - algae 89
  - animals 89
  - Bay 141
  - benthic 542
  - benthic oxygen demand 542
  - carbon 542
  - Chesapeake 141
  - coliforms 542
  - community structure 89
  - deoxygenation 542
  - DO 542
  - energy transfer 141
  - Estuary 89 141

  - fish 542
  - hydrology 141
  - ice 542
  - light 542
  - methods 542
  - microbes 141
  - model 542
  - North Carolina 89
  - nutrients 89 141 542
  - organic 141
  - organisms 542
  - Patuxent 141
  - phytoplankton 141 542
  - plants 141
  - pond experiment 89
  - power plant 141
  - primary 141 542
  - productivity 89 141 542
  - rate constants 542
  - reaeration 542
  - respiration 89
  - seasons 89
  - sewage 89
  - South Creek 89
  - spatial distribution 542
  - temperature 89
  - temporal distribution 542
  - thermal 141
  - zooplankton 542
- herring
  - Bay 524
  - bloom 524
  - dinoflagellate 524
  - Fundy 524
  - Gonyaulax excavata 524
  - Limacina retroversa 524
  - pteropods 524
- heterotrophic
  - Actinetobacter 431
  - algae 256 339
  - algae bluegreen 243
  - algae mats 243
  - amino acids 456
  - autotrophic 86
  - bacteria 243 246 256 339 431 456
  - bacteria proteolytic 456
  - Bay 86 243 431
  - biomass 339
  - birds 256 339
  - calcium 339
  - carbohydrates 456
  - carbon 256 339
  - community structure 256
  - crustaceans 256 339
  - C14 456
  - density 246
  - diversity 246
  - fauna 456
  - fish 256 339
  - foraminifera 256 339
  - freshwater 86
  - fungus 456
  - Guayanilla 243
  - indices 456
  - industry 86
  - insects 256 339
  - marshes 339
  - meiofauna 256 339
  - metabolism 86 256
  - methods 456
  - microbes 456
  - microcosms 86
  - molluscs 256 339
  - nitrogen 256 339
  - nitrogen fixation 243
  - nutrients 86 431
  - oil 456
  - phosphorus 256 339
  - phytoplankton 86 256 339 431 456
  - pond experiment 256 339
  - primary 86
  - processes 456
  - productivity 86 256 339
  - Puerto Rico 243
  - pulp mill 456
  - respiration 86
  - Sagami 431
  - salinity 456
  - sediments 243 246
  - self purification 246
  - sewage 256 339 456
  - Suruga 431
  - symposium 456
  - tertiary 339
  - Texas 86
  - thermal 243 456
  - Tokyo 431
  - trace metals 456
  - Trinity 86
  - Vibrios 431

- wastes 86
- zooplankton 86 431

heterotrophic potential
- microbes 500
- organic 500
- populations mixed 500
- wastes 500

Hillsborough
- Bay 433
- benthic 433
- Florida 433
- invertebrates 433
- predictions 433
- sediments 433
- sewage 433
- tertiary 433

history
- Estuary 158
- marshes 158
- Pb210 158
- plutonium 158
- records 158
- Savannah 158
- sediments 158

Hobsons
- abundance 389
- Bay 389
- benthic 389
- diversity 389
- DO 389
- Estuary 389
- fauna 389
- salinity 389
- Theora fragilis 389
- Yarra 389

Hong Kong
- clay 458
- flux 458
- Harbor 458
- land development 458
- phosphate 458
- salinity 458
- sediments 458
- Tolo 458

hosts
- algae bluegreen 254
- Cyanophyta 254
- fish kills 254
- indicator species 254
- microbes 254
- Schizothrix calicola 254
- viruses 254

Houston Ship
- Channel 253
- hydrology 253
- reaeration 253

Hudson
- agriculture 218
- algae bluegreen 218
- ammonium 31
- Chlorophyta 31
- Estuary 31 209 218
- flushing 218
- land development 209
- light 31
- management 209
- nitrate 31 218
- nutrients 218
- phosphate 218
- phytoplankton 31
- point sources 218
- Potomac 218
- resources 209
- sewage 218
- Skeletonema 31
- uptake rates 31
- wastes 218

Humber
- bacteria attached 164
- bacteria free 164
- Estuary 164
- glucose 164
- mineralization 164
- organic matter 164
- suspended solids 164

Humboldt
- Bay 8
- California 8
- DO 8
- pH 8
- pond experiment 8
- salmonids 8
- sewage 8

Hurricane
- Agnes 415 421
- Bay 415 421
- Chesapeake 415 421
- chlorophyll 415
- Estuary 415
- Michaelis Menton 415

    model 415
    nitrogen 415
    phosphorus 415
    phytoplankton 415
    POM 421
    quasi linear 415
    sediments 421
    sewage 421
    soil erosion 421
    suspended solids 421
    Susquehanna 415
    wastes 415
Hydrobia ulvae
    benthic 393
    Craiglin 393
    density 393
    fauna 393
    fertilizer 393
    Loch 393
    productivity 393
hydrology
    abundance 43
    advection 42
    aerobic 183
    agriculture 517
    Alabama 132
    Alaska 7
    Albemarle 43
    algae 87 448
    ammonia 43 520
    animals 399
    assay 399 414 448
    Australia 154 424
    Bay 41 42 71 91 132 141 198 208 224 226 262 354 378 448 510
    Belgium 376
    benthic 87 137 208 224
    benthic oxygen demand 420
    bibliography 124 250 263 264 265 266 267 268
    biomass 154 201 306
    bloom 201 306 376 414 520 521
    BOD 71 212 284
    Bothnia 137
    California 441
    Channel 253
    chemical 20
    Chesapeake 41 42 91 141 510
    chlorinated hydrocarbons 137 491
    chlorophyll 43 154 174 424
    Clyde 284
    coliforms 183
    Colville 7
    community structure 174
    Coriolis 42
    cycles 91 183 224 241
    density 198 280 530
    deposition 376
    detritus 424
    diatoms 376 414
    dilution 510
    dispersion 530
    dissolved solids 137
    distribution 71
    DO 71 97 137 154 174 212 226 241 284 376 441
    DON 201
    Duwamish 520 521
    dye 530
    economics 491
    energy transfer 141 354
    Estuary 7 87 90 124 141 154 174 183 201 212 284 376 510 520 521 530
    Etang de Berre 306
    eutrophic 20
    eutrophication 124 250 263 264 265 266 267 268
    fauna 87
    fertilizer 517
    finite difference 41
    fish 515
    fisheries 7 124
    flood control 517
    France 306
    freshwater 284 378 420
    Galveston 208
    Gulf 137
    Hacking 424
    Harbor 20
    heat 141
    Houston Ship 253
    H3 154
    indicator species 208 399
    indices 208
    industry 208 284 517
    inorganic 201
    interface salt fresh 132 376
    intracellular 100
    iron 137

Jamaica 262
land development 43 517
light 174 420 424 448 521
Little River 154
longitudinal 530
macrofauna 137
management 183 491 515
Mediterranean 491
metabolism 224
methods 399 424
Michaelis Menton 71
microbes 20 141 183 399 491
microflagellates 174
mining 87 90 201
mixing 530
Mobile 132
model 41 42 71 97 100 132 183 198 212 250 262 263 264 265 266 267 268 280 321 354 378 420 510 515 530
momentum transfer 132
N/P 226 414
nanoplankton 174
Narragansett 198
New Jersey 224 226
New York 262
nitrate 201 224 226 414
nitrogen 43 87 91 100 183 201 321
North Carolina 43 90 517
Norway 414
nutrients 7 71 100 137 141 226 241 306 376 441 448 491 515 517 521
oil 137 399 491
one dimensional 420
Oregon 448
organic 141
organic matter 306
orthophosphate 414
P/N 441
Pamlico 87 90 201
Patuxent 141
Periphyton 521
pesticides 137 517
pH 71
phosphate 224 226 520
phosphorus 43 87 90 91 100 137 154 201 241
phytoplankton 43 71 87 90 91 137 141 154 174 201 414 424 441 515 520 521
plankton 20 226 306
plants 141
point sources 530
Port 424
Potomac 183
power plant 141
predictions 183 284
primary 7 43 91 124 137 141 154 174 441 515
processes 183 224 354
productivity 7 43 91 124 137 141 154 174 441 515
Puget 515
P32 154
radioactivity 491
Rangia 90
Raritan 224 226
reaeration 253
real time 183 212 321
recreation 517
resources 7 491 517
respiration 441
runoff 420 424
salinity 43 71 90 154 174 198 212 226 241 441
San Francisco 71 354 378
Scheldt 376
Sea 491
seasons 71 224 226 441 448 521
secchi disc 441
sediments 90 132 137 201 208 376 424 491
self purification 376
Severn 510
sewage 284 448 510 520
silica 378 414
Sound 43 515
St Lawrence 124
stochastic 420
stratification 280
succession 201 515
suspended solids 124 376 424
symposium 137 337
Tar 201
temperature 43 71 154 174 226 284 420 441 448
Texas 208
thermal 141 250 263 264 265 266

  - 267 268
  - three dimensional 132 198 515
  - three layer 280
  - tidal average 212
  - tides 183
  - time dependent 132
  - trace metals 124 137 376 414 491
  - Transient Water Quality Network 183
  - transport 100 132 262 354 376
  - Trondheimsfjord 414
  - trophic levels 515
  - turbidity 43 420
  - two dimensional 41 42 262 378
  - uptake rates 90
  - vertical shear 530
  - Virginia 212
  - Washington 515 520
  - wastes 20 90 137 208 284 399
  - water quality 97
  - watersheds 517
  - Yaquina 448
  - York 174 212 530
  - zooplankton 87 137 154
- Hymeniacidon sanguinea
  - chemical 359
  - indicator species 359
  - industry 359
  - Italy 359
  - Porifera 359
  - sewage 359
  - wastes 359
- hypertrophication
  - Bight 286
  - bloom 286
  - New York 286
  - nutrients 286
  - phytoplankton 286
- H2S
  - argon 396
  - Bay 396
  - bubbles 396
  - Chesapeake 396
  - CO2 396
  - methane 396
  - nitrogen 396
  - sediment water 396
- H3
  - Australia 154
  - biomass 154
  - chlorophyll 154
  - DO 154
  - Estuary 154
  - hydrology 154
  - Little River 154
  - phosphorus 154
  - phytoplankton 154
  - primary 154
  - productivity 154
  - P32 154
  - salinity 154
  - temperature 154
  - zooplankton 154
- ice
  - benthic 542
  - benthic oxygen demand 542
  - carbon 542
  - coliforms 542
  - deoxygenation 542
  - DO 542
  - fish 542
  - heat 542
  - light 542
  - methods 542
  - model 542
  - nutrients 542
  - organisms 542
  - phytoplankton 542
  - primary 542
  - productivity 542
  - rate constants 542
  - reaeration 542
  - spatial distribution 542
  - temporal distribution 542
  - zooplankton 542
- indicator species
  - abundance 32 383 472
  - algae 400
  - algae bluegreen 254 335
  - algae mats 357
  - alkalinity 383
  - ammonia 481
  - amphipods 12
  - Anchoa mitchilli 32
  - animals 399
  - annelids 370
  - Apalachee 191
  - Aquaforte 145
  - assay 383 399
  - Balanus 257

Baltic 335
Bay 12 32 191 208 257 417
benthic 12 191 208 269 331 335 352 370 371 400 529
Bight 121
bioaccumulation 121
biomass 32
Black 303
Brazil 257
Byfjorden 352
California 400
Canada 145
Capitella capitata 12
Chaetoceros simplex 303
chemical 359
Chesapeake 417
chlorophyll 481
Cladocera 245 310
Columbia 357
community structure 371
crustaceans 352 370
Cyanophyta 254
detergent 335
diatoms 197
distribution 269 383 417
diversity 32 197 472
DO 335
Duwamish 481
ecocline 371
energy transfer 335
England 370
Estuary 352 357 481
euglenoid 145
Evadne 310
fish 32 121 335
fish kills 254
Florida 191
Galveston 32 208
Germany 166
Gothenburg 352
gradient 371
Great Britian 197 529
Greece 245 310
growth rates 39
Guanabara 257
Gulf 245 310
Harbor 39 145 400
hosts 254
hydrology 208 399
Hymeniacidon sanguinea 359
indices 32 111 197 208 269 371
industry 208 245 359
invertebrates 12 191 331 383
Italy 359
Kiel 12 121
Kungsbackafjorden 352
Lake 383
Lebanon 472
Linnhe Eil 370
Loch 370
Long 39
Los Angeles 400
macroalgae 335
macrofauna 352
macrophytes 529
Massachusetts 331
meiofauna 352
methods 399
microbes 254 399 417
model 335
molluscs 39 370
mud flats 191
mussels 121
myxobacteria 166
nanoplankton 145
nematodes 331
Newfoundland 39
nitrate 303 481
nitrite 481
Norway 121
nutrients 383 472
oil 121 399 400
oligochaetes 400
organic 269
organic enrichment 371
organisms 335
oyster reefs 191
Periphyton 481
pH 383
phosphate 303 481
phosphorus 39
phytoplankton 145 303 472
plankton 383
polychaetes 12 400
Pontchartrain 383
Porifera 359
primary 335 383 481
productivity 335 383 481
pulp mill 191 370
recovery 371

    runoff 383
    salinity 383
    Saltkallefjord 352
    Saronic 245 310
    Schizothrix calicola 254
    Sea 303 335
    seagrass 191
    seasons 245 310 331
    secchi disc 145
    sediments 208 371 417
    seminar 111
    sewage 12 145 166 197 245 303 310 331 335 359 400 417 472
    specie key 357
    St Johns 145
    succession 370 371
    suspended solids 417
    Sweden 352
    symposium 335
    temperature 245 310
    Texas 32 208
    toxicity 32
    viruses 254
    Washington 481
    wastes 32 191 208 245 359 399 400 481
    water column 417
    Woods Hole 331
    zooplankton 245 335 352
indices
    abundance 32
    alkaline phosphatase 470
    amino acids 456
    analysis of variance 395
    Anchoa mitchilli 32
    bacteria 456
    bacteria proteolytic 456
    Bay 32 92 208 470
    Bayou 102
    benthic 208 269 371 395
    Bight 189
    biomass 32
    carbohydrates 456
    carbon 220
    chemical 16 102
    Chesapeake 92
    chlorophyll 102 220 350 470
    Chocolate 102
    community structure 371
    CO2 220
    C14 456
    diatoms 197
    distribution 125 269 470
    diversity 32 102 197 395
    DNA 470
    DO 102 220
    ecocline 371
    enzymes 470
    Estuary 220 350
    fauna 456
    Firth of Forth 395
    fish 32
    flushing 437
    fungus 456
    Galveston 32 208
    gradient 371
    Great Britian 197
    heterotrophic 456
    hydrology 208
    indicator species 32 111 197 208 269 371
    industry 208
    intertidal 395
    land development 92
    macrofauna 395
    marina 437
    Maryland 350
    methods 350 456
    microbes 16 220 456 470
    Mississippi 125
    model 437
    New York 189
    nitrate 125
    nomogram 437
    nutrients 92 125 220
    oil 368 456
    organic 269
    organic enrichment 371
    oxidases 368
    Patuxent 350
    pesticides 220
    phosphate 125
    phosphorus 470
    phytoplankton 456
    Potomac 220
    processes 456
    productivity 102
    protein 470
    pulp mill 456
    recovery 371

  - remote sensing 350
  - resources 125
  - respiration 102
  - salinity 456
  - seasons 102 395
  - sediments 189 208 371 437
  - seminar 111
  - seston 470
  - sewage 189 197 456
  - Sound 125
  - steroids 189
  - succession 371
  - suspended solids 350
  - symposium 456
  - Taylor 102
  - Texas 32 102 208
  - thermal 456
  - TOC 220
  - Tokyo 470
  - toxicity 32
  - trace metals 456
  - wastes 32 102 208 220
  - watersheds 92
  - zooplankton 102
- industry
  - agriculture 384 517
  - algae 119 442
  - alkalinity 380
  - animals 202
  - ATP 275
  - autotrophic 86
  - Bay 86 208 301 380 488
  - benthic 119 208 508
  - bibliography 211 457
  - Bight 275
  - biomass 275
  - bloom 275
  - BOD 109 136 284 348
  - C/N 136
  - cadmium 275
  - canal 384
  - Ceratium 275
  - Charleston 136
  - chemical 109 359 516
  - Chesapeake 301 380
  - Cladocera 245
  - Clyde 284
  - COD 442
  - coliforms 380
  - cycles 464
  - DC 380
  - Delaware 109 134
  - Dniester 384
  - DO 202 284 380 464
  - dredging 498
  - economics 134 498 508
  - Elizabeth 327
  - energy transfer 348
  - Estuary 109 119 134 202 284 327 380 384
  - eutrophication 211 457
  - fauna 384
  - fertilizer 202 361 464 517
  - fish 202 516
  - fisheries 488 498
  - flood control 517
  - food processing 516
  - freshwater 86 284
  - Galveston 208
  - Great Britian 119
  - Greece 245
  - Gulf 245
  - Harbor 136 327
  - heterotrophic 86
  - hydrology 208 284 517
  - Hymeniacidon sanguinea 359
  - indicator species 208 245 359
  - indices 208
  - Italy 359
  - James 327 380
  - Japan 488
  - kelp 232
  - land development 517
  - Little Creek 327
  - Louisiana 442
  - Lynnhaven 327
  - macroinvertebrates 232
  - management 109 205 327 498 508
  - marshes 442
  - Maryland 380
  - metabolism 86 452
  - metals 232
  - microbes 275 442 516
  - microcosms 86
  - mining 202 464
  - model 109 205 327 348
  - municipal 109
  - Nansemond 327
  - New York 275
  - nitrate 380

nitrogen 202
nonpoint sources 327
North 232
North Carolina 202 517
nutrients 86 380 442 498 516 517
oil 211
Oregon 516
organisms 508
Pagan 327
Pamlico 202
Patuxent 380
pesticides 348 380 508 517
pH 380
phosphate 202 361 380
phosphorus 464
phytoplankton 86 202 361
plankton 202
plants 508
populations single 452
Poquoson 327
Porifera 359
Potomac 380
power plant 498
predictions 284 327
primary 86 202 361
productivity 86 202 361
public opinion 498 508
pulp mill 136 488
radioactivity 516
Rappahannock 380
recreation 508 517
red tide 361
remote sensing 211
resources 211 498 516 517
respiration 86
runoff 134 205 442 464
salinity 202
Saronic 245
Sea 232
seasons 245
secondary 348
sediments 208 275 301 380
sewage 119 134 136 202 232 245 284 301 327 348 359 380 384 442 464 488 516
South Carolina 136
Sphaerotilus 516
stochastic 205
storm loading 134
stress 452
succession 232
Suruga 488
Susquehanna 380
symposium 498
Tees 119
temperature 202 245 284
tertiary 301 508
Texas 86 208
thermal 211 516
TLm 452
TOC 442
trace metals 348 380 516
transport 301
Trinity 86
Tyne 119
Virginia 380
wastes 86 109 119 134 136 208 232 245 275 284 301 327 348 359 380 384 442 452 464 488 508
watersheds 380 517
Wear 119
York 327 380
zooplankton 86 245 384

Inlet
- acetylene 25
- Alaska 319 320
- arctic 319
- benthic 319
- BOD 320
- Burrard 460
- cannery 25
- Cook 319 320
- distribution 460
- DO 319
- fiord 460
- Harbor 460
- intertidal 25
- Klebsiella pneumoniae 25
- microbes 319
- New Zealand 25
- nitrogen 319
- nitrogen fixation 25
- nutrients 25
- organisms 319
- pH 319
- phosphorus 319
- phytoplankton 460
- plankton 319
- primary 460
- productivity 460

  salinity 319
  sediments 25
  sewage 25 319 320
  silica 319
  slaughterhouse 25
  succession 460
  temperature 320
  Vancouver 460
  Waimea 25
  wastes 25
inorganic
  ammonia 178 203 407
  ammonium 186
  animals 186
  Bay 178
  Bayou 181
  benthic 178
  biomass 201 203
  bloom 201
  Broadkill 101
  carbon 27 181
  CBOD 407
  chambers 178
  chlorophyll 101 407
  clay 385
  coliforms 407
  cycles 186
  Delaware 101
  denitrification 326
  detergent 413
  dissolved 131
  DO 101 407
  Doboy 385
  DOC 416
  DON 201
  Estuary 27 101 131 181 186 201 203 407 506
  Fiji Island 326
  Florida 181
  flux 178 385
  Georgia 385
  hydrology 201
  James 27
  manganese 416
  mangroves 326
  Massachusetts 161
  microbes 27 203 326 385
  mining 201 203
  Mississippi 131
  model 27 407
  municipal 413
  Murderkill 101
  N/P 413
  Narragansett 178
  nitrate 27 178 186 201 203 407
  nitrite 27 178 186 407
  nitrogen 101 161 181 186 201 326 407 413 506
  North Carolina 186 203
  nutrients 101 186 203 416
  one dimensional 407
  organic 27 186 407 506
  organic matter 413
  Orinoco 131
  Pagan 407
  Pamlico 186 201 203
  pH 101
  phosphate 27 178 181 203 385
  phosphorus 101 181 201 407 413
  phytoplankton 27 161 201 203 407 413 416 506
  plants 186
  plumes 131
  pond experiment 161
  predictions 27
  primary 181 416
  processes 27 506
  productivity 181 416
  P32 385
  real time 407
  Rhode Island 178
  salinity 101 407
  Savannah 131
  Schofield 27
  seasons 186 506
  secondary 326
  sediment water 178 181 385
  sediments 186 201 326
  sewage 27 161 326 416
  silica 131
  Sound 385
  stochastic 27
  succession 201
  suspended solids 131
  Tar 201
  temperature 27 178
  tertiary 161 326
  Texar 181
  tides 101
  uptake rates 131

  - urea 186
  - Vellar 506
  - Virginia 27
  - wastes 413
  - wetlands 101
- insects
  - algae 256 339
  - bacteria 256 339
  - biomass 339
  - birds 256 339
  - calcium 339
  - carbon 256 339
  - community structure 256
  - crustaceans 256 339
  - fish 256 339
  - foraminifera 256 339
  - heterotrophic 256 339
  - marshes 339
  - meiofauna 256 339
  - metabolism 256
  - molluscs 256 339
  - nitrogen 256 339
  - phosphorus 256 339
  - phytoplankton 256 339
  - pond experiment 256 339
  - productivity 256 339
  - sewage 256 339
  - tertiary 339
- instruments
  - bibliography 436
  - detergent 436
  - DO 272
  - methods 272 436
  - model 436
  - nutrients 436
  - oil 436
  - pesticides 436
  - trace metals 436
- interface salt fresh
  - Alabama 132
  - ammonia 311
  - Bay 132
  - Belgium 376
  - bloom 376
  - BOD 311
  - deposition 376
  - diatoms 376
  - DO 311 376
  - DOC 311
  - DON 311
  - Estuary 376
  - hydrology 132 376
  - Mobile 132
  - model 132
  - momentum transfer 132
  - nitrite 311
  - nutrients 376
  - pH 311
  - salinity 311
  - Scheldt 376
  - sediments 132 376
  - self purification 376
  - suspended solids 376
  - three dimensional 132
  - time dependent 132
  - trace metals 311 376
  - transport 132 376
- interference
  - methods 54
  - nitrate 54
  - uv/resin 54
- international
  - marine pollution 281
  - symposium 281
- interstitial
  - aerobic 58
  - alkalinity 293
  - ammonia 293
  - anaerobic 58
  - assay 58
  - Bay 45 207 293 485
  - Belgium 504
  - Chesapeake 45 207 293 485
  - chloride 293
  - Connecticut 58
  - Copps Brook 58
  - degradation 58
  - denitrification 504
  - DIP 45
  - dissolved 207
  - distribution 293
  - DOC 58
  - iron 45 46 293 485
  - manganese 207 293
  - mass transfer 503
  - metabolism 58
  - methods 46 485
  - microbes 58
  - model 58 207 503 504 536
  - nitrate 504

  - nitrification 504
  - nitrite 504
  - North 503
  - nutrients 58
  - organic matter 58 504
  - orthophosphate 46
  - oxidation 46
  - oxidation rates 485
  - pH 207 293
  - phosphate 293
  - POC 58
  - processes 536
  - redox potential 293
  - Sea 503
  - seasons 293
  - sediments 58 504
  - silica 293 503 536
  - steady state 207
  - sulfate 293
  - tetrazolium salt 58
  - two layer 503
  - watersheds 58
  - zone 503
- intertidal
  - acetylene 25
  - algae 443
  - analysis of variance 395
  - benthic 395
  - birds 443
  - California 276
  - cannery 25
  - Clyde 443
  - distribution 309
  - diversity 17 395
  - energy transfer 276
  - Estuary 309 443
  - fauna 276
  - feeding grounds 443
  - Firth of Forth 395
  - fish 17
  - fucaceae 334
  - indices 395
  - Inlet 25
  - invertebrates 17 443
  - Irish 309
  - Klebsiella pneumoniae 25
  - macrofauna 17 309 395
  - macrophytes 276
  - Mersey 309
  - metabolism 276
  - Mytilus 334
  - New Zealand 25
  - nitrogen fixation 25
  - nutrients 25
  - organic 309
  - primary 276
  - productivity 276
  - Puget 17
  - pulp mill 334
  - Sea 309
  - seasons 276 309 395
  - sediments 17 25
  - sewage 17 25 276
  - slaughterhouse 25
  - Sound 17
  - Spain 334
  - stress 334
  - Ulvales 334
  - Waimea 25
  - Washington 17
  - wastes 25 309 334
- intracellular
  - chemostat 169
  - growth rates 169
  - hydrology 100
  - model 100 169
  - nitrogen 100 169
  - nutrients 100
  - phosphorus 100
  - phytoplankton 169
  - transport 100
- invertebrates
  - abundance 383
  - algae 443
  - alkalinity 383
  - amino acids 528
  - amphipods 12
  - Apalachee 191
  - assay 383
  - Bay 12 191 433
  - benthic 12 106 191 331 433 528
  - birds 443
  - Capitella capitata 12
  - Clyde 443
  - conference 528
  - cycles 528
  - Damariscotta 106
  - detritus 528
  - distribution 383
  - diversity 17

  DO 106
  Estuary 106 443
  feeding grounds 443
  fish 17 106 528
  fisheries 528
  Florida 191 433
  growth rates 106
  Hillsborough 433
  indicator species 12 191 331 383
  intertidal 17 443
  Kiel 12
  laboratory culture 106
  Lake 383
  larvae 106
  macrofauna 17
  Maine 106
  management 528
  Massachusetts 331
  microbes 528
  mud flats 191
  nematodes 331
  nitrogen 528
  nutrients 383 528
  oil 528
  organisms 528
  oyster reefs 191
  Penobscot 106
  pesticides 528
  pH 383
  phosphorus 528
  plankton 383
  polychaetes 12
  Pontchartrain 383
  predictions 433
  primary 383
  productivity 383
  Puget 17
  pulp mill 191
  runoff 383
  salinity 106 383
  seagrass 191 528
  seasons 331
  sediments 17 106 433
  settlement 106
  sewage 12 17 331 433
  Sheepscot 106
  silica 528
  Sound 17
  stress 528
  temperature 106
  tertiary 433
  trace metals 528
  urea 528
  Washington 17
  wastes 191
  wetlands 528
  Woods Hole 331
  zooplankton 528
ion exchange
  ammonia 273
  fertilizer 273
  phosphate 273
  secondary 273
  sewage 273
Ireland
  algae mats 130
  Estuary 130
  mud flats 130
  nutrients 130
  organic 130
  Rogerstown 130
  wastes 130
Irish
  distribution 309
  Estuary 309
  intertidal 309
  macrofauna 309
  Mersey 309
  organic 309
  Sea 309
  seasons 309
  wastes 309
iron
  alkalinity 293
  ammonia 293
  Bay 45 293 485
  benthic 137
  Bothnia 137
  Chesapeake 45 293 485
  chloride 293
  chlorinated hydrocarbons 137
  DIP 45
  dissolved solids 137
  distribution 293
  DO 137
  Estuary 492 493
  Gulf 137
  hydrology 137
  interstitial 45 46 293 485
  macrofauna 137

  - manganese 293
  - methods 46 485 493
  - North Carolina 492 493
  - nutrients 137
  - oil 137
  - orthophosphate 46
  - oxidation 46
  - oxidation rates 485
  - Pamlico 492 493
  - pesticides 137
  - pH 293
  - phosphate 293 492
  - phosphorus 137 493
  - phytoplankton 137
  - primary 137
  - productivity 137
  - redox potential 293
  - salinity 492
  - seasons 293
  - sediments 137 492 493
  - silica 293
  - sulfate 293
  - suspended solids 492
  - symposium 137
  - trace metals 137
  - wastes 137
  - zooplankton 137
- isopleths
  - Estuary 223
  - model 223
  - nonpoint sources 223
  - nutrients 223
  - phosphorus 223
  - Potomac 223
  - processes 223
  - runoff 223
  - spatial distribution 223
  - temporal distribution 223
  - transport 223
  - wastes 223
- isotope
  - carbon 449
  - distribution 449
  - Estuary 449
  - Potomac 449
- Italy
  - chemical 359
  - Hymeniacidon sanguinea 359
  - indicator species 359
  - industry 359
  - Porifera 359
  - sewage 359
  - wastes 359
- Jamaica
  - Bay 262 353
  - BOD 353
  - coliforms 353
  - DO 353
  - hydrology 262
  - model 262 353
  - New York 262 353
  - nitrogen 353
  - phosphorus 353
  - salinity 353
  - transport 262
  - two dimensional 262 353
- James
  - alkalinity 47 380
  - Bay 173 380 495
  - bibliography 30
  - BOD 495
  - carbon 27 495
  - Chesapeake 173 380 495
  - Chickahominy 173
  - chlorophyll 47 495
  - coliforms 380
  - DC 380
  - DO 47 380 495
  - Elizabeth 327
  - Estuary 27 30 47 173 327 380 495
  - Harbor 327
  - industry 327 380
  - inorganic 27
  - linear regression 173
  - Little Creek 327
  - Lynnhaven 327
  - management 327
  - Maryland 380
  - microbes 27
  - model 27 327
  - Nansemond 327
  - nitrate 27 380
  - nitrite 27
  - nonpoint sources 327
  - NO2 47
  - NO3 47
  - nutrients 173 380 495
  - organic 27
  - Pagan 327
  - Patuxent 173 380 495

    pesticides 380
    pH 47 380
    phosphate 27 380
    phosphorus 47
    phytoplankton 27 47
    PN 47
    Poquoson 327
    Potomac 173 380 495
    predictions 27 327
    processes 27
    Rappahannock 173 380 495
    salinity 47
    Schofield 27
    seasons 173
    sediments 380
    sewage 27 327 380
    stochastic 27
    Susquehanna 173 380 495
    temperature 27 47
    trace metals 380
    Virginia 27 380
    wastes 327 380
    watersheds 173 380
    York 173 327 380 495
Japan
    ammonia 190
    Bay 190 322 488
    benthic 338
    biomass 445
    bloom 445
    BOD 349
    chlorophyll 322
    COD 338 349
    crustaceans 338
    denitrification 190
    deoxygenation 349
    diatoms 445
    fisheries 338 488
    industry 488
    Mangoku 190
    microbes 445
    model 338
    nitrogen 338
    nutrients 322 445
    N15 190
    oil 338
    organic matter 338
    phytoplankton 322
    PON 190
    primary 445
    productivity 445
    pulp mill 488
    Sea 338 445
    sediments 190 338
    self purification 349
    Seto 338
    sewage 338 488
    Simoda 190
    sulfate 338
    sulfide 338
    Suruga 488
    TOC 349
    TOD 349
    Tokyo 190
    Ura 190
    Uranouchi 322
    wastes 322 488
    winter 445
Jordan
    Aqaba 146
    calcium 146
    Gulf 146
    phosphate 146
    sewage 146
juveniles
    east coast 77
    fisheries 77
    salinity 77
    temperature 77
    zooplankton 77
Kaneohe
    ammonia 466
    ammonium 188
    Bay 64 65 94 182 188 200 330 392 466
    biomass 65 200 466
    C/N 188
    Chaetodon miliaris 392
    chlorophyll 64 65
    coliforms 94
    coral 182
    detritus 65
    diversity 94
    DON 466
    DPO 466
    economics 94
    excretion rates 466
    fish 392
    fisheries 94
    growth rates 188 392

  - Hawaii 64 65 94 182 188 200 330 392 466
  - metabolism 466
  - microbes 182
  - microcopepods 330
  - model 64
  - nitrate 64 188
  - nitrogen 65 94 330
  - nitrogen fixation 182
  - P/B 330
  - phosphate 64 466
  - phosphorus 94
  - phytoplankton 64 65 188
  - PN 200
  - POC 65
  - primary 64
  - productivity 64 330
  - recreation 94
  - reproduction 392
  - secondary 182 330
  - sediments 182
  - sewage 64 94 182 188 330 392
  - size composition 200
  - size dependent 466
  - succession 200
  - uptake rates 188
  - urea 188
  - zooplankton 200 392 466
- kelp
  - ammonium 522
  - boundary layer 522
  - carbon 522
  - cycles 522
  - growth rates 522
  - industry 232
  - Ks 522
  - Macrocystis 522
  - macroinvertebrates 232
  - metals 232
  - morphology 522
  - nitrogen 522
  - North 232
  - nutrients 522
  - primary 522
  - productivity 522
  - Sea 232
  - sewage 232
  - succession 232
  - Vm 522
  - wastes 232
  - water velocity 522
- Kiel
  - amphipods 12
  - Bathyporia sarsi 11
  - Bay 11 12
  - benthic 11 12
  - Bight 121
  - bioaccumulation 121
  - Capitella capitata 11 12
  - community structure 11
  - fish 121
  - indicator species 12 121
  - invertebrates 12
  - macrofauna 11
  - mussels 121
  - Norway 121
  - oil 121
  - oligochaetes 11
  - polychaetes 12
  - Pygospio elegans 11
  - sewage 11 12
- kinetics
  - Bayou 313
  - dissolved solids 313
  - DO 313
  - glucose 313
  - microbes 313
  - nutrients 313
  - phosphate 313
  - productivity 313
  - redox potential 313
  - sediment water 313
- Klebsiella pneumoniae
  - acetylene 25
  - cannery 25
  - Inlet 25
  - intertidal 25
  - New Zealand 25
  - nitrogen fixation 25
  - nutrients 25
  - sediments 25
  - sewage 25
  - slaughterhouse 25
  - Waimea 25
  - wastes 25
- Korea
  - Bay 238
  - Chinhae 238
  - disease 238
  - fertilizer 238

    Porphyra 238
    primary 238
    productivity 238
    wastes 238
Ks
    alkaline phosphatase 468 482
    ammonia 62
    ammonium 482 522
    Bay 468 469
    biomass 62
    boundary layer 522
    C/N 62 482
    California 62
    carbon 482 522
    carbon/chlorophyll 62
    Chesapeake 468 469
    chlorophyll 482
    cycles 522
    diurnal 62 482
    DOP 469
    growth rates 522
    kelp 522
    Macrocystis 522
    morphology 522
    nitrate 482
    nitrogen 62 482 522
    nutrients 62 522
    N15 62
    Olisthodiscus luteus 482
    orthophosphate 469
    phosphomonoester 468
    phosphorus 468 482
    phytoplankton 62 468 469
    polyphosphate 469
    primary 62 522
    productivity 62 522
    P32 469
    sewage 62
    turnover rates 469
    uptake rates 482
    urea 62
    Vm 62 468 469 522
    water velocity 522
Kungsbackafjorden
    benthic 352
    Byfjorden 352
    crustaceans 352
    Estuary 352
    Gothenburg 352
    indicator species 352
    macrofauna 352
    meiofauna 352
    Saltkallefjord 352
    Sweden 352
    zooplankton 352
laboratory culture
    ammonia 5
    benthic 5 106
    crustaceans 260
    Damariscotta 106
    diatoms 5
    DO 106
    Estuary 106
    fish 106
    growth rates 106
    invertebrates 106
    larvae 106
    Maine 106
    nitrate 5
    nitrite 5
    orthophosphate 5
    Penobscot 106
    primary 5
    productivity 5
    salinity 106
    sediments 106
    settlement 106
    Sheepscot 106
    temperature 106
Lagoon
    agriculture 60
    algae mats 60
    Australia 60
    benthic 9
    California 155
    chlorophyll 155
    CO2 105
    distribution 155
    diversity 9 155
    DO 105
    flushing 155
    Gulf 155
    macrofauna 9
    model 105
    molluscs 9
    Orielton 60
    pH 105
    phytoplankton 155
    primary 155
    productivity 155

- runoff 60
- salinity 60
- sewage 60 105
- Shannons Index 9
- stabilization 105
- Tasmania 60
- temperature 60 105
- tides 155
- wastes 105

Lagrangian multipliers
- dynamic programming algorithm 240
- management 240
- model 240

Laita
- Estuary 98
- model 98
- pulp mill 98
- salmonids 98

Lake
- abundance 383
- alkalinity 383
- anaerobic 358
- assay 383
- benthic 358
- dehydrogenase 358
- distribution 383
- indicator species 383
- invertebrates 383
- metabolic heat release 358
- metabolism 358
- microcalorimetry 358
- nutrients 358 383
- organic matter 358
- organisms 358
- oxygen 358
- pH 383
- plankton 383
- Pontchartrain 383
- primary 383
- processes 358
- productivity 383
- Puget 358
- runoff 383
- salinity 383
- sediments 358
- Sound 358
- Washington 358

Laminaria
- carbon 70
- chlorophyll 70
- growth rates 70
- macrophytes 70
- nitrate 70

land development
- abundance 43
- agriculture 517
- Albemarle 43
- algae 216
- ammonia 43
- Bay 92
- bibliography 56 57 84
- Chesapeake 92
- chlorophyll 43
- clay 458
- DO 216
- dredging 96
- ecosystem 84
- Estuary 209 216
- eutrophication 56 57
- fertilizer 517
- fisheries 96
- flood control 96 517
- flux 458
- Harbor 458
- Hong Kong 458
- Hudson 209
- hydrology 43 517
- indices 92
- industry 517
- Louisiana 96
- management 96 209
- microbes 216
- nitrogen 43
- North Carolina 43 517
- nutrients 92 96 216 517
- pesticides 517
- phosphate 458
- phosphorus 43
- phytoplankton 43 96
- Potomac 216
- primary 43
- productivity 43
- Puget 84
- recreation 96 517
- resources 56 57 209 216 517
- runoff 96 216
- salinity 43 458
- sediments 458
- sewage 96

  - soil erosion 96
  - Sound 43 84
  - temperature 43
  - Tolo 458
  - trace metals 216
  - turbidity 43
  - viruses 216
  - Washington 84
  - wastes 216
  - watersheds 92 517
  - wetlands 96
- landfill
  - New York 340
  - oil 340
  - sewage 340
- larvae
  - benthic 106
  - Damariscotta 106
  - DO 106
  - dredging 107
  - Estuary 106
  - fish 106
  - growth rates 106
  - invertebrates 106
  - laboratory culture 106
  - Maine 106
  - Penobscot 106
  - salinity 106
  - sediments 106
  - settlement 106
  - Sheepscot 106
  - temperature 106
  - toxicity 107
  - zooplankton 107
- latitudinal gradients
  - Acartia 227
  - Balanus 227
  - Bay 227
  - bloom 227
  - Estuary 227
  - Eurytemora 227
  - Narragansett 227
  - New Jersey 227
  - nutrients 227
  - organic matter 227
  - phytoplankton 227
  - Raritan 227
  - Rhode Island 227
  - salinity 227
  - seasons 227
  - Virginia 227
  - wastes 227
  - York 227
  - zooplankton 227
- leaves
  - Broad River 292
  - detritus 292
  - Estuary 292
  - fertilizer 292
  - Florida 292
  - mangroves 292
  - pesticides 292
  - Shark 292
  - trace metals 292
- Lebanon
  - abundance 472
  - diversity 472
  - indicator species 472
  - nutrients 472
  - phytoplankton 472
  - sewage 472
- life cycles
  - algae 248
  - benthic 248
  - Oslofjord 248
  - seasons 248
  - spatial distribution 248
  - temporal distribution 248
- light
  - algae 448
  - ammonium 31
  - assay 448
  - Australia 424
  - Bay 448
  - benthic 542
  - benthic oxygen demand 420 542
  - Bermuda 24
  - biomass 336
  - bloom 24 521
  - BOD 36
  - carbon 542
  - chlorophyll 174 424
  - Chlorophyta 31
  - coliforms 542
  - Columbia 175
  - community structure 174
  - deoxygenation 542
  - detritus 424
  - DO 36 174 542
  - Duwamish 521

Estuary 31 174 175 336 521
Eurytemora 175
fish 542
freshwater 420
Grevelingen 336
Hacking 424
heat 542
Hudson 31
hydrology 174 420 424 448 521
ice 542
linear regression 175
macrophytes 24
methods 424 542
microflagellates 174
model 420 542
NaCl 36
nanoplankton 174
Netherlands 336
nitrate 31 175
nutrients 24 336 448 521 542
one dimensional 420
Oregon 175 448
organisms 542
Periphyton 521
phosphate 175
phytoplankton 31 174 175 424 521 542
Port 424
primary 24 174 336 542
productivity 24 174 336 542
rate constants 542
reaeration 542
runoff 420 424
salinity 174
salts 36
seasons 175 448 521
sediments 36 424
sewage 448
silica 175
Skeletonema 31
spatial distribution 542
stochastic 420
suspended solids 36 424
temperature 36 174 420 448
temporal distribution 542
turbidity 36 420
uptake rates 31
water velocity 336
Yaquina 448
York 174
zooplankton 175 542
Zostera marina 336

Limacina retroversa
- Bay 524
- bloom 524
- dinoflagellate 524
- Fundy 524
- Gonyaulax excavata 524
- herring 524
- pteropods 524

Limnodrilus
- benthic 539
- bioturbation 539
- BOD 539
- Delaware 539
- Estuary 539
- fauna 539
- oligochaetes 539
- organic 539
- sediments 539
- wastes 539

linear regression
- Bay 173
- Chesapeake 173
- Chickahominy 173
- Columbia 175
- Estuary 173 175
- Eurytemora 175
- James 173
- light 175
- nitrate 175
- nutrients 173
- Oregon 175
- Patuxent 173
- phosphate 175
- phytoplankton 175
- Potomac 173
- Rappahannock 173
- seasons 173 175
- silica 175
- Susquehanna 173
- watersheds 173
- York 173
- zooplankton 175

Linnhe Eil
- annelids 370
- benthic 370
- crustaceans 370
- England 370
- indicator species 370

  Loch 370
  molluscs 370
  pulp mill 370
  succession 370
Little Creek
  Elizabeth 327
  Estuary 327
  Harbor 327
  industry 327
  James 327
  Lynnhaven 327
  management 327
  model 327
  Nansemond 327
  nonpoint sources 327
  Pagan 327
  Poquoson 327
  predictions 327
  sewage 327
  wastes 327
  York 327
Little River
  Australia 154
  biomass 154
  chlorophyll 154
  DO 154
  Estuary 154
  hydrology 154
  H3 154
  phosphorus 154
  phytoplankton 154
  primary 154
  productivity 154
  P32 154
  salinity 154
  temperature 154
  zooplankton 154
Liverpool
  Bay 23 199
  coliforms 23
  DIN 199
  DRP 199
  Great Britian 23 199
  long term 199
  nitrogen 199
  phosphorus 199
  seasons 199
  sewage 23
  tracer 23
local
  agencies 14 61 159
  Bay 61 297
  Chesapeake 297
  cycles 297
  dredging 14
  federal 484
  Florida 14
  management 61 159 484
  microbes 297
  nitrogen 297
  nutrients 297
  participation 61
  phosphorus 297
  phytoplankton 297
  public opinion 61 159
  rainfall 297
  resources 159
  San Francisco 61
  sediments 297
  sewage 14
  state 14 159 484
  symposium 297
  uptake rates 297
  vertical transport 297
  wetlands 14
  zooplankton 297
Loch
  annelids 370
  benthic 370 393
  carbon 454
  chlorophyll 454
  Craiglin 171 393
  crustaceans 370
  density 393
  DO 171
  England 370
  fauna 393
  fertilizer 171 393
  fish 171
  flounder 171
  growth rates 171
  Hydrobia ulvae 393
  indicator species 370
  Linnhe Eil 370
  molluscs 370
  Nevis 454
  nitrate 454
  North 454
  phosphate 454
  POC 454

    productivity 393 454
    pulp mill 370
    Scotland 454
    Sea 454
    sexual maturity 171
    succession 370
Long
    growth rates 39
    Harbor 39
    indicator species 39
    molluscs 39
    Newfoundland 39
    phosphorus 39
Long Island
    cobalamin 509
    DOM 404
    microbes 404
    nutrients 509
    organic aggregates 404
    orthophosphate 509
    phytoplankton 404 509
    POM 404
    seasons 404 509
    Sound 404 509
    thiamine 509
    zooplankton 404
long term
    abundance 120
    algae 120
    Bay 199
    benthic 120
    diatoms 153
    DIN 199
    distribution 153
    diversity 120
    DRP 199
    Great Britian 120 199
    Liverpool 199
    nitrogen 199
    North 153
    phosphorus 199
    phytoplankton 153
    reproduction 120
    Sea 153
    seasons 120 199
    temperature 153
    wastes 120
    zooplankton 153
longitudinal
    density 530
    dispersion 530
    dye 530
    Estuary 530
    hydrology 530
    mixing 530
    model 530
    point sources 530
    vertical shear 530
    York 530
Los Angeles
    algae 400
    benthic 400 447
    bioenhancement 447
    biomass 447
    California 400 447
    cannery 447
    diversity 447
    DO 447
    fish 447
    Harbor 400 447
    indicator species 400
    oil 400
    oligochaetes 400
    organisms 447
    plankton 447
    polychaetes 400
    productivity 447
    sewage 400 447
    wastes 400 447
Louisiana
    algae 442
    anaerobic 127
    Barataria 95
    Basin 95
    Bay 402
    COD 442
    denitrification 127
    diffusion 127
    DO 126
    dredging 96
    Estuary 402
    fisheries 95 96
    flood control 96
    floodwaters 127
    Florida 402
    freshwater 402
    industry 442
    land development 96
    management 96 402
    marshes 126 442

  - microbes 442
  - nitrate 126 127
  - North Carolina 402
  - nursery grounds 95
  - nutrients 95 96 402 442
  - Palm 402
  - phytoplankton 96
  - radioactivity 402
  - recreation 96
  - redox potential 126 127
  - runoff 96 402 442
  - salinity 95
  - Santee 402
  - sediments 126
  - sewage 96 442
  - soil erosion 96
  - South Carolina 402
  - swamps 402
  - TOC 442
  - wastes 442
  - wetlands 95 96 402
- Lynnhaven
  - Elizabeth 327
  - Estuary 327
  - Harbor 327
  - industry 327
  - James 327
  - Little Creek 327
  - management 327
  - model 327
  - Nansemond 327
  - nonpoint sources 327
  - Pagan 327
  - Poquoson 327
  - predictions 327
  - sewage 327
  - wastes 327
  - York 327
- macroalgae
  - algae bluegreen 335
  - Baltic 335
  - benthic 335
  - detergent 335
  - DO 335
  - energy transfer 335
  - fish 335
  - indicator species 335
  - model 335
  - organisms 335
  - primary 335
  - productivity 335
  - Sea 335
  - sewage 335
  - symposium 335
  - zooplankton 335
- Macrocystis
  - ammonium 522
  - boundary layer 522
  - carbon 522
  - cycles 522
  - growth rates 522
  - kelp 522
  - Ks 522
  - morphology 522
  - nitrogen 522
  - nutrients 522
  - primary 522
  - productivity 522
  - Vm 522
  - water velocity 522
- macrofauna
  - algae 72
  - analysis of variance 395
  - Bathyporia sarsi 11
  - Bay 11 72 76
  - benthic 9 11 72 76 137 352 356 395 409
  - biomass 409
  - Bothnia 137
  - Byfjorden 352
  - cannery 76
  - Capitella capitata 11
  - Chesapeake 72
  - chlorinated hydrocarbons 137
  - community structure 11
  - crustaceans 352
  - disease 356
  - dissolved solids 137
  - distribution 309
  - diversity 9 17 395 409
  - DO 72 137
  - energy transfer 72
  - Estuary 309 352
  - Firth of Forth 395
  - fish 17 356
  - foraminifera 72
  - Gothenburg 352
  - Gulf 137
  - hydrology 137
  - indicator species 352

  indices 395
  intertidal 17 309 395
  invertebrates 17
  Irish 309
  iron 137
  Kiel 11
  Kungsbackafjorden 352
  Lagoon 9
  macrophytes 72
  meiofauna 352
  Mersey 309
  microbes 72
  Mississippi 356
  molluscs 9
  nutrients 72 137
  oil 137
  oligochaetes 11
  organic 309
  parasites 356
  pesticides 137 356
  phosphorus 137
  phytoplankton 72 137
  primary 137
  productivity 137
  Puget 17
  pulp mill 409
  Pygospio elegans 11
  Saldanha 76
  Saltkallefjord 352
  Sea 309
  seasons 309 395
  sediments 17 137
  sewage 11 17 72 356
  Shannons Index 9
  Sound 17
  South Africa 76
  succession 409
  Sweden 352
  symposium 137
  trace metals 72 137 356
  Washington 17
  wastes 76 137 309
  zooplankton 72 137 352
macroinvertebrates
  ammonia 314
  Bayou 314
  calorific content 277
  DO 314
  Florida 314
  industry 232
  kelp 232
  macrophytes 277
  metals 232
  nitrate 314
  North 232
  phosphate 314
  phytoplankton 314
  Sea 232
  sewage 232 277
  succession 232
  Texar 314
  TOC 314
  wastes 232
  zooplankton 314
macrophytes
  aerobic 537
  algae 72 537
  algae bluegreen 247
  ammonia 157 247
  Baule Mitschlerlich 511
  Bay 52 72
  benthic 72 333 511 529 540
  Bermuda 24
  biomass 52 247 537
  bloom 24 537
  British Columbia 247
  C/N 333
  California 276
  calorific content 277
  Canada 52
  carbon 70
  Chesapeake 72
  chlorophyll 70
  CO2 537
  cycles 247
  C14 537
  denitrification 157
  density 537
  detritus 537
  DO 72
  Econfina 540
  energy transfer 72 276
  Estuary 103 540
  eutrophic 157
  fauna 276
  foraminifera 72
  Great Britian 529
  growth rates 70
  indicator species 529
  intertidal 276

    Laminaria 70
    light 24
    macrofauna 72
    macroinvertebrates 277
    metabolism 276
    microbes 72 247 537
    model 157
    nitrate 70 157
    nitrification 157
    nitrogen 157 247
    nutrients 24 72 511
    organic 157
    organic matter 157
    Pamlico 103
    Phaeophyta 333
    phosphate 52 247
    phosphorus 247
    phytoplankton 72 157 511
    primary 24 276 511
    processes 157
    productivity 24 276 511
    Quinte 52
    seasons 103 276
    sediments 247 537
    sewage 52 72 276 277
    Spain 333
    Tenholloway 540
    tertiary 52
    trace metals 72
    turbidity 511
    turnover rates 537
    uptake rates 157 537
    Vm 537
    water column 537
    zooplankton 72 157
Maine
    benthic 106
    Damariscotta 106
    DO 106
    Estuary 106
    fish 106
    growth rates 106
    invertebrates 106
    laboratory culture 106
    larvae 106
    Penobscot 106
    salinity 106
    sediments 106
    settlement 106
    Sheepscot 106
    temperature 106
Malagasy Republic
    Bay 147
    Cladocera 147
    Evadne tergestina 147
    Nosy Be 147
    Penilia avirostris 147
    phytoplankton 147
    rainfall 147
    seasons 147
    tropical 147
    zooplankton 147
Malpeque
    abundance 499
    Bay 499
    carbon 499
    cycles 499
    microbes 499
    nitrogen 499
    oysters 499
    phosphorus 499
    productivity 499
management
    aerobic 183
    agencies 61 159
    algae bluegreen 215
    amino acids 528
    Bay 61 73 74 231 402 429
    benthic 508 528
    bibliography 73 325 435
    biomass 231
    BOD 109
    chemical 109 428
    Chesapeake 73 74 429
    chlorinated hydrocarbons 491
    chlorophyll 215
    coliforms 183
    conference 528
    crabs 231
    cycles 183 428 528
    Delaware 109 411
    detritus 528
    directory 73
    dredging 96 498
    dynamic programming algorithm 240
    economics 85 217 491 494 498 508
    Elizabeth 327
    energy transfer 231
    Estuary 53 109 183 209 215 217

327 402 411
eutrophication 73 325 435
federal 484
fish 231 515 528
fisheries 74 96 291 398 411 494 498 528
flood control 96
Florida 402
freshwater 231 402
Galveston 231
global 490
Great Britian 85
Harbor 327
Hudson 209
hydrology 183 491 515
industry 109 205 327 498 508
invertebrates 528
James 327
Lagrangian multipliers 240
land development 96 209
Little Creek 327
local 61 159 484
Louisiana 96 402
Lynnhaven 327
Mediterranean 491
methods 435
microbes 183 491 528
model 109 183 205 231 240 327 411 515
monitoring 490
municipal 109
Nansemond 327
nitrogen 183 528
nonpoint sources 327
North 411
North Carolina 402
nutrients 96 215 217 402 428 471 491 494 498 515 528
oil 491 528
organisms 508 528
oysters 471
Pagan 327
Palm 402
participation 61
pesticides 435 508 528
phosphorus 528
phytoplankton 96 411 515
plants 508
Poquoson 327
Potomac 53 183 215 217
power plant 498
predictions 183 327
primary 515
processes 183
productivity 231 428 515
public opinion 61 159 429 498 508
Puget 515
radioactivity 402 491
real time 183
recreation 96 508
research 490
resources 159 209 398 429 490 491 494 498
runoff 96 205 402
salinity 231 471
San Francisco 61
Santee 402
Scotland 83
Sea 411 491
seagrass 528
secondary 231
sediments 491
self purification 83
sewage 96 215 327 471
shrimp 231
silica 528
soil erosion 96
Sound 515
South Carolina 402
state 159 484
stochastic 205
stress 528
succession 411 515
swamps 402
symposium 494 498
tertiary 508
Texas 231
thermal 435
three dimensional 515
tides 183
trace metals 435 491 528
Transient Water Quality Network 183
trophic levels 515
urea 528
Washington 515
wastes 109 327 508
wetlands 96 402 528
York 327

  - zooplankton 528
- manganese
  - alkalinity 293
  - ammonia 293
  - Bay 207 293
  - Chesapeake 207 293
  - chloride 293
  - dissolved 207
  - distribution 293
  - DOC 416
  - inorganic 416
  - interstitial 207 293
  - iron 293
  - model 207
  - nutrients 416
  - pH 207 293
  - phosphate 293
  - phytoplankton 416
  - primary 416
  - productivity 416
  - redox potential 293
  - seasons 293
  - sewage 416
  - silica 293
  - steady state 207
  - sulfate 293
- Mangoku
  - ammonia 190
  - Bay 190 252
  - denitrification 190
  - Japan 190
  - microbes 252
  - nitrate 252
  - nitrification 252
  - N15 190 252
  - Odawa 252
  - PON 190
  - reduction 252
  - sediments 190 252
  - Simoda 190
  - Tokyo 190
  - Ura 190 252
  - Zostera 252
- mangroves
  - Broad River 292
  - denitrification 326
  - detritus 292
  - Estuary 292
  - fertilizer 292
  - Fiji Island 326
  - Florida 292
  - inorganic 326
  - leaves 292
  - microbes 326
  - nitrogen 326
  - pesticides 292
  - secondary 326
  - sediments 326
  - sewage 326
  - Shark 292
  - tertiary 326
  - trace metals 292
- marina
  - flushing 437
  - indices 437
  - model 437
  - nomogram 437
  - sediments 437
- marine pollution
  - international 281
  - symposium 281
- Marseilles
  - benthic 234
  - detergent 234
  - France 234
  - Gulf 234
  - organisms 234
  - Posidonia oceanica 234
  - seagrass 234
  - sewage 234
- marshes
  - algae 339 442
  - alkalinity 149
  - ammonia 177
  - ammonium 210
  - ATP 193
  - bacteria 339
  - barnacles 507
  - Bay 22
  - biomass 339
  - birds 339
  - cadmium 210
  - calcium 339 461
  - carbohydrates 193
  - carbon 21 22 192 193 339
  - Carter 21
  - Chesapeake 22
  - chlorophyll 193
  - COD 442
  - Creek 21

crude fiber 193
crustaceans 339
cycles 21
detritus 22 75 192
DO 126
DON 177
energy transfer 75 192
Estuary 158 192 193 507
fish 339
flux 22
foraminifera 339
Georgia 59 177
heterotrophic 339
history 158
industry 442
insects 339
Louisiana 126 442
Maryland 192 193
meiofauna 339
microbes 59 75 442
model 75 507
molluscs 339
mussels 507
New Jersey 390
nitrate 126 177
nitrite 177
nitrogen 21 22 193 210 339 461
North Inlet 507
nutrients 75 149 192 210 442
oysters 507
Patuxent 192 193
Pb210 158
phosphorus 21 22 149 193 210 339 461
phytoplankton 339 507
plants 461
plutonium 158
PON 177
pond experiment 339
pools 177
potassium 461
primary 21 22 192 390 507
processes 507
productivity 21 22 192 339 390 507
records 158
redox potential 126
runoff 442
Savannah 158
sediment water 21
sediments 59 126 149 158 210 461
sewage 339 442
silica 149
South Carolina 149
Spartina 75
Spartina alterniflora 390
suspended solids 59
tertiary 339
tidal creek 177
tides 22 210 507
TOC 442
trace metals 149 210
Virginia 21
vitamin B12 59
Ware 21
wastes 442
water column 507
wetlands 192
zinc 210

Maryland
algae 430
alkalinity 380
ammonia 430
ATP 193
Bay 380 451
bibliography 451
biomass 304
carbohydrates 193
carbon 192 193 195
Chesapeake 380 451
chlorophyll 193 350
Chlorophyta 430
coliforms 380
Copepoda 195
crude fiber 193
crustaceans 195
Cyanophyta 430
DC 380
detritus 192 195
diurnal 93
DO 93 304 380
dye 68
energy transfer 192 195
Estuary 93 192 193 195 304 350 380 430
Eurytemora affinis 195
indices 350
industry 380
James 380
marshes 192 193

    methods 350
    microbes 195
    nitrate 380
    nitrogen 193
    nutrients 192 304 380
    outfall diffuser 68
    Patuxent 93 192 193 195 304 350 380
    pesticides 380
    pH 380
    phosphate 380 430
    phosphorus 193 304
    phytoplankton 304
    Potomac 380 430
    primary 93 192 195 304
    productivity 93 192 195 304
    Rappahannock 380
    remote sensing 350
    respiration 93
    salinity 68
    Scottlana canadensis 195
    secondary 430
    sediments 304 380
    sewage 68 93 380 430
    suspended solids 350
    Susquehanna 380
    temperature 68
    thermal 304
    trace metals 380
    Virginia 380
    wastes 380
    watersheds 380
    wetlands 192 195
    York 380
mass transfer
    interstitial 503
    model 503
    North 503
    Sea 503
    silica 503
    two layer 503
    zone 503
Massachusetts
    Bay 406
    benthic 10 331
    bloom 10
    Buzzards 406
    C/N 406
    chlorophyll 406
    cysts 10
    detritus 406
    dinoflagellate 10
    Estuary 82
    Gonyaulax 10
    indicator species 331
    inorganic 161
    invertebrates 331
    nanoplankton 406
    nematodes 331
    nitrate 82
    nitrogen 161
    nutrients 82
    phosphate 82
    phytoplankton 82 161
    Pines 82
    POC 406
    PON 406
    pond experiment 161
    recreation 82
    red tide 10
    seasons 331 406
    sewage 82 161 331
    spores 10
    Suagus 82
    suspended solids 406
    tertiary 161
    toxicity 10
    Ulva 82
    Woods Hole 331
    zooplankton 406
Massartia rotundata
    Bay 287 365
    bloom 287
    chlorophyll 365
    energetics 365
    New York 287
    Olisthodiscus luteus 287
    phytoflagellate 287
    plankton 365
    productivity 365
    Prorocentrum micans 287
    Raritan 365
    respiration 365
    salinity 287
matrix
    Bay 372
    Corpus Christi 372
    model 372
    nitrogen 372
    Texas 372

Mediterranean
    chlorinated hydrocarbons 491
    economics 491
    hydrology 491
    management 491
    microbes 491
    nutrients 491
    oil 491
    radioactivity 491
    resources 491
    Sea 491
    sediments 491
    trace metals 491
meiofauna
    algae 256 339
    bacteria 256 339
    benthic 352
    biomass 339
    birds 256 339
    Byfjorden 352
    calcium 339
    carbon 256 339
    community structure 256
    crustaceans 256 339 352
    Estuary 352
    fish 256 339
    foraminifera 256 339
    Gothenburg 352
    heterotrophic 256 339
    indicator species 352
    insects 256 339
    Kungsbackafjorden 352
    macrofauna 352
    marshes 339
    metabolism 256
    molluscs 256 339
    nitrogen 256 339
    phosphorus 256 339
    phytoplankton 256 339
    pond experiment 256 339
    productivity 256 339
    Saltkallefjord 352
    sewage 256 339
    Sweden 352
    tertiary 339
    zooplankton 352
Mercenaria
    amino acids 225
    carbohydrates 225
    clams 225
    glycine 225
    oil 225
    sewage 225
    stress 225
    taurine 225
Mersey
    distribution 309
    Estuary 309
    intertidal 309
    Irish 309
    macrofauna 309
    organic 309
    Sea 309
    seasons 309
    wastes 309
metabolic heat release
    anaerobic 358
    benthic 358
    dehydrogenase 358
    Lake 358
    metabolism 358
    microcalorimetry 358
    nutrients 358
    organic matter 358
    organisms 358
    oxygen 358
    processes 358
    Puget 358
    sediments 358
    Sound 358
    Washington 358
metabolism
    aerobic 58
    algae 256
    ammonia 466
    anaerobic 58 358
    assay 58
    autotrophic 86
    bacteria 256
    Bay 86 224 466
    benthic 224 358
    biomass 466 525
    birds 256
    California 276
    carbon 256
    community structure 88 256
    Connecticut 58
    Copps Brook 58
    crustaceans 256
    cycles 224

  degradation 58
  dehydrogenase 358
  diversity 88
  DOC 58
  DON 466
  DPO 466
  energy transfer 276 534
  excretion rates 466
  fauna 276
  fish 88 256 534
  foraminifera 256
  freshwater 86
  Georgia 386
  growth rates 534
  Hawaii 466
  heterotrophic 86 256
  hydrology 224
  industry 86 452
  insects 256
  interstitial 58
  intertidal 276
  Kaneohe 466
  Lake 358
  macrophytes 276
  meiofauna 256
  metabolic heat release 358
  microbes 58 525
  microcalorimetry 358
  microcosms 86
  model 58 386
  molluscs 256
  mussels 162
  New Jersey 224
  nitrate 224
  nitrogen 162 256
  nutrients 58 86 88 162 358
  organic 162
  organic matter 58 358
  organisms 358
  oxygen 358
  PHB 525
  phosphate 162 224 466
  phosphorus 256 386
  phytoplankton 86 256
  POC 58
  poly B hydroxybutyrate 525
  pond experiment 256
  populations single 452
  primary 86 276
  processes 224 358 386
  productivity 86 256 276 534
  Puget 358
  Raritan 224
  respiration 86
  seasons 224 276 386
  sediment water 386
  sediments 58 358 525
  sewage 256 276
  size dependent 466
  Sound 358
  stress 88 452 534
  tetrazolium salt 58
  Texas 86 88
  TLm 452
  Trinity 86
  USSR 162
  Washington 358
  wastes 86 452
  watersheds 58
  zooplankton 86 88 466
metals
  industry 232
  kelp 232
  macroinvertebrates 232
  North 232
  Sea 232
  sewage 232
  succession 232
  wastes 232
methane
  argon 396 397
  Bay 396 397
  bubbles 396
  Chesapeake 396 397
  CO2 396 397
  H2S 396
  nitrogen 396 397
  seasons 397
  sediment water 396
  sediments 397
methianine
  biosorption 543
  C14 543
  fish 543
  urea 543
methods 476
  acid extraction 206
  agencies 18
  Aisne 35
  algae 351 418

algae colonial 152
amino acids 456
ammonia 123 165 180
ammonium 228
animals 399
assay 351 399 418
ATP 135 206 465
Australia 424
bacteria 456
bacteria proteolytic 456
bacterioplankton 114
batch culture 418
Bay 18 228 296 465 485
benthic 542
benthic oxygen demand 542
bibliography 213 435 436
biomass 296
buoys 37
C/N 465
California 37
carbohydrates 456
carbon 35 135 542
ceramic panel substrates 37
charcoal adsorption 206
chemical 179
Chesapeake 18 296 485
chlorinated hydrocarbons 37
chlorophyll 296 350 424
coliforms 542
community structure 483
C14 152 456
deoxygenation 542
detergent 436
detritus 424
dispersion 37
DO 213 272 542
dry weight 489
economics 37
enzymes 165
Estuary 35 135 249 350 426 493
eutrophication 213 435
exchange diffusion 123
fauna 18 456
fish 542
fisheries 465
flora 18
France 35
fungus 456
Hacking 424
heat 542
heterotrophic 456
hydrology 399 424
ice 542
indicator species 399
indices 350 456
instruments 272 436
interference 54
interstitial 46 485
iron 46 485 493
light 424 542
management 435
Maryland 350
microbes 135 179 399 456
model 114 436 542
mucus 152
nanoplankton 296
New Jersey 426
New York 426
Newport 135
nitrate 54 123 228 235
nitrite 228
nitrogen 35 228
North Carolina 135 493
nutrients 249 271 436 465 542
N14 118
N15 118
Obelia dichtoma 37
oil 399 436 456
organic 135
organisms 542
orthophosphate 46 228
oxidation 46
oxidation rates 35 485
Pamlico 493
Patuxent 350
PC 465
percolator 165
pesticides 435 436
phosphate 123
phosphorus 228 493
phytoplankton 114 296 424 456 542
PN 465
Port 424
primary 152 296 465 483 542
processes 456
productivity 37 114 152 296 465 542
pulp mill 456
Raritan 426

    rate constants 542
    reaeration 542
    recipient analog 483
    remote sensing 350
    removal 271
    runoff 424 465
    salinity 456
    sampling frequency 249
    San Francisco 228
    seasons 135
    secondary 118 123 483
    sediment water 179
    sediments 135 165 206 424 493
    Seine 35
    sewage 37 271 418 456 483
    silica 152
    spatial distribution 426 542
    Squamish 249
    St Margaret 465
    sulfate 165
    suspended solids 350 424 465 489
    symposium 456
    temperature 35
    temporal distribution 426 542
    tertiary 483
    thermal 213 435 456
    trace metals 37 213 426 435 436 456
    tris extraction 206
    urea 165
    uv/resin 54
    wastes 118 123 399
    zooplankton 296 542
Meydenbauer
    Bay 425
    San Diego 425
    sewage 425
    water craft 425
    Wollochet 425
Michaelis Menton
    Agnes 415
    Bay 71 415
    BOD 71
    Chesapeake 415
    chlorophyll 415
    diatoms 347
    distribution 71
    DO 71
    Estuary 415
    filter feeders 347
    flagellates 347
    Hurricane 415
    hydrology 71
    model 71 347 415
    nitrogen 415
    nutrients 71
    pH 71
    phosphorus 415
    phytoplankton 71 415
    quasi linear 415
    salinity 71
    San Francisco 71
    seasons 71
    silica 347
    Susquehanna 415
    temperature 71
    time constants 347
    wastes 415
    zooplankton 347
microbes
    abundance 167 499
    aerobic 58 122 183 537
    Alaska 319
    algae 72 133 216 343 442 537
    algae bluegreen 247 254 533
    alkaline phosphatase 142 470
    amino acids 456 528
    ammonia 203 247 487
    anaerobic 58
    animals 399
    annelids 167
    arctic 319
    assay 58 399
    ATP 135 275
    bacteria 456
    bacteria proteolytic 456
    Bay 72 133 141 182 252 297 417 423 470 499
    Bayou 313
    benthic 72 319 528
    Bight 275
    biomass 133 167 203 247 275 332 445 525 533 537
    black necrosis 2
    bloom 275 445 533 537
    BOD 487 541
    British Columbia 247
    Burry Inlet 2
    cadmium 275
    Cancer 139

carbohydrates 456
carbon 27 135 195 220 499
Ceratium 275
chemical 16 20 179 516
Chesapeake 72 133 141 297 417
chlorinated hydrocarbons 491
chlorophyll 220 423 470
Chowan 533
clay 385
COD 442
coliforms 122 183
conference 528
Connecticut 58
Cook 319
Copepoda 195
Copps Brook 58
coral 182
CO2 220 537
crabs 139
Crangon crangon 2
crustaceans 195
Cyanophyta 254
cycles 183 247 297 499 528
C14 456 537
decomposition 299
degradation 58
denitrification 326
density 537
deposition 328
detergent 2
detritus 75 195 328 528 537
diagenesis 502
diatoms 445
dissolved solids 313
distribution 417 470
diversity 167 533
DNA 470
DO 2 72 216 220 313 319 332 541
Doboy 385
DOC 58
DOM 404
economics 491
eggs 139
electron transfer 299
energy transfer 72 75 141 195 299
enzymes 470
epibiotic fouling 139
Estuary 27 133 135 141 167 183 195 203 216 220 328 423 533
Eurytemora affinis 195
eutrophic 20
fatty acids 423
fauna 167 456
Fiji Island 326
fish 516 528
fish kills 254
fisheries 528
flux 385
food processing 516
foraminifera 72
fungus 456 501
gastrotrichs 167
Georgia 59 385
glucose 313
Great Britian 2 167
growth rates 299
Harbor 20
Hawaii 182
heat 141
heterotrophic 456
heterotrophic potential 500
hosts 254
hydrology 20 141 183 399 491
indicator species 254 399 417
indices 16 220 456 470
industry 275 442 516
Inlet 319
inorganic 27 203 326 385
interstitial 58
invertebrates 528
James 27
Japan 445
Kaneohe 182
kinetics 313
land development 216
local 297
Long Island 404
Louisiana 442
macrofauna 72
macrophytes 72 247 537
Malpeque 499
management 183 491 528
Mangoku 252
mangroves 326
marshes 59 75 442
Maryland 195
Mediterranean 491
metabolism 58 525
methods 135 179 399 456

mining 203
mixing depth 541
model 27 58 75 183 502
Narragansett 423
nematodes 167
New York 275
Newport 135
nitrate 27 203 252 487
nitrification 252 487
nitrite 27 487
Nitrobacter 487
nitrogen 183 247 297 319 326 499 502 528 541
nitrogen fixation 182
Nitrosomona 487
nonpoint sources 541
North Carolina 135 203 533
nutrients 58 72 75 139 141 142 203 216 220 297 313 343 442 445 491 516 528
N15 252
Odawa 252
oil 399 423 456 491 528
oligochaetes 167
Oregon 516
organic 27 135 141 500 541
organic aggregates 404
organic matter 58 299
organisms 319 528
orthophosphate 133
oysters 499
Pamlico 203
Patuxent 141 195
pesticides 220 528
pH 2 142 319 332
PHB 525
phosphate 27 142 203 247 313 385
phosphorus 247 297 319 470 499 528 533 541
phytoplankton 27 72 141 203 297 404 456 533
plankton 20 122 319
plants 141
POC 58
point sources 541
poly B hydroxybutyrate 332 525
polychaetes 167
POM 404
populations mixed 500
Potomac 183 216 220
power plant 141
predictions 27 183 541
primary 141 195 343 445
processes 27 183 328 456
productivity 141 195 313 343 445 499
profiles 541
protein 470
Providence 423
pulp mill 456
P32 385
radioactivity 491 516
rainfall 297
Rappahannock 328
real time 183
red tide 122
redox potential 299 313 328
reduction 252
resources 216 491 516
respiration 343 487
Rhode 133
runoff 216 442 541
salinity 2 319 328 332 456 541
Schizothrix calicola 254
Schofield 27
Scottlana canadensis 195
Sea 445 491
seagrass 528
seasons 135 142 404 501
secondary 182 326 343
sediment water 179 313 385
sediments 58 59 135 182 247 252 275 297 326 328 332 417 491 525 537 541
seston 470
sewage 27 72 122 142 167 182 319 326 343 417 423 442 456 516
silica 319 502 528
soil erosion 541
Sound 385 404
Spartina 75
Sphaerotilus 516
steady state 299
stochastic 27
stress 528
substrates 299
surface waters 541
suspended solids 59 417 423
symposium 297 456
synthesis 501

  - Taunton 423
  - Tees 167
  - temperature 2 27 541
  - tertiary 326
  - tetrazolium salt 58
  - thermal 141 456 516 541
  - tides 183
  - TOC 220 442
  - Tokyo 470
  - trace metals 2 72 216 456 491 516 528
  - Transient Water Quality Network 183
  - turbidity 541
  - turnover rates 537
  - uptake rates 133 297 533 537
  - Ura 252
  - urea 528
  - vertical transport 297
  - Virginia 27
  - viruses 216 254
  - vitamin B12 59
  - vitamins 501
  - Vm 537
  - wastes 20 216 220 275 399 442 500
  - water column 417 537
  - watersheds 58
  - wetlands 195 528
  - winter 445
  - yeast 501
  - zooplankton 72 297 404 528
  - Zostera 252

- microcalorimetry
  - anaerobic 358
  - benthic 358
  - dehydrogenase 358
  - Lake 358
  - metabolic heat release 358
  - metabolism 358
  - nutrients 358
  - organic matter 358
  - organisms 358
  - oxygen 358
  - processes 358
  - Puget 358
  - sediments 358
  - Sound 358
  - Washington 358
- microcopepods
  - Bay 330
  - Hawaii 330
  - Kaneohe 330
  - nitrogen 330
  - P/B 330
  - productivity 330
  - secondary 330
  - sewage 330
- microcosms
  - algae 140
  - ammonia 387
  - autotrophic 86
  - Bay 86 140 379 387
  - biomass 140
  - carbon 362 387
  - Chesapeake 140
  - chlorophyll 140
  - ctenophores 362
  - C14 140
  - diversity 364
  - DO 194 387
  - energy transfer 362
  - flux 362 379 387
  - freshwater 86
  - heterotrophic 86
  - industry 86
  - metabolism 86
  - Narragansett 379 387
  - nitrogen 194 362 387
  - nutrients 86 362 364 387
  - phosphorus 194 379 387
  - phytoplankton 86 194
  - plankton 364
  - primary 86 140 362
  - productivity 86 140 194 362 364
  - respiration 86
  - Rhode Island 387
  - sediment water 379 387
  - sediments 387
  - sewage 140
  - Texas 86
  - trace metals 387
  - Trinity 86
  - wastes 86
  - zooplankton 86 140 194
- Microcystis
  - algae 312
  - Anabaena 312
  - carbon 312
  - Chlorella 312

  CO2 312
  growth rates 312
microflagellates
  chlorophyll 174
  community structure 174
  DO 174
  Estuary 174
  hydrology 174
  light 174
  nanoplankton 174
  phytoplankton 174
  primary 174
  productivity 174
  salinity 174
  temperature 174
  York 174
microplankton
  chlorophyll 403
  Estuary 403
  nanoplankton 403
  Parramatta 403
  primary 403
  productivity 403
microstructure
  sediments 538
  suspended solids 538
mineralization
  bacteria attached 164
  bacteria free 164
  Estuary 164
  glucose 164
  Humber 164
  organic matter 164
  suspended solids 164
mining
  algae 87
  algae bluegreen 66
  ammonia 203
  animals 202
  benthic 87
  biomass 66 201 203
  bloom 201
  cycles 464
  DO 202 464
  DON 201
  Estuary 66 87 90 201 202 203
  fauna 87
  fertilizer 202 464
  fish 202 513
  hydrology 87 90 201
  industry 202 464
  inorganic 201 203
  microbes 203
  nitrate 201 203
  nitrogen 66 87 201 202
  North Carolina 90 202 203
  nutrients 203 463
  oil 513
  Pamlico 66 87 90 201 202 203
  pesticides 513
  phosphate 202 203
  phosphorus 66 87 90 201 463 464
  phytoplankton 66 87 90 201 202 203
  plankton 202
  pool experiment 66
  primary 202
  productivity 202 463
  pulp mill 513
  radioactivity 513
  Rangia 90
  runoff 464 513
  salinity 90 202
  sediments 90 201
  sewage 202 464 513
  succession 201
  Tar 201
  temperature 202
  thermal 513
  uptake rates 90
  wastes 66 90 464 513
  zooplankton 87
Mississippi
  benthic 356
  disease 356
  dissolved 131
  distribution 125
  Estuary 131
  fish 356
  indices 125
  inorganic 131
  macrofauna 356
  nitrate 125
  nutrients 125
  Orinoco 131
  parasites 356
  pesticides 356
  phosphate 125
  plumes 131
  resources 125

    Savannah 131
    sewage 356
    silica 131
    Sound 125
    suspended solids 131
    trace metals 356
    uptake rates 131
mixing
    density 530
    dispersion 530
    dye 530
    Estuary 530
    hydrology 530
    longitudinal 530
    model 530
    point sources 530
    vertical shear 530
    York 530
mixing depth
    BOD 541
    DO 541
    microbes 541
    nitrogen 541
    nonpoint sources 541
    organic 541
    phosphorus 541
    point sources 541
    predictions 541
    profiles 541
    runoff 541
    salinity 541
    sediments 541
    soil erosion 541
    surface waters 541
    temperature 541
    thermal 541
    turbidity 541
Mobile
    Alabama 132
    Bay 132
    hydrology 132
    interface salt fresh 132
    model 132
    momentum transfer 132
    sediments 132
    three dimensional 132
    time dependent 132
    transport 132
model
    advection 42
    aerobic 58 183
    Agnes 415
    Alabama 132
    algae 438
    algae bluegreen 335
    algae mats 33
    ammonia 29 157 407 477
    ammonium 467
    Anacostia 78
    anaerobic 58
    assay 58
    bacterioplankton 114
    Baltic 335
    barnacles 507
    Bay 41 42 64 71 132 168 198 207 231 262 345 346 353 354 366 372 378 415 419 427 467 510
    Belgium 504
    benthic 33 335 338 438 542
    benthic oxygen demand 33 80 420 542
    bibliography 250 263 264 265 266 267 268 345 346 436
    biomass 231
    Biscayne 427
    bloom 80
    BOD 1 71 99 109 212 283 342 348 353 477 523
    California 477
    carbon 27 168 342 542
    carbon oxygen demand 80
    CBOD 407 408
    chemical 109 427
    chemostat 169
    Chesapeake 41 42 168 207 345 346 415 419 467 510
    chlorophyll 64 80 407 415
    COD 338
    coliforms 1 183 353 407 542
    conceptual 168
    Connecticut 58
    Copps Brook 58
    Coriolis 42
    Corpus Christi 372
    CO2 105
    crabs 231
    crustaceans 338
    cycles 183 342 477
    DC 1 283
    degradation 58

Delaware 109 342 411 477 523
Delta 477
denitrification 157 504
density 198 280 530
density homogeneous 258
deoxygenation 542
detergent 335 436
deterministic 419
detritus 75
diagenesis 502
diatoms 347
diffusion 261 419 467
dilution 510
DIN 477
dispersion 530
dispersion coefficient 170 283
dissolved 207
distribution 71
DO 1 29 71 80 97 99 105 212 283 335 342 353 407 408 477 542
DOC 58
DOD 283
dye 1 78 530
dynamic programming algorithm 240
Elizabeth 327
energy transfer 75 231 335 348 354
Estuary 1 27 29 33 78 80 98 99 109 170 183 212 223 255 283 327 341 342 407 408 411 415 419 467 477 478 507 510 523 530
eutrophic 157
eutrophication 250 263 264 265 266 267 268 345 346
feed forward 462
feedback 462
filter feeders 347
finite difference 34 41
fish 231 335 515 542
fisheries 338 411
flagellates 347
Florida 427
flushing 437
flux 342 366
free surface 427
frequency analysis 261
freshwater 231 378 420
FWQA Dynamic 78
Galveston 231
Georgia 386
growth rates 169
Harbor 327
Hawaii 64
heat 542
Hurricane 415
hydrology 41 42 71 97 100 132 183 198 212 250 262 263 264 265 266 267 268 280 321 354 378 420 510 515 530
ice 542
indicator species 335
indices 437
industry 109 205 327 348
inorganic 27 407
instruments 436
interface salt fresh 132
interstitial 58 207 503 504 536
intracellular 100 169
isopleths 223
Jamaica 262 353
James 27 327
Japan 338
Kaneohe 64
Lagoon 105
Lagrangian multipliers 240
Laita 98
light 420 542
Little Creek 327
longitudinal 530
Lynnhaven 327
macroalgae 335
macrophytes 157
management 109 183 205 231 240 327 411 515
manganese 207
marina 437
marshes 75 507
mass transfer 503
matrix 372
metabolism 58 386
methods 114 436 542
Michaelis Menton 71 347 415
microbes 27 58 75 183 502
mixing 530
Mobile 132
momentum transfer 132
municipal 109
mussels 507
Nansemond 327

Narragansett 198
NBOD 408
negentropy 366
New York 262 353
nitrate 27 64 157 407 467 504
nitrification 157 504
nitrite 27 407 477 504
nitrogen 29 80 100 157 169 183 321 338 342 353 372 407 415 477 478 502
nitrogen oxygen demand 80
nomogram 437
nonadvective 244
nonpoint sources 223 327 523
North 411 503
North Inlet 507
nutrients 1 58 71 75 80 100 168 223 341 342 436 478 515 542
oil 338 436
one dimensional 34 255 407 408 419 420
Oregon 33 170
organic 27 157 407
organic matter 58 157 338 504
organisms 335 542
oxidation 477
oysters 507
Pagan 327 407 408
pesticides 348 436
pH 71 105 207
phosphate 27 64
phosphorus 80 100 223 342 353 386 407 415 478
phytoplankton 1 27 64 71 80 114 157 169 341 342 407 411 415 477 478 507 515 542
plankton 366
POC 58
point sources 530
populations mixed 237
Poquoson 327
Potomac 1 78 80 99 183 223 255 283 341 342 419 467 477 478
predictions 27 78 183 327
primary 64 80 335 507 515 542
processes 27 157 183 223 244 354 386 427 507 536
productivity 64 80 114 231 335 507 515 542
Puget 515
pulp mill 98
quasi linear 415
radioactivity 345 346
Raritan 366
rate constants 542
reaeration 80 542
real time 183 212 321 407 408
resources 345 346
respiration 80
runoff 205 223 420
Sacramento 341
Sacramento San Joquin 477
salinity 33 71 198 212 231 353 407 408
salmonids 98
San Francisco 71 354 378
Schofield 27
Sea 335 338 411 503
seagrass 438
seasons 71 386
secondary 231 348
sediment water 386
sediments 33 58 132 338 427 437 504
self adaptation 462
self organization 462
Seto 338
Severn 510
sewage 27 64 105 327 335 338 348 510
shrimp 231
silica 347 378 502 503 536
slack water 170
Sound 515
Spartina 75
spatial distribution 223 542
specified time 258
stabilization 105
steady state 207
stochastic 27 99 205 255 420 477
storm loading 523
stratification 280
succession 411 515
sulfate 338
sulfide 33 338
survival 237
Susquehanna 415
symposium 335 341
temperature 27 71 105 420
temporal distribution 223 542

  tetrazolium salt 58
  Texas 231 372 438
  Thames 29
  thermal 250 263 264 265 266 267 268
  Thomann 78
  three dimensional 132 198 427 515
  three layer 280
  tidal average 212
  tides 1 33 78 183 507
  time constants 347
  time dependent 132 255 427
  trace metals 348 436 438
  Transient Water Quality Network 183
  transport 100 132 223 244 262 354 427
  trophic levels 515
  turbidity 420
  two dimensional 41 42 258 262 353 378
  two layer 503
  unsteady flow 258
  uptake rates 157
  vertical shear 530
  Virginia 27 212
  Washington 515
  wastes 105 109 223 327 342 348 415
  water column 507
  water quality 97
  watersheds 58
  wind 427
  Yaquina 33 170
  York 212 327 530
  zone 503
  zooplankton 157 237 335 341 342 347 477 542
molluscs
  algae 256 339
  annelids 370
  bacteria 256 339
  benthic 9 370
  biomass 339
  birds 256 339
  calcium 339
  carbon 256 339
  carbonate ion 308
  Clyde 375
  community structure 256
  crustaceans 256 339 370
  diversity 9
  DOC 308
  England 370
  Enteromorpha 375
  Estuary 375
  fauna 375
  fish 256 339
  fisheries 375
  foraminifera 256 339
  growth rates 39
  Harbor 39
  heterotrophic 256 339
  indicator species 39 370
  insects 256 339
  Lagoon 9
  Linnhe Eil 370
  Loch 370
  Long 39
  macrofauna 9
  marshes 339
  meiofauna 256 339
  metabolism 256
  Newfoundland 39
  nitrogen 256 339
  nutrients 375
  pH 308
  phosphorus 39 256 339
  phytoplankton 256 339
  pond experiment 256 339
  productivity 256 339
  pulp mill 370
  salinity 308
  sand 375
  Scotland 375
  sediments 375
  sewage 256 339 375
  Shannons Index 9
  succession 370
  tertiary 339
  worms 375
momentum transfer
  Alabama 132
  Bay 132
  hydrology 132
  interface salt fresh 132
  Mobile 132
  model 132
  sediments 132

three dimensional 132
time dependent 132
transport 132
monitoring
  global 490
  management 490
  research 490
  resources 490
morphology
  ammonium 522
  boundary layer 522
  carbon 522
  cycles 522
  growth rates 522
  kelp 522
  Ks 522
  Macrocystis 522
  nitrogen 522
  nutrients 522
  primary 522
  productivity 522
  Vm 522
  water velocity 522
mucus
  algae colonial 152
  Bay 401
  C14 152
  DO 401
  fish kills 401
  Galveston 401
  gas bubbles 401
  methods 152
  primary 152
  productivity 152
  salmonids 401
  saturation 401
  silica 152
  Texas 401
mud flats
  algae mats 130
  Apalachee 191
  Bay 191
  benthic 191
  Estuary 130
  Florida 191
  indicator species 191
  invertebrates 191
  Ireland 130
  nutrients 130
  organic 130
  oyster reefs 191
  pulp mill 191
  Rogerstown 130
  seagrass 191
  wastes 130 191
municipal
  BOD 109
  chemical 109
  Delaware 109
  detergent 413
  Estuary 109
  industry 109
  inorganic 413
  management 109
  model 109
  N/P 413
  nitrogen 413
  organic matter 413
  phosphorus 413
  phytoplankton 413
  wastes 109 413
Murderkill
  Broadkill 101
  chlorophyll 101
  Delaware 101
  DO 101
  Estuary 101
  inorganic 101
  nitrogen 101
  nutrients 101
  pH 101
  phosphorus 101
  salinity 101
  tides 101
  wetlands 101
mussels
  barnacles 507
  Bight 121
  bioaccumulation 121
  Estuary 507
  fish 121
  indicator species 121
  Kiel 121
  marshes 507
  metabolism 162
  model 507
  nitrogen 162
  North Inlet 507
  Norway 121
  nutrients 162

  oil 121
  organic 162
  oysters 507
  phosphate 162
  phytoplankton 507
  primary 507
  processes 507
  productivity 507
  tides 507
  USSR 162
  water column 507
Mytilus
  fucaceae 334
  intertidal 334
  pulp mill 334
  Spain 334
  stress 334
  Ulvales 334
  wastes 334
Mytilus edulis
  aquaculture 360
  growth rates 360
  sewage 360
myxobacteria
  Germany 166
  indicator species 166
  sewage 166
N/P
  algae 160
  assay 414
  Bay 226
  biomass 160
  bloom 414
  continuous culture 160
  detergent 413
  diatoms 414
  DO 226
  hydrology 226 414
  inorganic 413
  municipal 413
  New Jersey 226
  nitrate 226 414
  nitrogen 160 239 413
  Norway 414
  nutrients 160 226
  organic matter 413
  orthophosphate 414
  phosphate 226
  phosphorus 239 413
  phytoplankton 239 413 414
  plankton 226
  Raritan 226
  salinity 226
  seasons 226
  sewage 160
  silica 414
  Stockholm 239
  temperature 226
  trace metals 414
  Trondheimsfjord 414
  wastes 413
NaCl
  BOD 36
  DO 36
  light 36
  salts 36
  sediments 36
  suspended solids 36
  temperature 36
  turbidity 36
nanoplankton
  Aquaforte 145
  Bay 288 296 300 406
  biomass 296
  bloom 363
  Buzzards 406
  C/N 406
  Calanus pacificus 363
  Canada 145
  Chaetoceros 363
  Chesapeake 296
  chlorophyll 174 288 296 300 403 406
  community structure 174
  detritus 406
  diversity 300
  DO 174
  Estuary 174 403
  euglenoid 145
  Euphaussid furcilia 363
  feeding rates 363
  Harbor 145
  hydrology 174
  indicator species 145
  light 174
  Massachusetts 406
  methods 296
  microflagellates 174
  microplankton 403
  New Jersey 300

    Newark 300
    nutrients 288
    Parramatta 403
    phytoplankton 145 174 288 296 300 363
    plankton 288
    POC 406
    PON 406
    primary 174 288 296 403
    productivity 174 288 296 363 403
    Pseudocalanus minutus 363
    Raritan 288
    salinity 174
    seasons 300 406
    secchi disc 145
    sewage 145
    St Johns 145
    suspended solids 406
    temperature 174
    York 174
    zooplankton 296 363 406
Nansemond
    Elizabeth 327
    Estuary 327
    Harbor 327
    industry 327
    James 327
    Little Creek 327
    Lynnhaven 327
    management 327
    model 327
    nonpoint sources 327
    Pagan 327
    Poquoson 327
    predictions 327
    sewage 327
    wastes 327
    York 327
Narragansett
    Acartia 227
    ammonia 178 387
    Balanus 227
    Bay 178 198 227 379 387 423
    benthic 178
    bloom 227
    carbon 387
    chambers 178
    chlorophyll 423
    density 198
    DO 387
    Estuary 227 423
    Eurytemora 227
    fatty acids 423
    flux 178 379 387
    hydrology 198
    inorganic 178
    latitudinal gradients 227
    microbes 423
    microcosms 379 387
    model 198
    New Jersey 227
    nitrate 178
    nitrite 178
    nitrogen 387
    nutrients 227 387
    oil 423
    organic matter 227
    phosphate 178
    phosphorus 379 387
    phytoplankton 227
    Providence 423
    Raritan 227
    Rhode Island 178 227 387
    salinity 198 227
    seasons 227
    sediment water 178 379 387
    sediments 387
    sewage 423
    suspended solids 423
    Taunton 423
    temperature 178
    three dimensional 198
    trace metals 387
    Virginia 227
    wastes 227
    York 227
    zooplankton 227
NBOD
    CBOD 408
    DO 408
    Estuary 408
    model 408
    one dimensional 408
    Pagan 408
    real time 408
    salinity 408
negentropy
    Bay 366
    flux 366
    model 366

- plankton 366
- Raritan 366

nematodes
- abundance 167
- annelids 167
- benthic 331
- biomass 167
- diversity 167
- Estuary 167
- fauna 167
- gastrotrichs 167
- Great Britian 167
- indicator species 331
- invertebrates 331
- Massachusetts 331
- microbes 167
- oligochaetes 167
- polychaetes 167
- seasons 331
- sewage 167 331
- Tees 167
- Woods Hole 331

Netherlands
- biomass 336
- Estuary 336
- Grevelingen 336
- light 336
- nutrients 336
- primary 336
- productivity 336
- water velocity 336
- Zostera marina 336

Neuse
- ammonia 204
- bloom 204
- Estuary 204
- fertilizer 204
- freshwater 204
- nitrate 204
- North Carolina 204
- phosphorus 204
- phytoplankton 204
- salinity 204
- sewage 204
- wastes 204

Nevis
- carbon 454
- chlorophyll 454
- Loch 454
- nitrate 454
- North 454
- phosphate 454
- POC 454
- productivity 454
- Scotland 454
- Sea 454

New Jersey
- abundance 113
- Acartia 227
- ammonium 113
- Balanus 227
- Bay 224 226 227 300
- benthic 224
- Bight 113
- bloom 227
- chlorophyll 113 300
- cycles 224
- distribution 113
- diversity 300
- DO 226
- Estuary 227 426
- Eurytemora 227
- freshwater 113
- hydrology 224 226
- latitudinal gradients 227
- marshes 390
- metabolism 224
- methods 426
- N/P 226
- nanoplankton 300
- Narragansett 227
- New York 113 426
- Newark 300
- nitrate 113 224 226
- nitrite 113
- nutrients 226 227
- organic matter 227
- phosphate 113 224 226
- phytoplankton 113 227 300
- plankton 226
- primary 390
- processes 224
- productivity 390
- Raritan 224 226 227 426
- Rhode Island 227
- Rockaway Point 113
- salinity 113 226 227
- seasons 224 226 227 300
- silica 113
- Spartina alterniflora 390

    spatial distribution 426
    suspended solids 113
    temperature 113 226
    temporal distribution 426
    trace metals 426
    Virginia 227
    wastes 227
    York 227
    zooplankton 227
New York
    abundance 113
    aerobic 172
    ammonium 113 172
    anaerobic 172
    ATP 172 275
    Bay 262 287 353
    benthic 410
    Bight 113 172 189 275 286
    biomass 275
    bloom 275 286 287
    BOD 353
    cadmium 275
    calorific content 172
    Ceratium 275
    chlorophyll 113
    coliforms 353
    cycles 410
    decomposition 172
    DIC 172
    distribution 113
    DO 353
    DOC 172
    Estuary 426
    freshwater 113
    hydrology 262
    hypertrophication 286
    indices 189
    industry 275
    Jamaica 262 353
    landfill 340
    Massartia rotundata 287
    methods 426
    microbes 275
    model 262 353
    New Jersey 113 426
    nitrate 113 172
    nitrification 410
    nitrite 113 172
    nitrogen 353
    nutrients 286 410
    oil 340
    Olisthodiscus luteus 287
    organic matter 410
    organisms 410
    PC 172
    phosphate 113
    phosphorus 353
    phytoflagellate 287
    phytoplankton 113 286
    PN 172
    primary 410
    productivity 410
    Prorocentrum micans 287
    Raritan 426
    Rockaway Point 113
    salinity 113 287 353
    sediments 189 275 410
    sewage 172 189 340
    silica 113
    spatial distribution 426
    steroids 189
    suspended solids 113
    temperature 113
    temporal distribution 426
    trace metals 426
    transport 262
    two dimensional 262 353
    wastes 275
New Zealand
    acetylene 25
    cannery 25
    Inlet 25
    intertidal 25
    Klebsiella pneumoniae 25
    nitrogen fixation 25
    nutrients 25
    sediments 25
    sewage 25
    slaughterhouse 25
    Waimea 25
    wastes 25
Newark
    Bay 300
    chlorophyll 300
    diversity 300
    nanoplankton 300
    New Jersey 300
    phytoplankton 300
    seasons 300
Newfoundland

growth rates 39
Harbor 39
indicator species 39
Long 39
molluscs 39
phosphorus 39
Newport
ATP 135
carbon 135
Estuary 135
methods 135
microbes 135
North Carolina 135
organic 135
seasons 135
sediments 135
nitrate
abundance 113
acetylene 444
aerobic 172
agriculture 218
algae bluegreen 218
alkaline phosphatase 482
alkalinity 67 380
ammonia 5 50 67 69 123 157 176 177 178 203 204 314 407 444 473 481 487
ammonium 31 38 113 129 172 186 188 228 298 394 467 482
anaerobic 127 172
animals 186
ash 382
assay 414
ATP 172
Bay 64 67 178 188 224 226 228 252 298 380 467 473
Bayou 314
Belgium 504
benthic 5 178 224
Bight 113 172
biomass 128 201 203
Black 303
bloom 201 204 382 414
BOD 487
bound 3
C/N 188 482
California 128 129
calorific content 172
carbon 27 70 382 394 454 473 482
CBOD 407
Chaetoceros simplex 303
chambers 178
Chesapeake 67 298 380 467 473
Chlorella salina 69
chlorophyll 64 67 70 113 128 382 407 454 473 481 482
Chlorophyta 31
Chrysaora quinquecirrha 38
coliforms 380 407
Columbia 175
cycles 129 186 224
C14 382
DC 380
decomposition 172
denitrification 127 157 444 504
diatoms 5 414
DIC 172 473
diffusion 127 467
dissolved 3
distribution 50 113 125 128
diurnal 129 482
DO 67 126 226 314 380 394 407
DOC 172 473
DON 176 177 201
Duwamish 481
Estuary 27 31 50 67 82 143 175 186 201 203 204 218 219 380 407 467 481
Eurytemora 175
eutrophic 157
exchange diffusion 123
fatty acids 382
fertilizer 3 204
floodwaters 127
Florida 314
flushing 218
flux 178
freshwater 113 204 219
Georgia 176 177
growth rates 70 188
Hawaii 64 188
Hudson 31 218
hydrology 201 224 226 414
indicator species 303 481
indices 125
industry 380
inorganic 27 178 186 201 203 407
interference 54
interstitial 504
James 27 380

Kaneohe 64 188
Ks 482
laboratory culture 5
Laminaria 70
light 31 175
linear regression 175
Loch 454
Louisiana 126 127
macroinvertebrates 314
macrophytes 70 157
Mangoku 252
marshes 126 177
Maryland 380
Massachusetts 82
metabolism 224
methods 54 123 228 235
microbes 27 203 252 487
mining 201 203
Mississippi 125
model 27 64 157 407 467 504
N/P 226 414
Narragansett 178
Neuse 204
Nevis 454
New Jersey 113 224 226
New York 113 172
nitrification 157 252 487 504
nitrite 5 27 50 67 113 172 176 177 178 186 219 228 298 407 473 481 487 504
Nitrobacter 487
nitrogen 50 67 129 157 186 201 228 407 482
Nitrosomona 487
North 454
North Carolina 186 203 204
Norway 414
Nova Scotia 382
nutrients 50 82 125 128 143 186 203 218 226 380 394 473
N15 129 252
Odawa 252
Olisthodiscus luteus 482
one dimensional 407
Oregon 175
organic 27 50 157 186 407
organic matter 157 394 504
orthophosphate 5 228 414
Pagan 407
Pamlico 186 201 203
Patuxent 380
PC 172
Periphyton 481
pesticides 380
pH 38 67 176 380
phaeophytin 473
phosphate 27 38 50 64 67 69 82 113 123 125 143 175 178 203 218 219 224 226 303 314 380 394 454 481
phosphorus 3 201 204 228 382 407 473 482
phytoplankton 27 31 64 67 82 113 128 129 157 175 188 201 203 204 298 303 314 382 394 407 414
Pines 82
plankton 226
plants 186
PN 172
POC 454
point sources 218
polyp 38
PON 177
pond experiment 3
pools 177
Potomac 67 218 219 380 467
predictions 27
primary 5 64 129 382 473 481
processes 27 157 224
productivity 5 64 67 129 382 454 473 481
protein 69
P32 3
rainfall 176
Rappahannock 380
Raritan 224 226
real time 407
recreation 82
redox potential 126 127
reduction 252 444
remote sensing 38
resources 125
respiration 382 487
Rhode Island 178
Rockaway Point 113
runoff 143
salinity 50 67 69 113 204 226 407
salts 143
San Francisco 228

Schofield 27
Scotland 454
Sea 303 454
sea nettle 38
seasons 50 175 186 224 226
secondary 123
sediment water 178
sediments 3 126 186 201 219 252 380 444 504
sewage 27 38 64 69 82 129 172 188 204 218 219 303 380
silica 113 175 382 414
silicate 50
Skeletonema 31
Sound 125
Southampton 394
spatial distribution 219
St Lawrence 50
stochastic 27
Suagus 82
succession 201
suspended solids 113
Susquehanna 380
Tar 201
TDC 473
temperature 27 50 67 113 128 178 226 394
temporal distribution 219
Texar 314
Thames 143
tidal creek 177
TKN 219
TOC 314
trace metals 380 394 414
Trondheimsfjord 414
turbidity 67
turnover rates 394
Ulva 82
United Kingdom 143
uptake rates 31 69 129 157 188 482
Ura 252
urea 50 129 186 188 298
uv/resin 54
Virginia 27 380
Washington 481
wastes 123 143 204 218 380 481
watersheds 219 380
York 380
zooplankton 67 157 175 314 394

- Zostera 252

nitrification 486
- activated sludge 514
- ammonia 157 487
- artificial recharge 138
- Bay 252
- Belgium 504
- benthic 410
- BOD 487
- canal 138
- cycles 410
- denitrification 157 504 514
- dissolved solids 138
- economics 138
- Estuary 138
- eutrophic 157
- interstitial 504
- macrophytes 157
- Mangoku 252
- microbes 252 487
- model 157 504
- New York 410
- nitrate 157 252 487 504
- nitrite 487 504
- Nitrobacter 487
- nitrogen 157
- Nitrosomona 487
- nutrients 410
- N15 252
- Odawa 252
- organic 157
- organic matter 157 410 504
- organisms 410
- ozonization 138
- phytoplankton 157
- primary 410
- processes 157
- productivity 410
- recycle 138
- reduction 252
- respiration 487 514
- sediments 252 410 504
- sewage 138
- Thames 138
- uptake rates 157
- Ura 252
- water supply 138
- zooplankton 157
- Zostera 252

nitrite

abundance 113
aerobic 172
alkalinity 67
ammonia 5 50 67 176 177 178 311 407 473 477 481 487
ammonium 113 172 186 228 298
anaerobic 172
animals 186
ATP 172
Bay 67 178 228 298 473
Belgium 504
benthic 5 178
Bight 113 172
BOD 290 311 477 487
California 477
calorific content 172
carbon 27 473
CBOD 407
chambers 178
Chesapeake 67 298 473
chlorophyll 67 113 407 473 481
coliforms 290 407
cycles 186 477
decomposition 172
Delaware 477
Delta 477
denitrification 504
diatoms 5
DIC 172 473
DIN 477
distribution 50 113
DO 67 290 311 407 477
DOC 172 311 473
DON 176 177 311
Duwamish 481
Estuary 27 50 67 186 219 407 477 481
flux 178
freshwater 113 219
Georgia 176 177
indicator species 481
inorganic 27 178 186 407
interface salt fresh 311
interstitial 504
James 27
laboratory culture 5
marshes 177
methods 228
microbes 27 487
model 27 407 477 504
Narragansett 178
New Jersey 113
New York 113 172
nitrate 5 27 50 67 113 172 176 177 178 186 219 228 298 407 473 481 487 504
nitrification 487 504
Nitrobacter 487
nitrogen 50 67 186 228 407 477
Nitrosomona 487
North Carolina 186
nutrients 50 186 473
one dimensional 407
organic 27 50 186 407
organic matter 290 504
orthophosphate 5 228
oxidation 477
Pagan 407
Pamlico 186
PC 172
Periphyton 481
pH 67 176 290 311
phaeophytin 473
phosphate 27 50 67 113 178 219 481
phosphorus 228 407 473
phytoplankton 27 67 113 298 407 477
plants 186
PN 172
PON 177
pools 177
Potomac 67 219 477
predictions 27
primary 5 473 481
processes 27
productivity 5 67 473 481
rainfall 176
real time 407
respiration 487
Rhode Island 178
Rockaway Point 113
Sacramento San Joquin 477
salinity 50 67 113 290 311 407
San Francisco 228
Schofield 27
seasons 50 186 290
sediment water 178
sediments 186 219 504
sewage 27 172 219

    shellfish 290
    silica 113
    silicate 50
    spatial distribution 219
    St Lawrence 50
    stochastic 27 477
    suspended solids 113
    TDC 473
    temperature 27 50 67 113 178 290
    temporal distribution 219
    tidal creek 177
    TKN 219
    trace metals 311
    turbidity 67
    urea 50 186 298
    Virginia 27
    Washington 481
    wastes 481
    watersheds 219
    zooplankton 67 477
Nitrobacter
    ammonia 487
    BOD 487
    microbes 487
    nitrate 487
    nitrification 487
    nitrite 487
    Nitrosomona 487
    respiration 487
nitrogen
    abundance 43 499
    aerobic 183
    Agnes 415
    Aisne 35
    Alaska 319
    Albemarle 43
    algae 87 160 256 339
    algae bluegreen 66 247
    alkaline phosphatase 482
    alkalinity 67
    amino acids 528
    ammonia 29 43 50 62 67 157 247 387 407 477
    ammonium 129 186 210 228 482 522
    animals 186 202
    arctic 319
    argon 396 397
    ATP 193
    bacteria 256 339
    batch culture 144
    Bay 22 65 67 79 91 94 199 228 297 330 353 372 387 396 397 415 499
    Bayou 181 316
    benthic 87 319 338 528
    benthic oxygen demand 80
    biomass 62 65 66 110 144 160 201 247 339
    birds 256 339
    bloom 80 144 201
    BOD 342 353 477 541
    boundary layer 522
    British Columbia 247
    Broadkill 101
    bubbles 396
    budget 316
    C/N 62 482
    cadmium 210
    calcium 339 461
    California 62 129 187 477
    carbohydrates 193
    carbon 21 22 35 110 144 181 193 256 339 342 362 377 387 482 499 522
    carbon oxygen demand 80
    carbon/chlorophyll 62
    Carter 21
    CBOD 407
    chemostat 169
    Chesapeake 22 67 79 91 297 396 397 415
    chlorophyll 43 65 67 79 80 101 193 407 415 482
    Chlorophyta 144
    COD 338
    coliforms 94 163 183 353 407
    community structure 256
    conference 528
    continuous culture 144 160
    Cook 319
    Corpus Christi 372
    CO2 144 396 397
    Creek 21
    crude fiber 193
    crustaceans 256 338 339
    ctenophores 362
    Cyanophyta 144
    cycles 21 48 91 129 183 185 186 247 297 342 477 499 522 528
    Delaware 101 342 477

Delta 477
denitrification 157 326
detergent 413
detritus 22 65 528
diagenesis 502
diatoms 479
DIN 199 477
dinoflagellate 479
distribution 50 377
diurnal 62 129 482
diversity 94
DO 29 67 80 101 194 202 242 319
342 353 387 407 477 541
DON 201
DRP 199
economics 94
energy transfer 362
Estuary 29 35 50 66 67 79 80 87
101 181 183 185 186 193 201 202
342 377 407 415 477 478 506
eutrophic 157
fauna 87
feces 163
fertilizer 202
Fiji Island 326
fish 202 256 339 528
fisheries 94 338 528
Florida 181 316
flux 22 187 342 362 387
foraminifera 256 339
France 35
Great Britian 199
growth rates 169 479 522
gulls 163
Hawaii 65 94 330
heterotrophic 256 339
Hurricane 415
hydrology 43 87 91 100 183 201
321
H2S 396
industry 202
Inlet 319
inorganic 101 161 181 186 201
326 407 413 506
insects 256 339
intracellular 100 169
invertebrates 528
Jamaica 353
Japan 338
Kaneohe 65 94 330
kelp 522
Ks 62 482 522
land development 43
Liverpool 199
local 297
long term 199
Macrocystis 522
macrophytes 157 247
Malpeque 499
management 183 528
mangroves 326
marshes 21 22 193 210 339 461
Maryland 193
Massachusetts 161
matrix 372
meiofauna 256 339
metabolism 162 256
methane 396 397
methods 35 228
Michaelis Menton 415
microbes 183 247 297 319 326 499
502 528 541
microcopepods 330
microcosms 194 362 387
mining 66 87 201 202
mixing depth 541
model 29 80 100 157 169 183 321
338 342 353 372 407 415 477 478
502
molluscs 256 339
morphology 522
municipal 413
Murderkill 101
mussels 162
N/P 160 239 413
Narragansett 387
New York 353
nitrate 50 67 129 157 186 201
228 407 482
nitrification 157
nitrite 50 67 186 228 407 477
nitrogen fixation 144
nitrogen oxygen demand 80
nonpoint sources 541
North Carolina 43 185 186 202
nutrients 50 62 79 80 100 101
160 162 186 210 297 342 362 387
478 522 528
N15 62 129
oil 338 528

Olisthodiscus luteus 482
one dimensional 407
organic 50 157 162 186 407 506 541
organic matter 157 338 413
organisms 319 528
orthophosphate 228
oxidation 477
oxidation rates 35
oxygen 377
oysters 499
P/B 330
Pagan 407
Pamlico 66 87 185 186 201 202
pathogens 163
Patuxent 193
pesticides 528
pH 67 101 144 319
phosphate 50 67 162 181 202 247
phosphorus 21 22 43 66 79 80 87 91 94 100 101 110 115 163 181 187 193 194 199 201 210 228 239 242 247 256 297 316 319 339 342 353 387 407 413 415 461 478 482 499 528 541
phytoplankton 43 62 65 66 67 79 80 87 91 110 115 129 144 157 161 169 187 194 201 202 239 256 297 339 342 407 413 415 477 478 479 506
plankton 202 319
plants 186 461
POC 65
point sources 541
pond experiment 110 161 256 339
pool experiment 66
potassium 461
Potomac 67 80 183 342 377 477 478
predictions 183 541
primary 21 22 43 62 80 91 115 129 181 185 187 202 362 522
processes 157 183 185 506
productivity 21 22 43 62 67 80 91 115 129 181 185 187 194 202 256 330 339 362 499 522
profiles 541
quasi linear 415
rainfall 297
reaeration 80
real time 183 321 407
recreation 94
respiration 80
Rhode Island 387
runoff 541
Sacramento San Joquin 477
salinity 43 50 67 101 202 319 353 407 541
San Francisco 228
Sea 338
seagrass 528
seasons 50 186 199 397 506
secondary 144 326 330
sediment water 21 181 242 387 396
sediments 186 187 201 210 242 247 297 326 338 387 397 461 541
Seine 35
Seto 338
sewage 62 94 115 129 144 160 161 163 202 256 319 326 330 338 339 479
silica 187 319 502 528
silicate 50
soil erosion 541
Sound 43
St Lawrence 50
stochastic 477
Stockholm 239
stress 528
succession 110 144 201
sulfate 338
sulfide 338
surface waters 541
Susquehanna 79 415
symposium 297
Tar 201
temperature 35 43 50 67 202 541
tertiary 161 326 339
Texar 181 316
Texas 372
Thames 29
thermal 541
tides 22 101 183 210
trace metals 115 210 242 387 479 528
Transient Water Quality Network 183
transport 100
turbidity 43 67 541

  two dimensional 353
  uptake rates 129 157 297 482
  urea 50 62 129 186 528
  USSR 162
  Vellar 506
  vertical transport 297
  Virginia 21
  Vm 62 522
  Ware 21
  wastes 66 342 413 415
  water velocity 522
  wetlands 101 528
  zinc 210
  zooplankton 67 87 157 194 297 342 477 528
nitrogen fixation
  acetylene 25
  algae bluegreen 243
  algae mats 243
  amino acids 49
  ammonia 49
  bacteria 243
  batch culture 144
  Bay 182 243
  biomass 144
  bloom 144
  cannery 25
  carbon 144
  Chlorophyta 144
  continuous culture 144
  coral 182
  CO2 144
  Cyanophyta 144
  Guayanilla 243
  Hawaii 182
  heterotrophic 243
  Inlet 25
  intertidal 25
  Kaneohe 182
  Klebsiella pneumoniae 25
  microbes 182
  New Zealand 25
  nitrogen 144
  nutrients 25
  pH 144
  phosphorus 49
  phytoplankton 144
  primary 49
  productivity 49
  Puerto Rico 243
  secondary 144 182
  sediments 25 49 182 243
  sewage 25 144 182
  slaughterhouse 25
  succession 144
  thermal 243
  Waimea 25
  wastes 25
nitrogen oxygen demand
  benthic oxygen demand 80
  bloom 80
  carbon oxygen demand 80
  chlorophyll 80
  DO 80
  Estuary 80
  model 80
  nitrogen 80
  nutrients 80
  phosphorus 80
  phytoplankton 80
  Potomac 80
  primary 80
  productivity 80
  reaeration 80
  respiration 80
Nitrosomona
  ammonia 487
  BOD 487
  microbes 487
  nitrate 487
  nitrification 487
  nitrite 487
  Nitrobacter 487
  respiration 487
nomogram
  flushing 437
  indices 437
  marina 437
  model 437
  sediments 437
nonadvective
  model 244
  processes 244
  transport 244
nonpoint sources
  BOD 523 541
  Delaware 523
  DO 541
  Elizabeth 327
  Estuary 223 327 523

  - Harbor 327
  - industry 327
  - isopleths 223
  - James 327
  - Little Creek 327
  - Lynnhaven 327
  - management 327
  - microbes 541
  - mixing depth 541
  - model 223 327 523
  - Nansemond 327
  - nitrogen 541
  - nutrients 223
  - organic 541
  - Pagan 327
  - phosphorus 223 541
  - point sources 541
  - Poquoson 327
  - Potomac 223
  - predictions 327 541
  - processes 223
  - profiles 541
  - runoff 223 541
  - salinity 541
  - sediments 541
  - sewage 327
  - soil erosion 541
  - spatial distribution 223
  - storm loading 523
  - surface waters 541
  - temperature 541
  - temporal distribution 223
  - thermal 541
  - transport 223
  - turbidity 541
  - wastes 223 327
  - York 327
- North
  - Aberdeen 453
  - Bay 453
  - carbon 454
  - chlorophyll 453 454
  - C14 453
  - Delaware 411
  - diatoms 153
  - distribution 153
  - Estuary 411
  - fisheries 411
  - Fladen Ground 453
  - industry 232
  - interstitial 503
  - kelp 232
  - Loch 454
  - long term 153
  - macroinvertebrates 232
  - management 411
  - mass transfer 503
  - metals 232
  - model 411 503
  - Nevis 454
  - nitrate 454
  - phosphate 454
  - phytoplankton 153 411
  - POC 453 454
  - primary 453
  - processes 453
  - productivity 453 454
  - Scotland 454
  - Sea 153 232 411 453 454 503
  - seasons 453
  - sewage 232
  - silica 503
  - succession 232 411
  - temperature 153
  - two layer 503
  - wastes 232
  - zone 503
  - zooplankton 153
- North Carolina
  - abundance 43
  - agriculture 517
  - Albemarle 43 450
  - algae 89
  - algae bluegreen 533
  - ammonia 43 203 204 450
  - ammonium 186
  - animals 89 186 202
  - ATP 135
  - Bay 402
  - biomass 203 533
  - bloom 204 450 533
  - C/N 450
  - carbon 135
  - chlorophyll 43
  - Chowan 450 533
  - community structure 89
  - cycles 185 186
  - DIN 450
  - diversity 533
  - DO 202

  - DON 450
  - Estuary 89 90 135 185 186 202 203 204 402 450 492 493 533
  - fertilizer 202 204 517
  - fish 202
  - flood control 517
  - Florida 402
  - freshwater 204 402
  - heat 89
  - hydrology 43 90 517
  - industry 202 517
  - inorganic 186 203
  - iron 492 493
  - land development 43 517
  - Louisiana 402
  - management 402
  - methods 135 493
  - microbes 135 203 533
  - mining 90 202 203
  - Neuse 204
  - Newport 135
  - nitrate 186 203 204
  - nitrite 186
  - nitrogen 43 185 186 202
  - nutrients 89 186 203 402 517
  - organic 135 186
  - Palm 402
  - Pamlico 90 185 186 202 203 492 493
  - pesticides 517
  - phosphate 202 203 492
  - phosphorus 43 90 204 493 533
  - phytoplankton 43 90 202 203 204 450 533
  - plankton 202
  - plants 186
  - pond experiment 89
  - primary 43 185 202 450
  - processes 185
  - productivity 43 89 185 202 450
  - radioactivity 402
  - Rangia 90
  - recreation 517
  - resources 517
  - respiration 89
  - runoff 402
  - salinity 43 90 202 204 492
  - Santee 402
  - seasons 89 135 186 450
  - sediments 90 135 186 492 493
  - sewage 89 202 204
  - Sound 43 450
  - South Carolina 402
  - South Creek 89
  - suspended solids 492
  - swamps 402
  - temperature 43 89 202
  - turbidity 43
  - uptake rates 90 533
  - urea 186
  - wastes 90 204
  - watersheds 517
  - wetlands 402
- North Inlet
  - barnacles 507
  - Estuary 507
  - marshes 507
  - model 507
  - mussels 507
  - oysters 507
  - phytoplankton 507
  - primary 507
  - processes 507
  - productivity 507
  - tides 507
  - water column 507
- Norway
  - algae 236
  - assay 414
  - Bight 121
  - bioaccumulation 121
  - bloom 414
  - diatoms 414
  - fish 121
  - growth rates 236
  - hydrology 414
  - indicator species 121
  - Kiel 121
  - mussels 121
  - N/P 414
  - nitrate 414
  - nutrients 236
  - oil 121
  - orthophosphate 414
  - phosphorus 236
  - phytoplankton 414
  - primary 236
  - secondary 236
  - sewage 236
  - silica 414

    tertiary 236
    trace metals 414
    Trondheimsfjord 414
Nosy Be
    Bay 147
    Cladocera 147
    Evadne tergestina 147
    Malagasy Republic 147
    Penilia avirostris 147
    phytoplankton 147
    rainfall 147
    seasons 147
    tropical 147
    zooplankton 147
Nova Scotia
    ash 382
    Basin 381
    Bedford 381
    bloom 382
    carbon 382
    chlorophyll 382
    C14 382
    fatty acids 382
    nitrate 382
    P/B 381
    phosphorus 382
    phytoplankton 381 382
    primary 382
    productivity 381 382
    ratio 381
    respiration 382
    silica 382
    spatial component 381
NO2
    alkalinity 47
    chlorophyll 47
    DO 47
    Estuary 47
    James 47
    NO3 47
    pH 47
    phosphorus 47
    phytoplankton 47
    PN 47
    salinity 47
    temperature 47
NO3
    alkalinity 47
    chlorophyll 47
    DO 47
    Estuary 47
    James 47
    NO2 47
    pH 47
    phosphorus 47
    phytoplankton 47
    PN 47
    salinity 47
    temperature 47
nursery grounds
    Barataria 95
    Basin 95
    fisheries 95
    Louisiana 95
    nutrients 95
    salinity 95
    wetlands 95
nutrients
    abundance 383 472
    Acartia 227
    acetylene 25
    Actinetobacter 431
    adsorption 259
    aerobic 58
    agriculture 26 218 282 517
    agrochemicals 455
    Alaska 7
    algae 72 89 160 216 236 343 442 448 496 497
    algae bluegreen 215 218
    algae mats 130
    alkaline phosphatase 142
    alkalinity 149 380 383 455
    amino acids 528
    ammonia 50 62 203 289 387 388 473 518
    ammonium 186 210 394 522
    anaerobic 58 358
    animals 89 186 518
    assay 58 383 448 496 497
    assimilation capacity 446
    ATP 465
    Australia 388
    autotrophic 86
    bacteria 431
    Balanus 227
    Barataria 95
    Basin 95
    Baule Mitschlerlich 511
    Bay 71 72 79 86 92 141 168 173

226 227 288 297 322 323 355 380 387 388 402 431 448 455 465 473 495
Bayou 313
Belgium 376
Bengal 323
benthic 72 137 358 388 410 511 528 542
benthic oxygen demand 80 221 542
Bermuda 24
bibliography 436
Bight 286
bioenhancement 446
biomass 62 128 160 203 304 306 336 445
bloom 24 80 227 286 306 376 445 521
boat traffic 455
BOD 1 71 221 342 446 495
Bothnia 137
boundary layer 522
British Columbia 512
Broadkill 101
C/N 62 465
cadmium 210
California 62 128 441
canal 512
Cancer 139
cannery 25
carbon 116 168 192 220 221 342 362 387 394 473 495 522 542
carbon oxygen demand 80
carbon/chlorophyll 62
chemical 428 516
Chesapeake 72 79 92 141 168 173 297 355 380 455 473 495
Chickahominy 173
chlorinated hydrocarbons 137 491
chlorine 455
chlorophyll 28 79 80 101 128 215 220 288 289 322 391 473 495
clay 259
Clyde 375
cobalamin 509
Cochin 391
COD 289 442
Codium 497
coliforms 1 221 380 542
Colville 7
community structure 88 89
conceptual 168
conference 528
Connecticut 58
continuous culture 116 160
Copps Brook 58
CO2 220
crabs 139
ctenophores 362
cycles 186 241 297 342 410 428 522 528
C14 391
DC 1 380
degradation 58
dehydrogenase 358
Delaware 101 342
density 323
deoxygenation 104 542
deposition 376
detergent 270 436
detritus 75 192 528
diatoms 376 445
DIC 473
disease 455
dissolved solids 137 313
distribution 50 71 125 128 383
diurnal 62
diversity 88 364 472
DO 1 71 72 80 101 137 216 220 221 222 226 241 270 304 307 313 323 342 376 380 387 394 441 495 518 542
DOC 58 104 416 473
dredging 96 455 498 512
Dunaliella 496
Duwamish 480 521
dye 1
economics 217 491 494 498
eggs 139
energy transfer 72 75 141 192 362
Enteromorpha 375 497
epibiotic fouling 139
epiphytes 455
Estuary 1 7 50 79 80 82 89 101 104 130 141 143 173 186 192 203 214 215 216 217 218 220 221 222 223 227 249 289 304 336 341 342 375 376 380 391 402 478 480 495 518 521
Etang de Berre 306 307

Eurytemora 227
fauna 375 388 455
fertilizer 282 355 517
fish 88 515 516 528 542
fisheries 7 95 96 375 465 494 498 528
flood control 96 517
Florida 402
flushing 218 512
flux 342 362 387
food processing 516
foraminifera 72
France 306
freshwater 86 222 402
glucose 313
Grevelingen 336
growth rates 236 355 522
Gulf 137
heat 89 141 542
heterotrophic 86 431
Hudson 218
hydrology 7 71 100 137 141 226 241 306 376 441 448 491 515 517 521
hypertrophication 286
ice 542
indicator species 383 472
indices 92 125 220
industry 86 380 442 498 516 517
Inlet 25
inorganic 101 186 203 416
instruments 436
interface salt fresh 376
interstitial 58
intertidal 25
intracellular 100
invertebrates 383 528
Ireland 130
iron 137
isopleths 223
James 173 380 495
Japan 322 445
kelp 522
kinetics 313
Klebsiella pneumoniae 25
Ks 62 522
Lake 358 383
land development 92 96 216 517
latitudinal gradients 227
Lebanon 472
light 24 336 448 521 542
linear regression 173
local 297
Long Island 509
Louisiana 95 96 402 442
Macrocystis 522
macrofauna 72 137
macrophytes 24 72 511
management 96 215 217 402 428 471 491 494 498 515 528
manganese 416
marshes 75 149 192 210 442
Maryland 192 304 380
Massachusetts 82
Mediterranean 491
metabolic heat release 358
metabolism 58 86 88 162 358
methods 249 271 436 465 542
Michaelis Menton 71
microbes 58 72 75 139 141 142 203 216 220 297 313 343 442 445 491 516 528
microcalorimetry 358
microcosms 86 362 364 387
mining 203 463
Mississippi 125
model 1 58 71 75 80 100 168 223 341 342 436 478 515 542
molluscs 375
morphology 522
mud flats 130
Murderkill 101
mussels 162
N/P 160 226
nanoplankton 288
Narragansett 227 387
Netherlands 336
New Jersey 226 227
New York 286 410
New Zealand 25
nitrate 50 82 125 128 143 186 203 218 226 380 394 473
nitrification 410
nitrite 50 186 473
nitrogen 50 62 79 80 100 101 160 162 186 210 297 342 362 387 478 522 528
nitrogen fixation 25
nitrogen oxygen demand 80
nonpoint sources 223

North Carolina 89 186 203 402 517
Norway 236
nursery grounds 95
N15 62
O/P 307
oil 137 436 455 491 528
Oregon 448 516
organic 50 130 141 162 186 259
organic matter 28 58 227 306 358 394 410
organisms 358 410 528 542
orthophosphate 509
oxygen 358
oysters 471
P/N 441
Palm 402
Pamlico 104 186 203
Patuxent 141 173 192 304 380 495
PC 270 465
Periphyton 521
pesticides 137 220 380 436 517 528
pH 71 101 142 259 380 383 455
phaeophytin 473
phosphate 50 82 125 142 143 162 203 218 226 259 313 380 394 518
phosphorus 79 80 100 101 137 149 210 223 236 241 259 289 297 304 342 387 463 473 478 528
phytoplankton 1 28 62 71 72 79 80 82 86 96 116 128 137 141 203 221 227 286 288 297 304 322 341 342 394 416 431 441 472 478 509 511 515 521 542
Pines 82
plankton 226 270 288 306 364 383
plants 141 186
PN 270 465
POC 58 104
point sources 218
pond experiment 89
Pontchartrain 383
Port Phillip 388
Potomac 1 80 173 214 215 216 217 218 220 221 222 223 289 341 342 380 478 495
power plant 141 498
primary 7 24 28 62 80 86 104 137 141 192 236 288 304 336 343 362 383 391 410 416 441 445 465 473 511 515 522 542
processes 223 358
productivity 7 24 28 62 80 86 89 104 137 141 192 288 304 313 336 343 362 364 383 391 410 416 428 441 445 463 465 473 511 515 522 542
profiles 214
public opinion 498
Puget 358 515
radioactivity 402 491 516
rainfall 297
Rappahannock 173 380 495
Raritan 226 227 288
rate constants 542
reaeration 80 542
recreation 82 96 517
redox potential 313
removal 271
resources 7 125 216 222 491 494 498 516 517
respiration 28 80 86 89 104 343 441
Rhode Island 227 387
Rogerstown 130
runoff 26 96 143 216 223 383 402 442 465
Sacramento 341
Sagami 431
salinity 50 71 95 101 226 227 241 259 270 383 388 441 455 471 512
salt wedge 480
salts 143
sampling frequency 249
San Francisco 71
sand 375
Santee 402
Scheldt 376
Scotland 375
Sea 445 491
seagrass 355 528
seasons 50 71 89 142 173 186 226 227 391 441 448 509 521
secchi disc 441
secondary 236 343
sediment water 259 313 387
sediments 25 58 137 149 186 210 289 297 304 358 375 376 380 387

388 410 491
self purification 376
seston 270
sewage 25 62 72 82 89 96 116 142 160 215 218 236 259 271 343 375 380 388 416 442 448 471 472 516
sewage treatment farm 388
silica 149 528
silicate 50
slaughterhouse 25
soil erosion 96
Sound 125 358 509 515
South Carolina 149 402
South Creek 89
Southampton 394
Spartina 75
spatial distribution 223 542
specie key 455
Sphaerotilus 516
Squamish 249
St Lawrence 50
St Margaret 465
stratification 307
stress 88 528
Suagus 82
submerged vegetation 455
succession 116 515
Suruga 431
suspended solids 376 465
Susquehanna 79 173 380 495
swamps 402
symposium 137 297 341 494 498
TDC 473
temperature 50 71 89 128 226 259 270 391 394 441 448 455 512
temporal distribution 223 542
tertiary 236
tetrazolium salt 58
Texas 86 88
Thames 143
thermal 141 304 516
thiamine 509
three dimensional 515
tides 1 101 210 512 518
TOC 104 220 442
Tokyo 431
toxicity 116
trace metals 72 137 149 210 216 376 380 387 394 436 455 491 516 528
transport 100 223 376
Trinity 86
trophic levels 515
turbidity 455 511
turnover rates 394
Ulva 82
United Kingdom 143
uptake rates 259 297
Uranouchi 322
urea 50 62 186 528
USSR 162
vertical transport 297
Vibrios 431
Virginia 227 259 380 518
viruses 216
Vm 62 522
Waimea 25
Washington 358 480 515
wastes 25 86 130 137 143 216 218 220 221 222 223 227 282 322 342 380 442 512
water velocity 336 455 522
watersheds 58 92 173 380 517
weight 289
Werribee 388
wetlands 26 95 96 101 192 402 528
winter 445
worms 375
Yaquina 448
York 173 227 380 495 518
zinc 210
zooplankton 72 86 88 137 227 297 341 342 391 394 431 528 542
Zostera marina 336

N14

methods 118
N15 118
secondary 118
wastes 118

N15

ammonia 62 190
ammonium 129
Bay 190 252
biomass 62
C/N 62
California 62 129
carbon/chlorophyll 62
cycles 129
denitrification 190

  - diurnal 62 129
  - Japan 190
  - Ks 62
  - Mangoku 190 252
  - methods 118
  - microbes 252
  - nitrate 129 252
  - nitrification 252
  - nitrogen 62 129
  - nutrients 62
  - N14 118
  - Odawa 252
  - phytoplankton 62 129
  - PON 190
  - primary 62 129
  - productivity 62 129
  - reduction 252
  - secondary 118
  - sediments 190 252
  - sewage 62 129
  - Simoda 190
  - Tokyo 190
  - uptake rates 129
  - Ura 190 252
  - urea 62 129
  - Vm 62
  - wastes 118
  - Zostera 252
- O/P
  - DO 307
  - Etang de Berre 307
  - nutrients 307
  - stratification 307
- Obelia dichtoma
  - buoys 37
  - California 37
  - ceramic panel substrates 37
  - chlorinated hydrocarbons 37
  - dispersion 37
  - economics 37
  - methods 37
  - productivity 37
  - sewage 37
  - trace metals 37
- Odawa
  - Bay 252
  - Mangoku 252
  - microbes 252
  - nitrate 252
  - nitrification 252
  - N15 252
  - reduction 252
  - sediments 252
  - Ura 252
  - Zostera 252
- oil
  - agrochemicals 455
  - algae 400
  - alkalinity 455
  - amino acids 225 456 528
  - animals 399
  - assay 399
  - bacteria 456
  - bacteria proteolytic 456
  - Bay 318 423 455
  - benthic 137 338 400 528
  - bibliography 4 211 344 436
  - Bight 121
  - bioaccumulation 121
  - boat traffic 455
  - Bothnia 137
  - California 400
  - carbohydrates 225 456
  - Chesapeake 318 455
  - chlorinated hydrocarbons 137 491
  - chlorine 455
  - chlorophyll 423
  - clams 225
  - COD 338
  - conference 528
  - crustaceans 338
  - cycles 528
  - C14 456
  - detergent 436
  - detritus 528
  - disease 455
  - dissolved solids 137
  - DO 137
  - dredging 4 318 455
  - dye 318
  - economics 4 491
  - epiphytes 455
  - Estuary 423
  - eutrophication 4 211 344
  - fatty acids 423
  - fauna 455 456
  - fish 121 513 528
  - fisheries 338 528
  - fungus 456
  - glycine 225

  - Gulf 137
  - Harbor 400
  - heterotrophic 456
  - hydrology 137 399 491
  - indicator species 121 399 400
  - indices 368 456
  - industry 211
  - instruments 436
  - invertebrates 528
  - iron 137
  - Japan 338
  - Kiel 121
  - landfill 340
  - Los Angeles 400
  - macrofauna 137
  - management 491 528
  - Mediterranean 491
  - Mercenaria 225
  - methods 399 436 456
  - microbes 399 423 456 491 528
  - mining 513
  - model 338 436
  - mussels 121
  - Narragansett 423
  - New York 340
  - nitrogen 338 528
  - Norway 121
  - nutrients 137 436 455 491 528
  - oligochaetes 400
  - organic matter 338
  - organisms 528
  - oxidases 368
  - pesticides 4 137 344 436 513 528
  - pH 455
  - phosphorus 137 528
  - phytoplankton 137 456
  - pollution 4
  - polychaetes 400
  - primary 137
  - processes 456
  - productivity 137
  - Providence 423
  - pulp mill 456 513
  - radioactivity 4 491 513
  - remote sensing 211 318
  - resources 211 491
  - runoff 513
  - salinity 455 456
  - Sea 338 491
  - seagrass 528
  - sediments 137 338 491
  - Seto 338
  - sewage 225 318 338 340 400 423 456 513
  - silica 528
  - specie key 455
  - stress 225 528
  - submerged vegetation 455
  - sulfate 338
  - sulfide 338
  - suspended solids 423
  - symposium 137 456
  - Taunton 423
  - taurine 225
  - temperature 455
  - thermal 4 211 344 456 513
  - trace metals 4 137 436 455 456 491 528
  - turbidity 455
  - urea 528
  - wastes 137 399 400 513
  - water velocity 455
  - wetlands 528
  - zooplankton 137 528
- oligochaetes
  - abundance 167
  - algae 400
  - annelids 167
  - Bathyporia sarsi 11
  - Bay 11
  - benthic 11 400 539
  - biomass 167
  - bioturbation 539
  - BOD 539
  - California 400
  - Capitella capitata 11
  - community structure 11
  - Delaware 539
  - diversity 167
  - Estuary 167 539
  - fauna 167 539
  - gastrotrichs 167
  - Great Britian 167
  - Harbor 400
  - indicator species 400
  - Kiel 11
  - Limnodrilus 539
  - Los Angeles 400
  - macrofauna 11
  - microbes 167

    nematodes 167
    oil 400
    organic 539
    polychaetes 167 400
    Pygospio elegans 11
    sediments 539
    sewage 11 167 400
    Tees 167
    wastes 400 539
Olisthodiscus luteus
    alkaline phosphatase 482
    ammonium 482
    Bay 287
    bloom 287
    C/N 482
    carbon 482
    chlorophyll 482
    diurnal 482
    Ks 482
    Massartia rotundata 287
    New York 287
    nitrate 482
    nitrogen 482
    phosphorus 482
    phytoflagellate 287
    Prorocentrum micans 287
    salinity 287
    uptake rates 482
one dimensional
    ammonia 407
    Bay 419
    benthic oxygen demand 420
    CBOD 407 408
    Chesapeake 419
    chlorophyll 407
    coliforms 407
    deterministic 419
    diffusion 419
    DO 407 408
    Estuary 255 407 408 419
    finite difference 34
    freshwater 420
    hydrology 420
    inorganic 407
    light 420
    model 34 255 407 408 419 420
    NBOD 408
    nitrate 407
    nitrite 407
    nitrogen 407
    organic 407
    Pagan 407 408
    phosphorus 407
    phytoplankton 407
    Potomac 255 419
    real time 407 408
    runoff 420
    salinity 407 408
    stochastic 255 420
    temperature 420
    time dependent 255
    turbidity 420
Oregon
    algae 448
    algae mats 33
    assay 448
    Bay 448
    benthic 33
    benthic oxygen demand 33
    chemical 516
    Columbia 175
    dispersion coefficient 170
    Estuary 33 170 175
    Eurytemora 175
    fish 516
    food processing 516
    hydrology 448
    industry 516
    light 175 448
    linear regression 175
    microbes 516
    model 33 170
    nitrate 175
    nutrients 448 516
    phosphate 175
    phytoplankton 175
    radioactivity 516
    resources 516
    salinity 33
    seasons 175 448
    sediments 33
    sewage 448 516
    silica 175
    slack water 170
    Sphaerotilus 516
    sulfide 33
    temperature 448
    thermal 516
    tides 33
    trace metals 516

  Yaquina 33 170 448
  zooplankton 175
organic
  adsorption 259
  algae mats 130
  ammonia 50 157 407
  ammonium 186
  animals 186
  ATP 135
  Bay 141
  benthic 269 539
  bioturbation 539
  BOD 539 541
  carbon 27 135
  CBOD 407
  Chesapeake 141
  chlorophyll 407
  clay 259
  coliforms 407
  cycles 186
  Delaware 539
  denitrification 157
  distribution 50 269 309
  DO 407 541
  energy transfer 141
  Estuary 27 50 130 135 141 186 309 407 506 539
  eutrophic 157
  fauna 539
  heat 141
  heterotrophic potential 500
  hydrology 141
  indicator species 269
  indices 269
  inorganic 27 186 407 506
  intertidal 309
  Ireland 130
  Irish 309
  James 27
  Limnodrilus 539
  macrofauna 309
  macrophytes 157
  Mersey 309
  metabolism 162
  methods 135
  microbes 27 135 141 500 541
  mixing depth 541
  model 27 157 407
  mud flats 130
  mussels 162
  Newport 135
  nitrate 27 50 157 186 407
  nitrification 157
  nitrite 27 50 186 407
  nitrogen 50 157 162 186 407 506 541
  nonpoint sources 541
  North Carolina 135 186
  nutrients 50 130 141 162 186 259
  oligochaetes 539
  one dimensional 407
  organic matter 157
  Pagan 407
  Pamlico 186
  Patuxent 141
  pH 259
  phosphate 27 50 162 259
  phosphorus 259 407 541
  phytoplankton 27 141 157 407 506
  plants 141 186
  point sources 541
  populations mixed 500
  power plant 141
  predictions 27 541
  primary 141
  processes 27 157 506
  productivity 141
  profiles 541
  real time 407
  Rogerstown 130
  runoff 541
  salinity 50 259 407 541
  Schofield 27
  Sea 309
  seasons 50 135 186 309 506
  sediment water 259
  sediments 135 186 539 541
  sewage 27 259
  silicate 50
  soil erosion 541
  St Lawrence 50
  stochastic 27
  surface waters 541
  temperature 27 50 259 541
  thermal 141 541
  turbidity 541
  uptake rates 157 259
  urea 50 186
  USSR 162
  Vellar 506

  - Virginia 27 259
  - wastes 130 309 500 539
  - zooplankton 157
- organic aggregates
  - DOM 404
  - Long Island 404
  - microbes 404
  - phytoplankton 404
  - POM 404
  - seasons 404
  - Sound 404
  - zooplankton 404
- organic enrichment
  - benthic 371
  - community structure 371
  - ecocline 371
  - gradient 371
  - indicator species 371
  - indices 371
  - recovery 371
  - sediments 371
  - succession 371
- organic matter
  - Acartia 227
  - aerobic 58
  - ammonia 157
  - ammonium 394
  - anaerobic 58 358
  - assay 58
  - bacteria attached 164
  - bacteria free 164
  - Balanus 227
  - Bay 227 422
  - Belgium 504
  - benthic 338 358 410
  - biomass 306
  - bloom 227 306
  - BOD 290 324
  - C/N 324
  - carbon 324 394
  - Chesapeake 422
  - chlorophyll 28
  - COD 338
  - coliforms 290
  - Connecticut 58
  - Copps Brook 58
  - crustaceans 338
  - cycles 410
  - decomposition 299
  - degradation 58
  - dehydrogenase 358
  - denitrification 157 324 504
  - detergent 148 413
  - DO 148 290 394
  - DOC 58
  - dredging 148
  - electron transfer 299
  - energy transfer 299
  - Estuary 148 164 227 474
  - Etang de Berre 306
  - Eurytemora 227
  - eutrophic 157
  - fisheries 338
  - France 306
  - glucose 164
  - growth rates 299
  - Humber 164
  - hydrology 306
  - inorganic 413
  - interstitial 58 504
  - Japan 338
  - Lake 358
  - latitudinal gradients 227
  - macrophytes 157
  - metabolic heat release 358
  - metabolism 58 358
  - microbes 58 299
  - microcalorimetry 358
  - mineralization 164
  - model 58 157 338 504
  - municipal 413
  - N/P 413
  - Narragansett 227
  - New Jersey 227
  - New York 410
  - nitrate 157 394 504
  - nitrification 157 410 504
  - nitrite 290 504
  - nitrogen 157 338 413
  - nutrients 28 58 227 306 358 394 410
  - oil 338
  - organic 157
  - organisms 358 410
  - oxygen 358
  - pH 290
  - phosphate 394
  - phosphorus 413
  - phytoplankton 28 157 227 394 413
  - plankton 306

  POC 58
  Portugal 474
  primary 28 410
  processes 157 358
  productivity 28 410
  Puget 358
  Raritan 227
  redox potential 299
  respiration 28
  Rhode Island 227
  Sado 474
  salinity 227 290 422
  Sea 338
  seasons 227 290
  secchi disc 422
  sediments 58 338 358 410 504
  Seto 338
  sewage 148 324 338
  shellfish 290
  Sound 358
  Southampton 394
  steady state 299
  substrates 299
  sulfate 338
  sulfide 338
  suspended solids 164 422
  Tagus 474
  temperature 290 394 474
  tetrazolium salt 58
  Thames 148
  trace metals 394
  turnover rates 394
  uptake rates 157
  Virginia 227
  Washington 358
  wastes 227 413
  watersheds 58
  wind 422
  yeast 474
  York 227
  zooplankton 157 227 394
organisms
  Alaska 319
  algae bluegreen 335
  amino acids 528
  anaerobic 358
  arctic 319
  Baltic 335
  benthic 234 319 335 358 410 447 508 528 542
  benthic oxygen demand 542
  bioenhancement 447
  biomass 447
  California 447
  cannery 447
  carbon 542
  coliforms 542
  conference 528
  Cook 319
  cycles 410 528
  dehydrogenase 358
  deoxygenation 542
  detergent 234 335
  detritus 528
  diversity 447
  DO 319 335 447 542
  economics 508
  energy transfer 335
  fish 335 447 528 542
  fisheries 528
  France 234
  Gulf 234
  Harbor 447
  heat 542
  ice 542
  indicator species 335
  industry 508
  Inlet 319
  invertebrates 528
  Lake 358
  light 542
  Los Angeles 447
  macroalgae 335
  management 508 528
  Marseilles 234
  metabolic heat release 358
  metabolism 358
  methods 542
  microbes 319 528
  microcalorimetry 358
  model 335 542
  New York 410
  nitrification 410
  nitrogen 319 528
  nutrients 358 410 528 542
  oil 528
  organic matter 358 410
  oxygen 358
  pesticides 508 528
  pH 319

phosphorus 319 528
phytoplankton 542
plankton 319 447
plants 508
Posidonia oceanica 234
primary 335 410 542
processes 358
productivity 335 410 447 542
public opinion 508
Puget 358
rate constants 542
reaeration 542
recreation 508
salinity 319
Sea 335
seagrass 234 528
sediments 358 410
sewage 234 319 335 447
silica 319 528
Sound 358
spatial distribution 542
stress 528
symposium 335
temporal distribution 542
tertiary 508
trace metals 528
urea 528
Washington 358
wastes 447 508
wetlands 528
zooplankton 335 528 542

Orielton
- agriculture 60
- algae mats 60
- Australia 60
- Lagoon 60
- runoff 60
- salinity 60
- sewage 60
- Tasmania 60
- temperature 60

Orinoco
- dissolved 131
- Estuary 131
- inorganic 131
- Mississippi 131
- plumes 131
- Savannah 131
- silica 131
- suspended solids 131
- uptake rates 131

orthophosphate
- algae 133
- alkalinity 184
- ammonia 5 184
- ammonium 228
- assay 414
- Bay 133 184 228 469
- benthic 5
- biomass 133
- bloom 414
- Chesapeake 133 184 469
- chlorine 184
- chlorophyll 184
- cobalamin 509
- diatoms 5 414
- DO 117 184
- DOP 469
- Estuary 133
- hydrology 414
- interstitial 46
- iron 46
- Ks 469
- laboratory culture 5
- Long Island 509
- methods 46 228
- microbes 133
- N/P 414
- nitrate 5 228 414
- nitrite 5 228
- nitrogen 228
- Norway 414
- nutrients 509
- oxidation 46
- pH 184
- phosphate 184
- phosphorus 228
- phytoplankton 414 469 509
- polyphosphate 469
- primary 5
- processes 184
- productivity 5
- Puget 117
- P32 469
- Rhode 133
- salinity 184
- San Francisco 228
- seasons 509
- silica 414
- Sound 117 509

  sulfate 184
  sulfide 184
  temperature 184
  thiamine 509
  trace metals 184 414
  Trondheimsfjord 414
  turnover rates 469
  uptake rates 133
  vertical distribution 184
  Vm 469
  wastes 117
Oslofjord
  algae 248
  benthic 248
  life cycles 248
  seasons 248
  spatial distribution 248
  temporal distribution 248
outfall diffuser
  dye 68
  Maryland 68
  salinity 68
  sewage 68
  temperature 68
oxidases
  indices 368
  oil 368
oxidation
  ammonia 477
  BOD 477
  California 477
  cycles 233 477
  Delaware 477
  Delta 477
  Denmark 233
  DIN 477
  DO 477
  Estuary 477
  interstitial 46
  iron 46
  methods 46
  model 477
  nitrite 477
  nitrogen 477
  orthophosphate 46
  phytoplankton 477
  Potomac 477
  reduction 233
  Sacramento San Joquin 477
  sediments 233
  stochastic 477
  sulphur 233
  turnover rates 233
  zooplankton 477
oxidation rates
  Aisne 35
  Bay 485
  carbon 35
  Chesapeake 485
  Estuary 35
  France 35
  interstitial 485
  iron 485
  methods 35 485
  nitrogen 35
  Seine 35
  temperature 35
oxygen
  anaerobic 358
  benthic 358
  carbon 377
  dehydrogenase 358
  distribution 377
  Estuary 377
  Lake 358
  metabolic heat release 358
  metabolism 358
  microcalorimetry 358
  nitrogen 377
  nutrients 358
  organic matter 358
  organisms 358
  Potomac 377
  processes 358
  Puget 358
  sediments 358
  Sound 358
  Washington 358
oyster reefs
  Apalachee 191
  Bay 191
  benthic 191
  Florida 191
  indicator species 191
  invertebrates 191
  mud flats 191
  pulp mill 191
  seagrass 191
  wastes 191
oysters

  abundance 499
  algae 412
  aquaculture 412
  barnacles 507
  Bay 499
  carbon 499
  cycles 499
  Estuary 507
  Malpeque 499
  management 471
  marshes 507
  microbes 499
  model 507
  mussels 507
  nitrogen 499
  North Inlet 507
  nutrients 471
  phosphate 108
  phosphorus 499
  phytoplankton 507
  primary 507
  processes 507
  productivity 499 507
  salinity 471
  sewage 412 471
  tides 507
  water column 507
ozonization
  artificial recharge 138
  canal 138
  dissolved solids 138
  economics 138
  Estuary 138
  nitrification 138
  recycle 138
  sewage 138
  Thames 138
  water supply 138
P/B
  Basin 381
  Bay 330
  Bedford 381
  Hawaii 330
  Kaneohe 330
  microcopepods 330
  nitrogen 330
  Nova Scotia 381
  phytoplankton 381
  productivity 330 381
  ratio 381
  secondary 330
  sewage 330
  spatial component 381
P/N
  California 441
  DO 441
  hydrology 441
  nutrients 441
  phytoplankton 441
  primary 441
  productivity 441
  respiration 441
  salinity 441
  seasons 441
  secchi disc 441
  temperature 441
Pagan
  ammonia 407
  CBOD 407 408
  chlorophyll 407
  coliforms 407
  DO 407 408
  Elizabeth 327
  Estuary 327 407 408
  Harbor 327
  industry 327
  inorganic 407
  James 327
  Little Creek 327
  Lynnhaven 327
  management 327
  model 327 407 408
  Nansemond 327
  NBOD 408
  nitrate 407
  nitrite 407
  nitrogen 407
  nonpoint sources 327
  one dimensional 407 408
  organic 407
  phosphorus 407
  phytoplankton 407
  Poquoson 327
  predictions 327
  real time 407 408
  salinity 407 408
  sewage 327
  wastes 327
  York 327
Palm

  Bay 402
  Estuary 402
  Florida 402
  freshwater 402
  Louisiana 402
  management 402
  North Carolina 402
  nutrients 402
  radioactivity 402
  runoff 402
  Santee 402
  South Carolina 402
  swamps 402
  wetlands 402
Pamlico
  algae 87
  algae bluegreen 66
  ammonia 203
  ammonium 186
  animals 186 202
  benthic 87
  biomass 66 201 203
  bloom 201
  cycles 185 186
  deoxygenation 104
  DO 202
  DOC 104
  DON 201
  Estuary 66 87 90 103 104 185 186 201 202 203 492 493
  fauna 87
  fertilizer 202
  fish 202
  hydrology 87 90 201
  industry 202
  inorganic 186 201 203
  iron 492 493
  macrophytes 103
  methods 493
  microbes 203
  mining 66 87 90 201 202 203
  nitrate 186 201 203
  nitrite 186
  nitrogen 66 87 185 186 201 202
  North Carolina 90 185 186 202 203 492 493
  nutrients 104 186 203
  organic 186
  phosphate 202 203 492
  phosphorus 66 87 90 201 493
  phytoplankton 66 87 90 201 202 203
  plankton 202
  plants 186
  POC 104
  pool experiment 66
  primary 104 185 202
  processes 185
  productivity 104 185 202
  Rangia 90
  respiration 104
  salinity 90 202 492
  seasons 103 186
  sediments 90 186 201 492 493
  sewage 202
  succession 201
  suspended solids 492
  Tar 201
  temperature 202
  TOC 104
  uptake rates 90
  urea 186
  wastes 66 90
  zooplankton 87
parasites
  benthic 356
  disease 356
  fish 356
  macrofauna 356
  Mississippi 356
  pesticides 356
  sewage 356
  trace metals 356
Parramatta
  chlorophyll 403
  Estuary 403
  microplankton 403
  nanoplankton 403
  primary 403
  productivity 403
participation
  agencies 61
  Bay 61
  local 61
  management 61
  public opinion 61
  San Francisco 61
particulate matter
  ATP 295
  Basin 295

- Bedford 295
- carbohydrates 295
- carbon 295
- flagellates 295
- phytoplankton 295
- protein 295
- zooplankton 295

pathogens
- coliforms 163
- feces 163
- gulls 163
- nitrogen 163
- phosphorus 163
- sewage 163

Patuxent
- alkalinity 380
- ATP 193
- Bay 141 173 380 495
- biomass 304
- BOD 495
- carbohydrates 193
- carbon 192 193 195 495
- Chesapeake 141 173 380 495
- Chickahominy 173
- chlorophyll 193 350 495
- coliforms 380
- Copepoda 195
- crude fiber 193
- crustaceans 195
- DC 380
- detritus 192 195
- diurnal 93
- DO 93 304 380 495
- energy transfer 141 192 195
- Estuary 93 141 173 192 193 195 304 350 380 495
- Eurytemora affinis 195
- heat 141
- hydrology 141
- indices 350
- industry 380
- James 173 380 495
- linear regression 173
- marshes 192 193
- Maryland 93 192 193 195 304 350 380
- methods 350
- microbes 141 195
- nitrate 380
- nitrogen 193
- nutrients 141 173 192 304 380 495
- organic 141
- pesticides 380
- pH 380
- phosphate 380
- phosphorus 193 304
- phytoplankton 141 304
- plants 141
- Potomac 173 380 495
- power plant 141
- primary 93 141 192 195 304
- productivity 93 141 192 195 304
- Rappahannock 173 380 495
- remote sensing 350
- respiration 93
- Scottlana canadensis 195
- seasons 173
- sediments 304 380
- sewage 93 380
- suspended solids 350
- Susquehanna 173 380 495
- thermal 141 304
- trace metals 380
- Virginia 380
- wastes 380
- watersheds 173 380
- wetlands 192 195
- York 173 380 495

Pb210
- Estuary 158
- history 158
- marshes 158
- plutonium 158
- records 158
- Savannah 158
- sediments 158

PC
- aerobic 172
- ammonium 172
- anaerobic 172
- ATP 172 465
- Bay 465
- Bight 172
- C/N 465
- calorific content 172
- decomposition 172
- detergent 270
- DIC 172
- DO 270

  DOC 172
  fisheries 465
  methods 465
  New York 172
  nitrate 172
  nitrite 172
  nutrients 270 465
  plankton 270
  PN 172 270 465
  primary 465
  productivity 465
  runoff 465
  salinity 270
  seston 270
  sewage 172
  St Margaret 465
  suspended solids 465
  temperature 270
Penilia avirostris
  Bay 147
  Cladocera 147
  Evadne tergestina 147
  Malagasy Republic 147
  Nosy Be 147
  phytoplankton 147
  rainfall 147
  seasons 147
  tropical 147
  zooplankton 147
Penobscot
  benthic 106
  Damariscotta 106
  DO 106
  Estuary 106
  fish 106
  growth rates 106
  invertebrates 106
  laboratory culture 106
  larvae 106
  Maine 106
  salinity 106
  sediments 106
  settlement 106
  Sheepscot 106
  temperature 106
percolator
  ammonia 165
  enzymes 165
  methods 165
  sediments 165
  sulfate 165
  urea 165
Periphyton
  ammonia 481
  bloom 521
  chlorophyll 481
  Duwamish 481 521
  Estuary 481 521
  hydrology 521
  indicator species 481
  light 521
  nitrate 481
  nitrite 481
  nutrients 521
  phosphate 481
  phytoplankton 521
  primary 481
  productivity 481
  seasons 521
  Washington 481
  wastes 481
pesticides
  agriculture 517
  alkalinity 380
  amino acids 528
  Bay 380
  benthic 137 356 508 528
  bibliography 4 344 435 436
  BOD 348
  Bothnia 137
  Broad River 292
  carbon 220
  Chesapeake 380
  chlorinated hydrocarbons 137
  chlorophyll 220
  coliforms 380
  conference 528
  CO2 220
  cycles 528
  DC 380
  detergent 436
  detritus 292 528
  disease 356
  dissolved solids 137
  DO 137 220 380
  dredging 4
  economics 4 508
  energy transfer 348
  Estuary 220 292 380
  eutrophication 4 344 435

fertilizer 292 517
fish 356 513 528
fisheries 528
flood control 517
Florida 292
Gulf 137
hydrology 137 517
indices 220
industry 348 380 508 517
instruments 436
invertebrates 528
iron 137
James 380
land development 517
leaves 292
macrofauna 137 356
management 435 508 528
mangroves 292
Maryland 380
methods 435 436
microbes 220 528
mining 513
Mississippi 356
model 348 436
nitrate 380
nitrogen 528
North Carolina 517
nutrients 137 220 380 436 517 528
oil 4 137 344 436 513 528
organisms 508 528
parasites 356
Patuxent 380
pH 380
phosphate 380
phosphorus 137 528
phytoplankton 137
plants 508
pollution 4
Potomac 220 380
primary 137
productivity 137
public opinion 508
pulp mill 513
radioactivity 4 513
Rappahannock 380
recreation 508 517
resources 517
runoff 513
seagrass 528
secondary 348
sediments 137 380
sewage 348 356 380 513
Shark 292
silica 528
stress 528
Susquehanna 380
symposium 137
tertiary 508
thermal 4 344 435 513
TOC 220
trace metals 4 137 292 348 356 380 435 436 528
urea 528
Virginia 380
wastes 137 220 348 380 508 513
watersheds 380 517
wetlands 528
York 380
zooplankton 137 528

pH

abundance 383
adsorption 259
agrochemicals 455
Alaska 319
algae 432
alkaline phosphatase 142
alkalinity 47 67 184 293 380 383 455
ammonia 44 67 176 184 293 311
ammonium 38
arctic 319
assay 383
batch culture 144
Bay 8 67 71 184 207 293 380 455
Bayou 315
benthic 319
biomass 144 332
black necrosis 2
bloom 144 432
boat traffic 455
BOD 71 290 311
Broadkill 101
Burry Inlet 2
California 8
carbon 144
carbonate ion 308
Chesapeake 67 184 207 293 380 455
chloride 293

chlorine 184 455
chlorophyll 47 67 101 184
Chlorophyta 144
Chrysaora quinquecirrha 38
clay 259
coliforms 290 380
continuous culture 144
Cook 319
CO2 105 144 432
Crangon crangon 2
Cyanophyta 144
DC 380
Delaware 101
detergent 2
disease 455
dissolved 207
distribution 71 293 383
DO 2 8 47 67 71 101 105 184 290 311 315 319 332 380
DOC 308 311
DON 176 311
dredging 455
epiphytes 455
Estuary 47 67 101 380
fauna 455
fish 44
flux 315
Georgia 176
Great Britian 2
Humboldt 8
hydrology 71
indicator species 383
industry 380
Inlet 319
inorganic 101
interface salt fresh 311
interstitial 207 293
invertebrates 383
iron 293
James 47 380
Lagoon 105
Lake 383
manganese 207 293
Maryland 380
Michaelis Menton 71
microbes 2 142 319 332
model 71 105 207
molluscs 308
Murderkill 101
nitrate 38 67 176 380
nitrite 67 176 290 311
nitrogen 67 101 144 319
nitrogen fixation 144
NO2 47
NO3 47
nutrients 71 101 142 259 380 383 455
oil 455
organic 259
organic matter 290
organisms 319
orthophosphate 184
Patuxent 380
pesticides 380
phosphate 38 67 142 184 259 293 315 380
phosphorus 47 101 259 319 432
phytoplankton 47 67 71 144
plankton 319 383
PN 47
poly B hydroxybutyrate 332
polyp 38
pond experiment 8
Pontchartrain 383
Potomac 67 380
primary 383
processes 184 315
productivity 67 383
pS2 526
pulp mill 302
rainfall 176
Rappahannock 380
redox potential 293 315 526
remote sensing 38
runoff 383
salinity 2 44 47 67 71 101 184 259 290 308 311 315 319 332 383 455
salmonids 8 302
San Francisco 71
sea nettle 38
seasons 71 142 290 293
secondary 144
sediment water 259 315
sediments 332 380 526
sewage 8 38 105 142 144 259 319 380 432
shellfish 290
silica 293 319
specie key 455

stabilization 105
steady state 207
submerged vegetation 455
succession 144
sulfate 184 293
sulfide 184
Susquehanna 380
temperature 2 44 47 67 71 105 184 259 290 315 455
Texar 315
tides 101
toxicity 302
trace metals 2 184 311 380 455
turbidity 67 455
uptake rates 259
vertical distribution 184
Virginia 259 380
wastes 105 302 380
water velocity 455
watersheds 380
wetlands 101
York 380
zooplankton 67
Phaeophyta
benthic 333
C/N 333
macrophytes 333
Spain 333
phaeophytin
ammonia 473
Bay 473
carbon 473
Chesapeake 473
chlorophyll 473
DIC 473
DOC 473
nitrate 473
nitrite 473
nutrients 473
phosphorus 473
primary 473
productivity 473
TDC 473
PHB
biomass 525
metabolism 525
microbes 525
poly B hydroxybutyrate 525
sediments 525
phosphate
abundance 113
adsorption 259
agriculture 218
algae 430
algae bluegreen 218 247
alkaline phosphatase 142
alkalinity 67 184 293 380
ammonia 50 67 69 123 178 184 203 247 273 293 314 430 466 481 518 520
ammonium 38 113 394
animals 202 518
Aqaba 146
Bay 52 64 67 178 184 224 226 293 380 466
Bayou 181 313 314 315
benthic 178 224
Bight 113
biomass 52 203 247 466
Black 303
bloom 520
British Columbia 247
calcium 146
Canada 52
carbon 27 181 394 454
Chaetoceros simplex 303
chambers 178
Chesapeake 67 184 293 380
Chlorella salina 69
chloride 293
chlorine 184
chlorophyll 64 67 113 184 454 481
Chlorophyta 430
Chrysaora quinquecirrha 38
clay 259 385 458
coliforms 380
Columbia 175
Cyanophyta 430
cycles 224 247
DC 380
dissolved solids 313
distribution 50 113 125 293
DO 67 184 202 226 313 314 315 380 394 518
Doboy 385
DON 466
DPO 466
Duwamish 481 520
Estuary 27 50 67 82 143 175 181

202 203 218 219 380 430 481 492
518 520
Eurytemora 175
exchange diffusion 123
excretion rates 466
fertilizer 202 273 361
fish 202
Florida 181 314
flushing 218
flux 178 315 385 458
freshwater 113 219
Georgia 385
glucose 313
Gulf 146
Harbor 458
Hawaii 64 466
Hong Kong 458
Hudson 218
hydrology 224 226 520
indicator species 303 481
indices 125
industry 202 361 380
inorganic 27 178 181 203 385
interstitial 293
ion exchange 273
iron 293 492
James 27 380
Jordan 146
Kaneohe 64 466
kinetics 313
land development 458
light 175
linear regression 175
Loch 454
macroinvertebrates 314
macrophytes 52 247
manganese 293
Maryland 380 430
Massachusetts 82
metabolism 162 224 466
methods 123
microbes 27 142 203 247 313 385
mining 202 203
Mississippi 125
model 27 64
mussels 162
N/P 226
Narragansett 178
Nevis 454
New Jersey 113 224 226
New York 113
nitrate 27 38 50 64 67 69 82 113
123 125 143 175 178 203 218 219
224 226 303 314 380 394 454 481
nitrite 27 50 67 113 178 219 481
nitrogen 50 67 162 181 202 247
North 454
North Carolina 202 203 492
nutrients 50 82 125 142 143 162
203 218 226 259 313 380 394 518
Oregon 175
organic 27 50 162 259
organic matter 394
orthophosphate 184
oysters 108
Pamlico 202 203 492
Patuxent 380
Periphyton 481
pesticides 380
pH 38 67 142 184 259 293 315 380
phosphorus 181 247 259
phytoplankton 27 64 67 82 113
175 202 203 303 314 361 394 520
Pines 82
plankton 202 226
POC 454
point sources 218
polyp 38
Potomac 67 218 219 380 430
predictions 27
primary 64 181 202 361 481
processes 27 184 224 315
productivity 64 67 181 202 313
361 454 481
protein 69
P32 385
Quinte 52
Rappahannock 380
Raritan 224 226
recreation 82
red tide 361
redox potential 293 313 315
remote sensing 38
resources 125
Rhode Island 178
Rockaway Point 113
runoff 143
salinity 50 67 69 113 184 202
226 259 315 458 492
salts 143

Schofield 27
Scotland 454
Sea 303 454
sea nettle 38
seasons 50 142 175 224 226 293
secondary 123 273 430
sediment water 178 181 259 313 315 385
sediments 219 247 380 458 492
sewage 27 38 52 64 69 82 142 146 202 218 219 259 273 303 380 430 520
silica 113 175 293
silicate 50
size dependent 466
Sound 125 385
Southampton 394
spatial distribution 219
St Lawrence 50
stochastic 27
Suagus 82
sulfate 184 293
sulfide 184
suspended solids 113 492
Susquehanna 380
temperature 27 50 67 113 178 184 202 226 259 315 394
temporal distribution 219
tertiary 52
Texar 181 314 315
Thames 143
tides 518
TKN 219
TOC 314
Tolo 458
trace metals 184 380 394
turbidity 67
turnover rates 394
Ulva 82
United Kingdom 143
uptake rates 69 259
urea 50
USSR 162
vertical distribution 184
Virginia 27 259 380 518
Washington 481 520
wastes 123 143 218 380 481
watersheds 219 380
York 380 518
zooplankton 67 175 314 394 466
phosphomonoester
    alkaline phosphatase 468
    Bay 468
    Chesapeake 468
    Ks 468
    phosphorus 468
    phytoplankton 468
    Vm 468
phosphorus
    abundance 43 499
    adsorption 259
    Agnes 415
    Alaska 319
    Albemarle 43
    algae 87 236 256 339 432
    algae bluegreen 66 247 533
    alkaline phosphatase 468 470 482
    alkalinity 47 149
    amino acids 49 528
    ammonia 43 49 204 247 289 387 407 473
    ammonium 210 228 482
    arctic 319
    ash 382
    ATP 193
    Australia 154
    bacteria 256 339
    Bay 22 79 91 94 199 228 297 353 379 387 415 468 470 473 499
    Bayou 181 251 316
    benthic 87 137 319 528
    benthic oxygen demand 80
    biomass 66 110 154 201 247 304 339 533
    birds 256 339
    bloom 80 201 204 251 382 432 533
    BOD 342 353 541
    Bothnia 137
    bound 3
    British Columbia 247
    Broadkill 101
    budget 316
    C/N 482
    cadmium 210
    calcium 339 461
    California 187
    carbohydrates 193
    carbon 19 21 22 110 181 193 256 339 342 382 387 473 482 499
    carbon oxygen demand 80

Carter 21
CBOD 407
Chesapeake 22 79 91 297 415 468 473
chlorinated hydrocarbons 137
chlorophyll 43 47 79 80 101 154 193 289 382 407 415 470 473 482
Chowan 533
clay 259
COD 289
coliforms 94 163 353 407
community structure 256
conference 528
Cook 319
CO2 432
Creek 21
crude fiber 193
crustaceans 256 339
cycles 21 91 241 247 297 342 464 499 528
C14 382
Delaware 101 342
detergent 413
detritus 22 528
DIC 473
Dickinson 251
DIN 199
dissolved 3
dissolved solids 137
distribution 470
diurnal 482
diversity 94 533
DNA 470
DO 47 80 101 137 154 194 241 242 251 304 319 342 353 387 407 464 541
DOC 473
DON 201
DRP 199
economics 94
enzymes 470
Estuary 47 66 79 80 87 90 101 154 181 193 201 204 223 289 304 342 407 415 478 493 533
fatty acids 382
fauna 87
feces 163
fertilizer 3 204 464
fish 256 339 528
fish kills 251
fisheries 94 528
Florida 181 316
flux 22 187 342 379 387
foraminifera 256 339
freshwater 204
Georgia 386
Great Britian 199
growth rates 39 236
Gulf 137
gulls 163
Harbor 39
Hawaii 94
heterotrophic 256 339
Hurricane 415
hydrology 43 87 90 91 100 137 154 201 241
H3 154
indicator species 39
indices 470
industry 464
Inlet 319
inorganic 101 181 201 407 413
insects 256 339
intracellular 100
invertebrates 528
iron 137 493
isopleths 223
Jamaica 353
James 47
Kaneohe 94
Ks 468 482
land development 43
Little River 154
Liverpool 199
local 297
Long 39
long term 199
macrofauna 137
macrophytes 247
Malpeque 499
management 528
marshes 21 22 149 193 210 339 461
Maryland 193 304
meiofauna 256 339
metabolism 256 386
methods 228 493
Michaelis Menton 415
microbes 247 297 319 470 499 528 533 541

microcosms 194 379 387
mining 66 87 90 201 463 464
mixing depth 541
model 80 100 223 342 353 386 407 415 478
molluscs 39 256 339
municipal 413
Murderkill 101
N/P 239 413
Narragansett 379 387
Neuse 204
New York 353
Newfoundland 39
nitrate 3 201 204 228 382 407 473 482
nitrite 228 407 473
nitrogen 21 22 43 66 79 80 87 91 94 100 101 110 115 163 181 187 193 194 199 201 210 228 239 242 247 256 297 316 319 339 342 353 387 407 413 415 461 478 482 499 528 541
nitrogen fixation 49
nitrogen oxygen demand 80
nonpoint sources 223 541
North Carolina 43 90 204 493 533
Norway 236
Nova Scotia 382
NO2 47
NO3 47
nutrients 79 80 100 101 137 149 210 223 236 241 259 289 297 304 342 387 463 473 478 528
oil 137 528
Olisthodiscus luteus 482
one dimensional 407
organic 259 407 541
organic matter 413
organisms 319 528
orthophosphate 228
oysters 499
Pagan 407
Pamlico 66 87 90 201 493
pathogens 163
Patuxent 193 304
pesticides 137 528
pH 47 101 259 319 432
phaeophytin 473
phosphate 181 247 259
phosphomonoester 468
phytoplankton 43 47 66 79 80 87 90 91 110 115 137 154 187 194 201 204 239 251 256 297 304 339 342 382 407 413 415 468 478 533
plankton 319
plants 461
PN 47
point sources 541
pond experiment 3 110 256 339
pool experiment 66
potassium 461
Potomac 80 223 289 342 478
predictions 541
primary 21 22 43 49 80 91 115 137 154 181 187 236 304 382 473
processes 223 386
productivity 21 22 43 49 80 91 115 137 154 181 187 194 256 304 339 382 463 473 499
profiles 541
protein 470
P32 3 154
quasi linear 415
rainfall 297
Rangia 90
reaeration 80
real time 407
recreation 94
respiration 80 382
Rhode Island 387
runoff 223 464 541
salinity 43 47 90 101 154 204 241 259 319 353 407 541
San Francisco 228
seagrass 528
seasons 199 386
secondary 236
sediment water 21 181 242 259 379 386 387
sediments 3 19 49 90 137 149 187 201 210 242 247 289 297 304 387 461 493 541
seston 470
sewage 19 94 115 163 204 236 251 256 259 319 339 432 464
silica 149 187 319 382 528
soil erosion 541
Sound 43
South Carolina 149
spatial distribution 223

  - Stockholm 239
  - stress 528
  - succession 110 201
  - surface waters 541
  - Susquehanna 79 415
  - symposium 137 297
  - Tar 201
  - TDC 473
  - temperature 43 47 154 259 541
  - temporal distribution 223
  - tertiary 236 339
  - Texar 181 316
  - thermal 304 541
  - tides 19 22 101 210
  - Tokyo 470
  - trace metals 115 137 149 210 242 387 528
  - transport 100 223
  - turbidity 43 541
  - two dimensional 353
  - uptake rates 90 259 297 482 533
  - urea 528
  - vertical transport 297
  - Virginia 21 259
  - Vm 468
  - Ware 21
  - wastes 66 90 137 204 223 342 413 415 464
  - weight 289
  - wetlands 101 528
  - zinc 210
  - zooplankton 87 137 154 194 297 342 528
- physico chemical treatment
  - Great Britian 294
  - sewage 294
- phytoflagellate
  - Bay 287
  - bloom 287
  - Massartia rotundata 287
  - New York 287
  - Olisthodiscus luteus 287
  - Prorocentrum micans 287
  - salinity 287
- phytoplankton
  - abundance 43 113 472
  - Acartia 227
  - Actinetobacter 431
  - Agnes 415
  - Albemarle 43 450
  - algae 72 87 256 339
  - algae bluegreen 66 533
  - alkaline phosphatase 468
  - alkalinity 47 67
  - alpha fluorescence 329
  - amino acids 456
  - ammonia 43 62 67 157 203 204 314 407 450 477 520
  - ammonium 31 113 129 188 298 394
  - animals 202
  - Aquaforte 145
  - ash 382
  - assay 414
  - ATP 295 434
  - Australia 154 424
  - autotrophic 86
  - bacteria 256 339 431 456
  - bacteria proteolytic 456
  - bacterioplankton 114
  - Balanus 227
  - barnacles 507
  - Basin 295 381
  - batch culture 144
  - Baule Mitschlerlich 511
  - Bay 64 65 67 71 72 79 86 91 141 147 188 227 288 296 297 298 300 322 415 431 468 469
  - Bayou 251 314 317
  - Bedford 295 381
  - benthic 72 87 137 511 542
  - benthic oxygen demand 80 221 542
  - Bight 113 286
  - biomass 62 65 66 110 128 144 154 201 203 296 304 339 434 519 533
  - birds 256 339
  - Black 303
  - bloom 80 144 201 204 227 251 286 317 363 382 414 450 519 520 521 533
  - BOD 1 71 221 274 342 477 519
  - Bothnia 137
  - Burrard 460
  - C/N 62 188 450
  - Calanus pacificus 363
  - calcium 339
  - California 62 128 129 155 187 441 477
  - Canada 145
  - carbohydrates 295 456
  - carbon 27 110 116 144 221 256

295 339 342 382 394 542
carbon oxygen demand 80
carbon/chlorophyll 62 434
CBOD 407
Chaetoceros 363
Chaetoceros simplex 303
chemostat 169
Chesapeake 67 72 79 91 141 296 297 298 415 468 469
chlorinated hydrocarbons 137
chlorophyll 28 43 47 64 65 67 79 80 113 128 154 155 174 288 296 300 322 329 382 407 415 424 519
Chlorophyta 31 144
Chowan 450 533
Cladocera 147
cobalamin 509
coliforms 1 221 407 542
Columbia 175
community structure 174 256
continuous culture 116 144
CO2 144
crustaceans 256 339
Cyanophyta 144
cycles 91 129 297 342 477
C14 382 456
DC 1
Delaware 342 411 477
Delta 477
denitrification 157
deoxygenation 542
detergent 413
detritus 65 424
diatoms 153 414 479
Dickinson 251
DIN 450 477
dinoflagellate 479
dissolved solids 137
distribution 71 113 128 153 155 460
diurnal 62 129
diversity 155 300 472 533
DO 1 47 67 71 72 80 137 154 174 194 202 221 251 304 314 317 342 394 407 441 477 519 542
DOC 416
DOM 404
DON 201 450
DOP 469
dredging 96
Duwamish 519 520 521
dye 1
energy transfer 72 141
Estuary 1 27 31 47 66 67 79 80 82 87 90 141 154 174 175 201 202 203 204 221 227 304 341 342 367 407 411 415 434 450 477 478 506 507 519 520 521 533
euglenoid 145
Euphaussid furcilia 363
Eurytemora 175 227
eutrophic 157
Evadne tergestina 147
factorial productivity 367
fatty acids 382
fauna 87 456
feeding rates 363
fertilizer 202 204 361
fiord 460
fish 202 256 317 339 515 542
fish kills 251
fisheries 96 411
flagellates 295
flood control 96
Florida 314 317
flushing 155
flux 187 342
foraminifera 72 256 339
freshwater 86 113 204 519
fungus 456
Great Britian 274
growth rates 169 188 459 479
Gulf 137 155
Gymnodinium 317
Hacking 424
Harbor 145 460
Hawaii 64 65 188
heat 141 542
heterotrophic 86 256 339 431 456
Hudson 31
Hurricane 415
hydrology 43 71 87 90 91 137 141 154 174 201 414 424 441 515 520 521
hypertrophication 286
H3 154
ice 542
indicator species 145 303 472
indices 456
industry 86 202 361

Inlet 460
inorganic 27 161 201 203 407 413 416 506
insects 256 339
intracellular 169
iron 137
James 27 47
Japan 322
Kaneohe 64 65 188
Ks 62 468 469
Lagoon 155
land development 43 96
latitudinal gradients 227
Lebanon 472
light 31 174 175 424 521 542
linear regression 175
Little River 154
local 297
Long Island 404 509
long term 153
Louisiana 96
macrofauna 72 137
macroinvertebrates 314
macrophytes 72 157 511
Malagasy Republic 147
management 96 411 515
manganese 416
marshes 339 507
Maryland 304
Massachusetts 82 161
meiofauna 256 339
metabolism 86 256
methods 114 296 424 456 542
Michaelis Menton 71 415
microbes 27 72 141 203 297 404 456 533
microcosms 86 194
microflagellates 174
mining 66 87 90 201 202 203
model 1 27 64 71 80 114 157 169 341 342 407 411 415 477 478 507 515 542
molluscs 256 339
municipal 413
mussels 507
N/P 239 413 414
nanoplankton 145 174 288 296 300 363
Narragansett 227
Neuse 204
New Jersey 113 227 300
New York 113 286
Newark 300
nitrate 27 31 64 67 82 113 128 129 157 175 188 201 203 204 298 303 314 382 394 407 414
nitrification 157
nitrite 27 67 113 298 407 477
nitrogen 43 62 65 66 67 79 80 87 91 110 115 129 144 157 161 169 187 194 201 202 239 256 297 339 342 407 413 415 477 478 479 506
nitrogen fixation 144
nitrogen oxygen demand 80
North 153 411
North Carolina 43 90 202 203 204 450 533
North Inlet 507
Norway 414
Nosy Be 147
Nova Scotia 381 382
NO2 47
NO3 47
nutrients 1 28 62 71 72 79 80 82 86 96 116 128 137 141 203 221 227 286 288 297 304 322 341 342 394 416 431 441 472 478 509 511 515 521 542
N15 62 129
oil 137 456
one dimensional 407
Oregon 175
organic 27 141 157 407 506
organic aggregates 404
organic matter 28 157 227 394 413
organisms 542
orthophosphate 414 469 509
oxidation 477
oysters 507
P/B 381
P/N 441
Pagan 407
Pamlico 66 87 90 201 202 203
particulate matter 295
Patuxent 141 304
Penilia avirostris 147
Periphyton 521
pesticides 137
pH 47 67 71 144

phosphate 27 64 67 82 113 175 202 203 303 314 361 394 520
phosphomonoester 468
phosphorus 43 47 66 79 80 87 90 91 110 115 137 154 187 194 201 204 239 251 256 297 304 339 342 382 407 413 415 468 478 533
Pines 82
plankton 202 288
plants 141
PN 47
POC 65
polyphosphate 469
POM 404
pond experiment 110 161 256 339
pool experiment 66
populations mixed 367
populations single 367
Port 424
Potomac 1 67 80 221 341 342 477 478
power plant 141
predictions 27
primary 28 43 62 64 80 86 91 115 129 137 141 154 155 174 187 202 288 296 304 361 367 382 416 441 450 460 507 511 515 542
processes 27 157 456 506 507
productivity 28 43 62 64 67 80 86 91 114 115 129 137 141 154 155 174 187 194 202 256 288 296 304 339 361 363 367 381 382 416 441 450 460 507 511 515 542
protein 295
Pseudocalanus minutus 363
Puget 515
pulp mill 456 459
P32 154 469
quasi linear 415
rainfall 147 297
Rangia 90
Raritan 227 288
rate constants 542
ratio 381
reaeration 80 542
real time 407
recreation 82 96
red tide 361
remote sensing 329
respiration 28 80 86 382 441
Rhode Island 227
Rockaway Point 113
runoff 96 424
Sacramento 341
Sacramento San Joquin 477
Sagami 431
salinity 43 47 67 71 90 113 154 174 202 204 227 407 441 456
San Francisco 71
Schofield 27
Sea 153 303 411
seasons 71 147 175 227 274 300 404 441 450 506 509 521
secchi disc 145 441
secondary 144
sediments 90 137 187 201 297 304 424
sewage 27 62 64 72 82 96 115 116 129 144 145 161 188 202 204 251 256 274 303 339 416 456 472 479 520
silica 113 175 187 382 414
Skeletonema 31 367
soil erosion 96
Sound 43 404 450 509 515
Southampton 394
spatial component 381
spatial distribution 542
St Johns 145
St Lawrence 434
stochastic 27 477
Stockholm 239
Suagus 82
succession 110 116 144 201 367 411 460 515
Suruga 431
suspended solids 113 424
Susquehanna 79 415
symposium 137 297 341 456
Tar 201
temperature 27 43 47 67 71 113 128 153 154 174 202 394 441 519
temporal distribution 542
tertiary 161 339
Texar 314 317
Texas 86
thermal 141 304 456
thiamine 509
three dimensional 515
tides 1 155 507 519

  - TOC 314
  - Tokyo 431
  - toxicity 116 317
  - trace metals 72 115 137 394 414 456 479
  - Trinity 86
  - Trondheimsfjord 414
  - trophic levels 515
  - tropical 147
  - turbidity 43 67 511
  - turnover rates 394 469
  - Ulva 82
  - uptake rates 31 90 129 157 188 297 533
  - Uranouchi 322
  - urea 62 129 188 298
  - Vancouver 460
  - Vellar 506
  - vertical transport 297
  - Vibrios 431
  - Virginia 27 227
  - Vm 62 468 469
  - Washington 515 520
  - wastes 66 86 90 137 204 221 227 317 322 342 413 415
  - water column 507
  - wetlands 96
  - York 174 227 367
  - zooplankton 67 72 86 87 137 147 153 154 157 175 194 227 295 296 297 314 341 342 363 394 404 431 477 542

- Pines
  - Estuary 82
  - Massachusetts 82
  - nitrate 82
  - nutrients 82
  - phosphate 82
  - phytoplankton 82
  - recreation 82
  - sewage 82
  - Suagus 82
  - Ulva 82
- plankton
  - abundance 383
  - aerobic 122
  - Alaska 319
  - alkalinity 383
  - animals 202
  - arctic 319
  - assay 383
  - Bay 226 288 365 366
  - benthic 319 447
  - bioenhancement 447
  - biomass 306 447
  - bloom 306
  - California 447
  - cannery 447
  - chemical 20
  - chlorophyll 288 365
  - coliforms 122
  - Cook 319
  - detergent 270
  - distribution 383
  - diversity 364 447
  - DO 202 226 270 319 447
  - energetics 365
  - Estuary 202
  - Etang de Berre 306
  - eutrophic 20
  - fertilizer 202
  - fish 202 447
  - flux 366
  - France 306
  - Harbor 20 447
  - hydrology 20 226 306
  - indicator species 383
  - industry 202
  - Inlet 319
  - invertebrates 383
  - Lake 383
  - Los Angeles 447
  - Massartia rotundata 365
  - microbes 20 122 319
  - microcosms 364
  - mining 202
  - model 366
  - N/P 226
  - nanoplankton 288
  - negentropy 366
  - New Jersey 226
  - nitrate 226
  - nitrogen 202 319
  - North Carolina 202
  - nutrients 226 270 288 306 364 383
  - organic matter 306
  - organisms 319 447
  - Pamlico 202
  - PC 270

  - pH 319 383
  - phosphate 202 226
  - phosphorus 319
  - phytoplankton 202 288
  - PN 270
  - Pontchartrain 383
  - primary 202 288 383
  - productivity 202 288 364 365 383 447
  - Raritan 226 288 365 366
  - red tide 122
  - respiration 365
  - runoff 383
  - salinity 202 226 270 319 383
  - seasons 226
  - seston 270
  - sewage 122 202 319 447
  - silica 319
  - temperature 202 226 270
  - wastes 20 447
- plants
  - ammonium 186
  - animals 186
  - Bay 141
  - benthic 508
  - calcium 461
  - Chesapeake 141
  - cycles 186
  - economics 508
  - energy transfer 141
  - Estuary 141 186
  - heat 141
  - hydrology 141
  - industry 508
  - inorganic 186
  - management 508
  - marshes 461
  - microbes 141
  - nitrate 186
  - nitrite 186
  - nitrogen 186 461
  - North Carolina 186
  - nutrients 141 186
  - organic 141 186
  - organisms 508
  - Pamlico 186
  - Patuxent 141
  - pesticides 508
  - phosphorus 461
  - phytoplankton 141
  - potassium 461
  - power plant 141
  - primary 141
  - productivity 141
  - public opinion 508
  - recreation 508
  - seasons 186
  - sediments 186 461
  - tertiary 508
  - thermal 141
  - urea 186
  - wastes 508
- plumes
  - dissolved 131
  - Estuary 131
  - inorganic 131
  - Mississippi 131
  - Orinoco 131
  - Savannah 131
  - silica 131
  - suspended solids 131
  - uptake rates 131
- plutonium
  - Estuary 158
  - history 158
  - marshes 158
  - Pb210 158
  - records 158
  - Savannah 158
  - sediments 158
- PN
  - aerobic 172
  - alkalinity 47
  - ammonium 172
  - anaerobic 172
  - ATP 172 465
  - Bay 200 465
  - Bight 172
  - biomass 200
  - C/N 465
  - calorific content 172
  - chlorophyll 47
  - decomposition 172
  - detergent 270
  - DIC 172
  - DO 47 270
  - DOC 172
  - Estuary 47
  - fisheries 465
  - Hawaii 200

  James 47
  Kaneohe 200
  methods 465
  New York 172
  nitrate 172
  nitrite 172
  NO2 47
  NO3 47
  nutrients 270 465
  PC 172 270 465
  pH 47
  phosphorus 47
  phytoplankton 47
  plankton 270
  primary 465
  productivity 465
  runoff 465
  salinity 47 270
  seston 270
  sewage 172
  size composition 200
  St Margaret 465
  succession 200
  suspended solids 465
  temperature 47 270
  zooplankton 200
POC
  Aberdeen 453
  aerobic 58
  anaerobic 58
  assay 58
  Bay 65 406 453
  biomass 65
  Buzzards 406
  C/N 406
  carbon 454
  chlorophyll 65 406 453 454
  Connecticut 58
  Copps Brook 58
  C14 453
  degradation 58
  deoxygenation 104
  detritus 65 406
  DOC 58 104
  Estuary 104
  Fladen Ground 453
  Hawaii 65
  interstitial 58
  Kaneohe 65
  Loch 454
  Massachusetts 406
  metabolism 58
  microbes 58
  model 58
  nanoplankton 406
  Nevis 454
  nitrate 454
  nitrogen 65
  North 453 454
  nutrients 58 104
  organic matter 58
  Pamlico 104
  phosphate 454
  phytoplankton 65
  PON 406
  primary 104 453
  processes 453
  productivity 104 453 454
  respiration 104
  Scotland 454
  Sea 453 454
  seasons 406 453
  sediments 58
  suspended solids 406
  tetrazolium salt 58
  TOC 104
  watersheds 58
  zooplankton 406
point sources
  agriculture 218
  algae bluegreen 218
  BOD 541
  density 530
  dispersion 530
  DO 541
  dye 530
  Estuary 218 530
  flushing 218
  Hudson 218
  hydrology 530
  longitudinal 530
  microbes 541
  mixing 530
  mixing depth 541
  model 530
  nitrate 218
  nitrogen 541
  nonpoint sources 541
  nutrients 218
  organic 541

    phosphate 218
    phosphorus 541
    Potomac 218
    predictions 541
    profiles 541
    runoff 541
    salinity 541
    sediments 541
    sewage 218
    soil erosion 541
    surface waters 541
    temperature 541
    thermal 541
    turbidity 541
    vertical shear 530
    wastes 218
    York 530
pollution
    bibliography 4
    dredging 4
    economics 4
    eutrophication 4
    oil 4
    pesticides 4
    radioactivity 4
    thermal 4
    trace metals 4
poly B hydroxybutyrate
    biomass 332 525
    DO 332
    metabolism 525
    microbes 332 525
    pH 332
    PHB 525
    salinity 332
    sediments 332 525
polychaetes
    abundance 167
    algae 400
    amphipods 12
    annelids 167
    Bay 12
    benthic 12 400
    biomass 167
    California 400
    Capitella capitata 12
    diversity 167
    Estuary 167
    fauna 167
    gastrotrichs 167
    Great Britian 167
    Harbor 400
    indicator species 12 400
    invertebrates 12
    Kiel 12
    Los Angeles 400
    microbes 167
    nematodes 167
    oil 400
    oligochaetes 167 400
    sewage 12 167 400
    Tees 167
    wastes 400
polyp
    ammonium 38
    Chrysaora quinquecirrha 38
    nitrate 38
    pH 38
    phosphate 38
    remote sensing 38
    sea nettle 38
    sewage 38
polyphosphate
    Bay 469
    Chesapeake 469
    DOP 469
    Ks 469
    orthophosphate 469
    phytoplankton 469
    P32 469
    turnover rates 469
    Vm 469
POM
    Agnes 421
    Bay 421
    Chesapeake 421
    DOM 404
    Hurricane 421
    Long Island 404
    microbes 404
    organic aggregates 404
    phytoplankton 404
    seasons 404
    sediments 421
    sewage 421
    soil erosion 421
    Sound 404
    suspended solids 421
    zooplankton 404
PON

- ammonia 177 190
- Bay 190 406
- Buzzards 406
- C/N 406
- chlorophyll 406
- denitrification 190
- detritus 406
- DON 177
- Georgia 177
- Japan 190
- Mangoku 190
- marshes 177
- Massachusetts 406
- nanoplankton 406
- nitrate 177
- nitrite 177
- N15 190
- POC 406
- pools 177
- seasons 406
- sediments 190
- Simoda 190
- suspended solids 406
- tidal creek 177
- Tokyo 190
- Ura 190
- zooplankton 406

pond experiment
- algae 89 256 339
- animals 89
- bacteria 256 339
- Bay 8
- biomass 110 339
- birds 256 339
- bound 3
- calcium 339
- California 8
- carbon 110 256 339
- community structure 89 256
- crustaceans 256 339
- dissolved 3
- DO 8
- Estuary 89
- fertilizer 3
- fish 256 339
- foraminifera 256 339
- heat 89
- heterotrophic 256 339
- Humboldt 8
- inorganic 161
- insects 256 339
- marshes 339
- Massachusetts 161
- meiofauna 256 339
- metabolism 256
- molluscs 256 339
- nitrate 3
- nitrogen 110 161 256 339
- North Carolina 89
- nutrients 89
- pH 8
- phosphorus 3 110 256 339
- phytoplankton 110 161 256 339
- productivity 89 256 339
- P32 3
- respiration 89
- salmonids 8
- seasons 89
- sediments 3
- sewage 8 89 161 256 339
- South Creek 89
- succession 110
- temperature 89
- tertiary 161 339

Pontchartrain
- abundance 383
- alkalinity 383
- assay 383
- distribution 383
- indicator species 383
- invertebrates 383
- Lake 383
- nutrients 383
- pH 383
- plankton 383
- primary 383
- productivity 383
- runoff 383
- salinity 383

pool experiment
- algae bluegreen 66
- biomass 66
- Estuary 66
- mining 66
- nitrogen 66
- Pamlico 66
- phosphorus 66
- phytoplankton 66
- wastes 66

pools

    ammonia 177
    DON 177
    Georgia 177
    marshes 177
    nitrate 177
    nitrite 177
    PON 177
    tidal creek 177
populations mixed
    Estuary 367
    factorial productivity 367
    heterotrophic potential 500
    microbes 500
    model 237
    organic 500
    phytoplankton 367
    populations single 367
    primary 367
    productivity 367
    Skeletonema 367
    succession 367
    survival 237
    wastes 500
    York 367
    zooplankton 237
populations single
    Estuary 367
    factorial productivity 367
    industry 452
    metabolism 452
    phytoplankton 367
    populations mixed 367
    primary 367
    productivity 367
    Skeletonema 367
    stress 452
    succession 367
    TLm 452
    wastes 452
    York 367
Poquoson
    Elizabeth 327
    Estuary 327
    Harbor 327
    industry 327
    James 327
    Little Creek 327
    Lynnhaven 327
    management 327
    model 327
    Nansemond 327
    nonpoint sources 327
    Pagan 327
    predictions 327
    sewage 327
    wastes 327
    York 327
Porifera
    chemical 359
    Hymeniacidon sanguinea 359
    indicator species 359
    industry 359
    Italy 359
    sewage 359
    wastes 359
Porphyra
    Bay 238
    Chinhae 238
    disease 238
    fertilizer 238
    Korea 238
    primary 238
    productivity 238
    wastes 238
Port
    Australia 424
    chlorophyll 424
    detritus 424
    Hacking 424
    hydrology 424
    light 424
    methods 424
    phytoplankton 424
    runoff 424
    sediments 424
    suspended solids 424
Port Phillip
    ammonia 388
    Australia 388
    Bay 388
    benthic 388
    fauna 388
    nutrients 388
    salinity 388
    sediments 388
    sewage 388
    sewage treatment farm 388
    Werribee 388
Portugal
    Estuary 474

  organic matter 474
  Sado 474
  Tagus 474
  temperature 474
  yeast 474
Posidonia australis
  Cockburn 63
  growth rates 63
  seagrass 63
  seasons 63
  sediments 63
  Sound 63
Posidonia oceanica
  benthic 234
  detergent 234
  France 234
  Giens 285
  growth rates 285
  Gulf 234 285
  Marseilles 234
  organisms 234
  seagrass 234
  sediments 285
  sewage 234 285
potassium
  calcium 461
  marshes 461
  nitrogen 461
  phosphorus 461
  plants 461
  sediments 461
Potomac
  aerobic 183
  agriculture 218
  algae 81 216 430
  algae bluegreen 215 218
  alkalinity 67 380
  ammonia 67 289 430 477
  ammonium 467
  Anacostia 78
  Bay 67 173 380 419 467 495
  benthic oxygen demand 80 221
  bloom 80
  BOD 1 99 221 283 342 477 495
  California 477
  carbon 220 221 342 377 449 495
  carbon oxygen demand 80
  Chesapeake 67 173 380 419 467 495
  Chickahominy 173
  chlorophyll 67 80 215 220 289 495
  Chlorophyta 430
  COD 289
  coliforms 1 183 221 380
  CO2 220
  Cyanophyta 430
  cycles 183 342 477
  DC 1 283 380
  Delaware 342 477
  Delta 477
  deterministic 419
  diffusion 419 467
  DIN 477
  dispersion coefficient 283
  distribution 377 449
  DO 1 67 80 81 99 216 220 221 222 283 342 380 477 495
  DOD 283
  dye 1 78
  economics 217
  Estuary 1 53 67 78 80 81 99 173 183 214 215 216 217 218 219 220 221 222 223 255 283 289 341 342 377 380 419 430 449 467 477 478 495
  flushing 218
  flux 342
  freshwater 219 222
  FWQA Dynamic 78
  Hudson 218
  hydrology 183
  indices 220
  industry 380
  isopleths 223
  isotope 449
  James 173 380 495
  land development 216
  linear regression 173
  management 53 183 215 217
  Maryland 380 430
  microbes 183 216 220
  model 1 78 80 99 183 223 255 283 341 342 419 467 477 478
  nitrate 67 218 219 380 467
  nitrite 67 219 477
  nitrogen 67 80 183 342 377 477 478
  nitrogen oxygen demand 80
  nonpoint sources 223

nutrients 1 80 173 214 215 216 217 218 220 221 222 223 289 341 342 380 478 495
one dimensional 255 419
oxidation 477
oxygen 377
Patuxent 173 380 495
pesticides 220 380
pH 67 380
phosphate 67 218 219 380 430
phosphorus 80 223 289 342 478
phytoplankton 1 67 80 221 341 342 477 478
point sources 218
predictions 78 183
primary 80
processes 183 223
productivity 67 80
profiles 214
Rappahannock 173 380 495
reaeration 80
real time 183
resources 216 222
respiration 80
runoff 216 223
Sacramento 341
Sacramento San Joquin 477
salinity 67
seasons 173
secondary 430
sediments 219 289 380
sewage 215 218 219 380 430
spatial distribution 219 223
stochastic 99 255 477
Susquehanna 173 380 495
symposium 341
temperature 67
temporal distribution 219 223
Thomann 78
tides 1 78 81 183
time dependent 255
TKN 219
TOC 220
trace metals 216 380
Transient Water Quality Network 183
transport 223
turbidity 67
Virginia 380
viruses 216
wastes 81 216 218 220 221 222 223 342 380
watersheds 173 219 380
weight 289
York 173 380 495
zooplankton 67 341 342 477

power plant
    Bay 141
    Chesapeake 141
    dredging 498
    economics 498
    energy transfer 141
    Estuary 141
    fisheries 498
    heat 141
    hydrology 141
    industry 498
    management 498
    microbes 141
    nutrients 141 498
    organic 141
    Patuxent 141
    phytoplankton 141
    plants 141
    primary 141
    productivity 141
    public opinion 498
    resources 498
    symposium 498
    thermal 141

predictions
    aerobic 183
    Anacostia 78
    Bay 433
    benthic 433
    BOD 284 541
    Bush 373
    carbon 27
    Clyde 284
    coliforms 183
    cycles 183
    DO 284 541
    dye 78
    Elizabeth 327
    Estuary 27 78 183 284 327 373
    Florida 433
    freshwater 284
    FWQA Dynamic 78
    Harbor 327
    Hillsborough 433

  - hydrology 183 284
  - industry 284 327
  - inorganic 27
  - invertebrates 433
  - James 27 327
  - Little Creek 327
  - Lynnhaven 327
  - management 183 327
  - microbes 27 183 541
  - mixing depth 541
  - model 27 78 183 327
  - Nansemond 327
  - nitrate 27
  - nitrite 27
  - nitrogen 183 541
  - nonpoint sources 327 541
  - organic 27 541
  - Pagan 327
  - phosphate 27
  - phosphorus 541
  - phytoplankton 27
  - point sources 541
  - Poquoson 327
  - Potomac 78 183
  - processes 27 183
  - profiles 541
  - real time 183
  - runoff 541
  - salinity 541
  - Schofield 27
  - sediments 433 541
  - sewage 27 284 327 433
  - soil erosion 541
  - stochastic 27
  - surface waters 541
  - temperature 27 284 541
  - tertiary 433
  - thermal 541
  - Thomann 78
  - tides 78 183
  - Transient Water Quality Network 183
  - turbidity 541
  - Virginia 27
  - wastes 284 327
  - York 327
- primary
  - Aberdeen 453
  - abundance 43 383
  - Alaska 7
  - Albemarle 43 450
  - algae 140 236 343
  - algae bluegreen 335
  - algae colonial 152
  - alkalinity 383
  - amino acids 49
  - ammonia 5 43 49 62 450 473 481
  - ammonium 129 522
  - animals 202
  - ash 382
  - assay 383
  - ATP 465
  - Australia 154
  - autotrophic 86
  - Baltic 335
  - barnacles 507
  - Baule Mitschlerlich 511
  - Bay 22 40 64 86 91 140 141 238 288 296 453 465 473
  - Bayou 181
  - benthic 5 137 335 410 511 542
  - benthic oxygen demand 80 542
  - Bermuda 24
  - bibliography 124
  - biomass 62 140 154 296 304 336 445
  - bloom 24 80 382 445 450
  - Bothnia 137
  - boundary layer 522
  - Burrard 460
  - C/N 62 450 465
  - California 62 129 155 187 276 441
  - carbon 21 22 181 192 195 362 382 473 522 542
  - carbon oxygen demand 80
  - carbon/chlorophyll 62
  - Carter 21
  - Chesapeake 22 91 140 141 296 473
  - Chinhae 238
  - chlorinated hydrocarbons 137
  - chlorophyll 28 43 64 80 140 154 155 174 288 296 382 391 403 453 473 481
  - Chowan 450
  - Cochin 391
  - coliforms 542
  - Colville 7
  - community structure 174 483
  - Copepoda 195

Creek 21
crustaceans 195
ctenophores 362
cycles 21 91 129 185 410 522
C14 140 152 382 391 453
deoxygenation 104 542
detergent 335
detritus 22 192 195
diatoms 5 445
DIC 473
DIN 450
disease 238
dissolved solids 137
distribution 155 383 460
diurnal 62 93 129
diversity 155
DO 80 93 137 154 174 202 304 335 441 542
DOC 104 416 473
DON 450
Duwamish 481
energy transfer 141 192 195 276 335 362
Estuary 7 80 93 104 124 141 154 174 181 185 192 195 202 304 336 367 391 403 450 481 507
Eurytemora affinis 195
eutrophication 124
factorial productivity 367
fatty acids 382
fauna 276
fertilizer 202 238 361
fiord 460
fish 202 335 515 542
fisheries 7 124 465
Fladen Ground 453
Florida 181
flushing 155
flux 22 187 362
freshwater 86
Grevelingen 336
growth rates 236 522
Gulf 137 155
Harbor 460
Hawaii 64
heat 141 542
heterotrophic 86
hydrology 7 43 91 124 137 141 154 174 441 515
H3 154
ice 542
indicator species 335 383 481
industry 86 202 361
Inlet 460
inorganic 181 416
intertidal 276
invertebrates 383
iron 137
Japan 445
Kaneohe 64
kelp 522
Korea 238
Ks 62 522
laboratory culture 5
Lagoon 155
Lake 383
land development 43
light 24 174 336 542
Little River 154
macroalgae 335
Macrocystis 522
macrofauna 137
macrophytes 24 276 511
management 515
manganese 416
marshes 21 22 192 390 507
Maryland 93 192 195 304
metabolism 86 276
methods 152 296 465 483 542
microbes 141 195 343 445
microcosms 86 140 362
microflagellates 174
microplankton 403
mining 202
model 64 80 335 507 515 542
morphology 522
mucus 152
mussels 507
nanoplankton 174 288 296 403
Netherlands 336
New Jersey 390
New York 410
nitrate 5 64 129 382 473 481
nitrification 410
nitrite 5 473 481
nitrogen 21 22 43 62 80 91 115 129 181 185 187 202 362 522
nitrogen fixation 49
nitrogen oxygen demand 80
North 453

North Carolina 43 185 202 450
North Inlet 507
Norway 236
Nova Scotia 382
nutrients 7 24 28 62 80 86 104 137 141 192 236 288 304 336 343 362 383 391 410 416 441 445 465 473 511 515 522 542
N15 62 129
oil 137
organic 141
organic matter 28 410
organisms 335 410 542
orthophosphate 5
oysters 507
P/N 441
Pamlico 104 185 202
Parramatta 403
Patuxent 93 141 192 195 304
PC 465
Periphyton 481
pesticides 137
pH 383
phaeophytin 473
phosphate 64 181 202 361 481
phosphorus 21 22 43 49 80 91 115 137 154 181 187 236 304 382 473
phytoplankton 28 43 62 64 80 86 91 115 129 137 141 154 155 174 187 202 288 296 304 361 367 382 416 441 450 460 507 511 515 542
plankton 202 288 383
plants 141
PN 465
POC 104 453
Pontchartrain 383
populations mixed 367
populations single 367
Porphyra 238
Potomac 80
power plant 141
processes 185 453 507
productivity 5 7 21 22 24 28 40 43 49 62 64 80 86 91 93 104 115 124 129 137 140 141 152 154 155 174 181 185 187 192 195 202 238 276 288 296 304 335 336 343 361 362 367 382 383 390 391 403 410 416 441 445 450 453 460 465 473 481 507 511 515 522 542
Puget 515
P32 154
Raritan 40 288
rate constants 542
reaeration 80 542
recipient analog 483
red tide 361
resources 7
respiration 28 80 86 93 104 343 382 441
runoff 383 465
salinity 43 154 174 202 383 441
Scottlana canadensis 195
Sea 335 445 453
seasons 276 391 441 450 453
secchi disc 441
secondary 236 343 483
sediment water 21 181
sediments 49 137 187 304 410
sewage 62 64 93 115 129 140 202 236 276 335 343 416 483
silica 152 187 382
Skeletonema 367
Sound 43 450 515
Spartina alterniflora 390
spatial distribution 542
St Lawrence 124
St Margaret 465
succession 367 460 515
suspended solids 124 465
symposium 137 335
TDC 473
temperature 43 154 174 202 391 441
temporal distribution 542
tertiary 236 483
Texar 181
Texas 86
thermal 141 304
three dimensional 515
tides 22 155 507
TOC 104
trace metals 115 124 137
Trinity 86
trophic levels 515
turbidity 43 511
uptake rates 129
urea 62 129
Vancouver 460
Virginia 21

  - Vm 62 522
  - Ware 21
  - Washington 481 515
  - wastes 86 137 238 481
  - water column 507
  - water velocity 336 522
  - wetlands 192 195
  - winter 445
  - York 174 367
  - zooplankton 86 137 140 154 296 335 391 542
  - Zostera marina 336
- processes
  - Aberdeen 453
  - aerobic 183
  - alkalinity 184
  - amino acids 456
  - ammonia 157 184
  - anaerobic 358
  - bacteria 456
  - bacteria proteolytic 456
  - barnacles 507
  - Bay 184 224 354 427 453
  - Bayou 315
  - benthic 224 358
  - biological 230
  - Biscayne 427
  - carbohydrates 456
  - carbon 27
  - chemical 230 427
  - Chesapeake 184
  - chlorine 184
  - chlorophyll 184 453
  - coliforms 183
  - cycles 183 185 224
  - C14 453 456
  - dehydrogenase 358
  - denitrification 157
  - deposition 328
  - detritus 328
  - DO 184 315
  - energy transfer 354
  - Estuary 27 183 185 223 328 506 507
  - eutrophic 157
  - fauna 456
  - Fladen Ground 453
  - Florida 427
  - flux 315
  - free surface 427
  - fungus 456
  - Georgia 386
  - heterotrophic 456
  - hydrology 183 224 354
  - indices 456
  - inorganic 27 506
  - interstitial 536
  - isopleths 223
  - James 27
  - Lake 358
  - macrophytes 157
  - management 183
  - marshes 507
  - metabolic heat release 358
  - metabolism 224 358 386
  - methods 456
  - microbes 27 183 328 456
  - microcalorimetry 358
  - model 27 157 183 223 244 354 386 427 507 536
  - mussels 507
  - New Jersey 224
  - nitrate 27 157 224
  - nitrification 157
  - nitrite 27
  - nitrogen 157 183 185 506
  - nonadvective 244
  - nonpoint sources 223
  - North 453
  - North Carolina 185
  - North Inlet 507
  - nutrients 223 358
  - oil 456
  - organic 27 157 506
  - organic matter 157 358
  - organisms 358
  - orthophosphate 184
  - oxygen 358
  - oysters 507
  - Pamlico 185
  - pH 184 315
  - phosphate 27 184 224 315
  - phosphorus 223 386
  - phytoplankton 27 157 456 506 507
  - POC 453
  - Potomac 183 223
  - predictions 27 183
  - primary 185 453 507
  - productivity 185 453 507
  - Puget 358

    pulp mill 456
    Rappahannock 328
    Raritan 224
    real time 183
    redox potential 315 328
    runoff 223
    salinity 184 315 328 456
    San Francisco 354
    Schofield 27
    Sea 453
    seasons 224 386 453 506
    sediment water 315 386
    sediments 328 358 427
    sewage 27 456
    silica 536
    Sound 358
    spatial distribution 223
    stabilization 230
    stochastic 27
    sulfate 184
    sulfide 184
    symposium 456
    temperature 27 184 315
    temporal distribution 223
    Texar 315
    thermal 456
    three dimensional 427
    tides 183 507
    time dependent 427
    trace metals 184 456
    Transient Water Quality Network 183
    transport 223 244 354 427
    uptake rates 157
    Vellar 506
    vertical distribution 184
    Virginia 27
    Washington 358
    wastes 223 230
    water column 507
    wind 427
    zooplankton 157
productivity
    Aberdeen 453
    abundance 43 383 499
    Alaska 7
    Albemarle 43 450
    algae 89 140 256 339 343
    algae bluegreen 335
    algae colonial 152
    alkalinity 67 383
    amino acids 49
    ammonia 5 43 49 62 67 450 473 481
    ammonium 129 522
    animals 89 202
    ash 382
    assay 383
    ATP 465
    Australia 154
    autotrophic 86
    bacteria 256 339
    bacterioplankton 114
    Baltic 335
    barnacles 507
    Basin 381
    Baule Mitschlerlich 511
    Bay 22 40 64 67 86 91 140 141 231 238 288 296 330 365 453 465 473 499
    Bayou 102 181 313
    Bedford 381
    benthic 5 137 335 393 410 447 511 542
    benthic oxygen demand 80 542
    Bermuda 24
    bibliography 124
    bioenhancement 447
    biomass 62 140 154 231 296 304 336 339 445 447
    birds 256 339
    bloom 24 80 363 382 445 450
    Bothnia 137
    boundary layer 522
    buoys 37
    Burrard 460
    C/N 62 450 465
    Calanus pacificus 363
    calcium 339
    California 37 62 129 155 187 276 441 447
    cannery 447
    carbon 21 22 181 192 195 256 339 362 382 454 473 499 522 542
    carbon oxygen demand 80
    carbon/chlorophyll 62
    Carter 21
    ceramic panel substrates 37
    Chaetoceros 363
    chemical 102 428

Chesapeake 22 67 91 140 141 296 473
Chinhae 238
chlorinated hydrocarbons 37 137
chlorophyll 28 43 64 67 80 102 140 154 155 174 288 296 365 382 391 403 453 454 473 481
Chocolate 102
Chowan 450
Cochin 391
coliforms 542
Colville 7
community structure 89 174 256
Copepoda 195
crabs 231
Craiglin 393
Creek 21
crustaceans 195 256 339
ctenophores 362
cycles 21 91 129 185 410 428 499 522
C14 140 152 382 391 453
density 393
deoxygenation 104 542
detergent 335
detritus 22 192 195
diatoms 5 445
DIC 473
DIN 450
disease 238
dispersion 37
dissolved solids 137 313
distribution 155 383 460
diurnal 62 93 129
diversity 102 155 364 447
DO 67 80 93 102 137 154 174 194 202 304 313 335 441 447 542
DOC 104 416 473
DON 450
Duwamish 481
economics 37
energetics 365
energy transfer 141 192 195 231 276 335 362 534
Estuary 7 67 80 89 93 104 124 141 154 174 181 185 192 195 202 304 336 367 391 403 450 481 507
Euphaussid furcilia 363
Eurytemora affinis 195
eutrophication 124
factorial productivity 367
fatty acids 382
fauna 276 393
feeding rates 363
fertilizer 202 238 361 393
fiord 460
fish 202 231 256 335 339 447 515 534 542
fisheries 7 124 465
Fladen Ground 453
Florida 181
flushing 155
flux 22 187 362
foraminifera 256 339
freshwater 86 231
Galveston 231
glucose 313
Grevelingen 336
growth rates 522 534
Gulf 137 155
Harbor 447 460
Hawaii 64 330
heat 89 141 542
heterotrophic 86 256 339
Hydrobia ulvae 393
hydrology 7 43 91 124 137 141 154 174 441 515
H3 154
ice 542
indicator species 335 383 481
indices 102
industry 86 202 361
Inlet 460
inorganic 181 416
insects 256 339
intertidal 276
invertebrates 383
iron 137
Japan 445
Kaneohe 64 330
kelp 522
kinetics 313
Korea 238
Ks 62 522
laboratory culture 5
Lagoon 155
Lake 383
land development 43
light 24 174 336 542
Little River 154

Loch 393 454
Los Angeles 447
macroalgae 335
Macrocystis 522
macrofauna 137
macrophytes 24 276 511
Malpeque 499
management 231 428 515
manganese 416
marshes 21 22 192 339 390 507
Maryland 93 192 195 304
Massartia rotundata 365
meiofauna 256 339
metabolism 86 256 276 534
methods 37 114 152 296 465 542
microbes 141 195 313 343 445 499
microcopepods 330
microcosms 86 140 194 362 364
microflagellates 174
microplankton 403
mining 202 463
model 64 80 114 231 335 507 515 542
molluscs 256 339
morphology 522
mucus 152
mussels 507
nanoplankton 174 288 296 363 403
Netherlands 336
Nevis 454
New Jersey 390
New York 410
nitrate 5 64 67 129 382 454 473 481
nitrification 410
nitrite 5 67 473 481
nitrogen 21 22 43 62 67 80 91 115 129 181 185 187 194 202 256 330 339 362 499 522
nitrogen fixation 49
nitrogen oxygen demand 80
North 453 454
North Carolina 43 89 185 202 450
North Inlet 507
Nova Scotia 381 382
nutrients 7 24 28 62 80 86 89 104 137 141 192 288 304 313 336 343 362 364 383 391 410 416 428 441 445 463 465 473 511 515 522 542
N15 62 129
Obelia dichtoma 37
oil 137
organic 141
organic matter 28 410
organisms 335 410 447 542
orthophosphate 5
oysters 499 507
P/B 330 381
P/N 441
Pamlico 104 185 202
Parramatta 403
Patuxent 93 141 192 195 304
PC 465
Periphyton 481
pesticides 137
pH 67 383
phaeophytin 473
phosphate 64 67 181 202 313 361 454 481
phosphorus 21 22 43 49 80 91 115 137 154 181 187 194 256 304 339 382 463 473 499
phytoplankton 28 43 62 64 67 80 86 91 114 115 129 137 141 154 155 174 187 194 202 256 288 296 304 339 361 363 367 381 382 416 441 450 460 507 511 515 542
plankton 202 288 364 365 383 447
plants 141
PN 465
POC 104 453 454
pond experiment 89 256 339
Pontchartrain 383
populations mixed 367
populations single 367
Porphyra 238
Potomac 67 80
power plant 141
primary 5 7 21 22 24 28 40 43 49 62 64 80 86 91 93 104 115 124 129 137 140 141 152 154 155 174 181 185 187 192 195 202 238 276 288 296 304 335 336 343 361 362 367 382 383 390 391 403 410 416 441 445 450 453 460 465 473 481 507 511 515 522 542
processes 185 453 507
Pseudocalanus minutus 363
Puget 515

  P32 154
  Raritan 40 288 365
  rate constants 542
  ratio 381
  reaeration 80 542
  red tide 361
  redox potential 313
  resources 7
  respiration 28 80 86 89 93 102 104 343 365 382 441
  runoff 383 465
  salinity 43 67 154 174 202 231 383 441
  Scotland 454
  Scottlana canadensis 195
  Sea 335 445 453 454
  seasons 89 102 276 391 441 450 453
  secchi disc 441
  secondary 231 330 343
  sediment water 21 181 313
  sediments 49 137 187 304 410
  sewage 37 62 64 89 93 115 129 140 202 256 276 330 335 339 343 416 447
  shrimp 231
  silica 152 187 382
  Skeletonema 367
  Sound 43 450 515
  South Creek 89
  Spartina alterniflora 390
  spatial component 381
  spatial distribution 542
  St Lawrence 124
  St Margaret 465
  stress 534
  succession 367 460 515
  suspended solids 124 465
  symposium 137 335
  Taylor 102
  TDC 473
  temperature 43 67 89 154 174 202 391 441
  temporal distribution 542
  tertiary 339
  Texar 181
  Texas 86 102 231
  thermal 141 304
  three dimensional 515
  tides 22 155 507
  TOC 104
  trace metals 37 115 124 137
  Trinity 86
  trophic levels 515
  turbidity 43 67 511
  uptake rates 129
  urea 62 129
  Vancouver 460
  Virginia 21
  Vm 62 522
  Ware 21
  Washington 481 515
  wastes 86 102 137 238 447 481
  water column 507
  water velocity 336 522
  wetlands 192 195
  winter 445
  York 174 367
  zooplankton 67 86 102 137 140 154 194 296 335 363 391 542
  Zostera marina 336
profiles
  BOD 541
  DO 541
  Estuary 214
  microbes 541
  mixing depth 541
  nitrogen 541
  nonpoint sources 541
  nutrients 214
  organic 541
  phosphorus 541
  point sources 541
  Potomac 214
  predictions 541
  runoff 541
  salinity 541
  sediments 541
  soil erosion 541
  surface waters 541
  temperature 541
  thermal 541
  turbidity 541
Prorocentrum micans
  Bay 287
  bloom 287
  Massartia rotundata 287
  New York 287
  Olisthodiscus luteus 287
  phytoflagellate 287

salinity 287
protein
alkaline phosphatase 470
ammonia 69
ATP 295
Basin 295
Bay 470
Bedford 295
carbohydrates 295
carbon 295
Chlorella salina 69
chlorophyll 470
distribution 470
DNA 470
enzymes 470
flagellates 295
indices 470
microbes 470
nitrate 69
particulate matter 295
phosphate 69
phosphorus 470
phytoplankton 295
salinity 69
seston 470
sewage 69
Tokyo 470
uptake rates 69
zooplankton 295
Providence
Bay 423
chlorophyll 423
Estuary 423
fatty acids 423
microbes 423
Narragansett 423
oil 423
sewage 423
suspended solids 423
Taunton 423
Pseudocalanus minutus
bloom 363
Calanus pacificus 363
Chaetoceros 363
Euphaussid furcilia 363
feeding rates 363
nanoplankton 363
phytoplankton 363
productivity 363
zooplankton 363
pS2
pH 526
redox potential 526
sediments 526
pteropods
Bay 524
bloom 524
dinoflagellate 524
Fundy 524
Gonyaulax excavata 524
herring 524
Limacina retroversa 524
public opinion
agencies 61 159
Bay 61 429
benthic 508
Chesapeake 429
dredging 498
economics 498 508
fisheries 498
industry 498 508
local 61 159
management 61 159 429 498 508
nutrients 498
organisms 508
participation 61
pesticides 508
plants 508
power plant 498
recreation 508
resources 159 429 498
San Francisco 61
state 159
symposium 498
tertiary 508
wastes 508
Puerto Rico
algae bluegreen 243
algae mats 243
bacteria 243
Bay 243
Guayanilla 243
heterotrophic 243
nitrogen fixation 243
sediments 243
thermal 243
Puget
anaerobic 358
benthic 305 358
bibliography 84

- dehydrogenase 358
- disease 305
- diversity 17
- DO 117
- ecosystem 84
- fish 17 305 515
- hydrology 515
- intertidal 17
- invertebrates 17
- Lake 358
- land development 84
- macrofauna 17
- management 515
- metabolic heat release 358
- metabolism 358
- microcalorimetry 358
- model 515
- nutrients 358 515
- organic matter 358
- organisms 358
- orthophosphate 117
- oxygen 358
- phytoplankton 515
- primary 515
- processes 358
- productivity 515
- sediments 17 358
- sewage 17 305
- Sound 17 84 117 305 358 515
- succession 515
- three dimensional 515
- trophic levels 515
- Washington 17 84 305 358 515
- wastes 117

pulp mill
- amino acids 456
- annelids 370
- Apalachee 191 278
- bacteria 456
- bacteria proteolytic 456
- Bay 191 278 488
- benthic 191 370 409
- biomass 409
- BOD 136
- C/N 136
- carbohydrates 456
- Charleston 136
- crustaceans 370
- C14 456
- diversity 409
- DO 278
- England 370
- Estuary 98
- fauna 456
- fish 278 513
- fisheries 488
- Florida 191 278
- fucaceae 334
- fungus 456
- growth rates 459
- Harbor 136
- heterotrophic 456
- indicator species 191 370
- indices 456
- industry 136 488
- intertidal 334
- invertebrates 191
- Japan 488
- Laita 98
- Linnhe Eil 370
- Loch 370
- macrofauna 409
- methods 456
- microbes 456
- mining 513
- model 98
- molluscs 370
- mud flats 191
- Mytilus 334
- oil 456 513
- oyster reefs 191
- pesticides 513
- pH 302
- phytoplankton 456 459
- processes 456
- radioactivity 513
- runoff 513
- salinity 456
- salmonids 98 302
- seagrass 191
- sewage 136 456 488 513
- South Carolina 136
- Spain 334
- stress 334
- succession 370 409
- Suruga 488
- symposium 456
- thermal 456 513
- toxicity 302
- trace metals 456

    Ulvales 334
    wastes 136 191 302 334 488 513
Pygospio elegans
    Bathyporia sarsi 11
    Bay 11
    benthic 11
    Capitella capitata 11
    community structure 11
    Kiel 11
    macrofauna 11
    oligochaetes 11
    sewage 11
P32
    Australia 154
    Bay 469
    biomass 154
    bound 3
    Chesapeake 469
    chlorophyll 154
    clay 385
    dissolved 3
    DO 154
    Doboy 385
    DOP 469
    Estuary 154
    fertilizer 3
    flux 385
    Georgia 385
    hydrology 154
    H3 154
    inorganic 385
    Ks 469
    Little River 154
    microbes 385
    nitrate 3
    orthophosphate 469
    phosphate 385
    phosphorus 3 154
    phytoplankton 154 469
    polyphosphate 469
    pond experiment 3
    primary 154
    productivity 154
    salinity 154
    sediment water 385
    sediments 3
    Sound 385
    temperature 154
    turnover rates 469
    Vm 469
    zooplankton 154
quasi linear
    Agnes 415
    Bay 415
    Chesapeake 415
    chlorophyll 415
    Estuary 415
    Hurricane 415
    Michaelis Menton 415
    model 415
    nitrogen 415
    phosphorus 415
    phytoplankton 415
    Susquehanna 415
    wastes 415
Quinte
    Bay 52
    biomass 52
    Canada 52
    macrophytes 52
    phosphate 52
    sewage 52
    tertiary 52
radioactivity
    Bay 345 346 402
    bibliography 4 345 346
    chemical 516
    Chesapeake 345 346
    chlorinated hydrocarbons 491
    dredging 4
    economics 4 491
    Estuary 402
    eutrophication 4 345 346
    fish 513 516
    Florida 402
    food processing 516
    freshwater 402
    hydrology 491
    industry 516
    Louisiana 402
    management 402 491
    Mediterranean 491
    microbes 491 516
    mining 513
    model 345 346
    North Carolina 402
    nutrients 402 491 516
    oil 4 491 513
    Oregon 516
    Palm 402

    pesticides 4 513
    pollution 4
    pulp mill 513
    resources 345 346 491 516
    runoff 402 513
    Santee 402
    Sea 491
    sediments 491
    sewage 513 516
    South Carolina 402
    Sphaerotilus 516
    swamps 402
    thermal 4 513 516
    trace metals 4 491 516
    wastes 513
    wetlands 402
rainfall
    ammonia 176
    Bay 147 297
    Chesapeake 297
    Cladocera 147
    cycles 297
    DON 176
    Evadne tergestina 147
    Georgia 176
    local 297
    Malagasy Republic 147
    microbes 297
    nitrate 176
    nitrite 176
    nitrogen 297
    Nosy Be 147
    nutrients 297
    Penilia avirostris 147
    pH 176
    phosphorus 297
    phytoplankton 147 297
    seasons 147
    sediments 297
    symposium 297
    tropical 147
    uptake rates 297
    vertical transport 297
    zooplankton 147 297
Rangia
    Estuary 90
    hydrology 90
    mining 90
    North Carolina 90
    Pamlico 90
    phosphorus 90
    phytoplankton 90
    salinity 90
    sediments 90
    uptake rates 90
    wastes 90
Rappahannock
    alkalinity 380
    Bay 173 380 495
    BOD 495
    carbon 495
    Chesapeake 173 380 495
    Chickahominy 173
    chlorophyll 495
    coliforms 380
    DC 380
    deposition 328
    detritus 328
    DO 380 495
    Estuary 173 328 380 495
    industry 380
    James 173 380 495
    linear regression 173
    Maryland 380
    microbes 328
    nitrate 380
    nutrients 173 380 495
    Patuxent 173 380 495
    pesticides 380
    pH 380
    phosphate 380
    Potomac 173 380 495
    processes 328
    redox potential 328
    salinity 328
    seasons 173
    sediments 328 380
    sewage 380
    Susquehanna 173 380 495
    trace metals 380
    Virginia 380
    wastes 380
    watersheds 173 380
    York 173 380 495
Raritan
    Acartia 227
    Balanus 227
    Bay 40 224 226 227 288 365 366
    benthic 224
    bloom 227

    chlorophyll 288 365
    cycles 224
    DO 226
    energetics 365
    Estuary 227 426
    Eurytemora 227
    flux 366
    hydrology 224 226
    latitudinal gradients 227
    Massartia rotundata 365
    metabolism 224
    methods 426
    model 366
    N/P 226
    nanoplankton 288
    Narragansett 227
    negentropy 366
    New Jersey 224 226 227 426
    New York 426
    nitrate 224 226
    nutrients 226 227 288
    organic matter 227
    phosphate 224 226
    phytoplankton 227 288
    plankton 226 288 365 366
    primary 40 288
    processes 224
    productivity 40 288 365
    respiration 365
    Rhode Island 227
    salinity 226 227
    seasons 224 226 227
    spatial distribution 426
    temperature 226
    temporal distribution 426
    trace metals 426
    Virginia 227
    wastes 227
    York 227
    zooplankton 227
rate constants
    benthic 542
    benthic oxygen demand 542
    carbon 542
    coliforms 542
    deoxygenation 542
    DO 542
    fish 542
    heat 542
    ice 542
    light 542
    methods 542
    model 542
    nutrients 542
    organisms 542
    phytoplankton 542
    primary 542
    productivity 542
    reaeration 542
    spatial distribution 542
    temporal distribution 542
    zooplankton 542
ratio
    Basin 381
    Bedford 381
    Nova Scotia 381
    P/B 381
    phytoplankton 381
    productivity 381
    spatial component 381
reaeration
    benthic 542
    benthic oxygen demand 80 542
    bloom 80
    carbon 542
    carbon oxygen demand 80
    Channel 253
    chlorophyll 80
    coliforms 542
    deoxygenation 542
    DO 80 542
    Estuary 80
    fish 542
    heat 542
    Houston Ship 253
    hydrology 253
    ice 542
    light 542
    methods 542
    model 80 542
    nitrogen 80
    nitrogen oxygen demand 80
    nutrients 80 542
    organisms 542
    phosphorus 80
    phytoplankton 80 542
    Potomac 80
    primary 80 542
    productivity 80 542
    rate constants 542

- respiration 80
- spatial distribution 542
- temporal distribution 542
- zooplankton 542

real time
- aerobic 183
- ammonia 407
- BOD 212
- CBOD 407 408
- chlorophyll 407
- coliforms 183 407
- cycles 183
- DO 212 407 408
- Estuary 183 212 407 408
- hydrology 183 212 321
- inorganic 407
- management 183
- microbes 183
- model 183 212 321 407 408
- NBOD 408
- nitrate 407
- nitrite 407
- nitrogen 183 321 407
- one dimensional 407 408
- organic 407
- Pagan 407 408
- phosphorus 407
- phytoplankton 407
- Potomac 183
- predictions 183
- processes 183
- salinity 212 407 408
- tidal average 212
- tides 183
- Transient Water Quality Network 183
- Virginia 212
- York 212

recipient analog
- community structure 483
- methods 483
- primary 483
- secondary 483
- sewage 483
- tertiary 483

records
- Estuary 158
- history 158
- marshes 158
- Pb210 158
- plutonium 158
- Savannah 158
- sediments 158

recovery
- benthic 371
- community structure 371
- ecocline 371
- gradient 371
- indicator species 371
- indices 371
- organic enrichment 371
- sediments 371
- succession 371

recreation
- agriculture 517
- Bay 94
- benthic 508
- coliforms 94
- diversity 94
- dredging 96
- economics 94 508
- Estuary 82
- fertilizer 517
- fisheries 94 96
- flood control 96 517
- Hawaii 94
- hydrology 517
- industry 508 517
- Kaneohe 94
- land development 96 517
- Louisiana 96
- management 96 508
- Massachusetts 82
- nitrate 82
- nitrogen 94
- North Carolina 517
- nutrients 82 96 517
- organisms 508
- pesticides 508 517
- phosphate 82
- phosphorus 94
- phytoplankton 82 96
- Pines 82
- plants 508
- public opinion 508
- resources 517
- runoff 96
- sewage 82 94 96
- soil erosion 96
- Suagus 82

    tertiary 508
    Ulva 82
    wastes 508
    watersheds 517
    wetlands 96
recycle
    artificial recharge 138
    canal 138
    dissolved solids 138
    economics 138
    Estuary 138
    nitrification 138
    ozonization 138
    sewage 138
    Thames 138
    water supply 138
red tide
    aerobic 122
    benthic 10
    bloom 10
    coliforms 122
    cysts 10
    dinoflagellate 10
    fertilizer 361
    Gonyaulax 10
    industry 361
    Massachusetts 10
    microbes 122
    phosphate 361
    phytoplankton 361
    plankton 122
    primary 361
    productivity 361
    sewage 122
    spores 10
    toxicity 10
redox potential
    alkalinity 293
    ammonia 293
    anaerobic 127
    Bay 293
    Bayou 313 315
    Chesapeake 293
    chloride 293
    decomposition 299
    denitrification 127
    deposition 328
    detritus 328
    diffusion 127
    dissolved solids 313
    distribution 293
    DO 126 313 315
    electron transfer 299
    energy transfer 299
    Estuary 328
    floodwaters 127
    flux 315
    glucose 313
    growth rates 299
    interstitial 293
    iron 293
    kinetics 313
    Louisiana 126 127
    manganese 293
    marshes 126
    microbes 299 313 328
    nitrate 126 127
    nutrients 313
    organic matter 299
    pH 293 315 526
    phosphate 293 313 315
    processes 315 328
    productivity 313
    pS2 526
    Rappahannock 328
    salinity 315 328
    seasons 293
    sediment water 313 315
    sediments 126 328 526
    silica 293
    steady state 299
    substrates 299
    sulfate 293
    temperature 315
    Texar 315
reduction
    acetylene 444
    ammonia 444
    Bay 252
    cycles 233
    denitrification 444
    Denmark 233
    Mangoku 252
    microbes 252
    nitrate 252 444
    nitrification 252
    N15 252
    Odawa 252
    oxidation 233
    sediments 233 252 444

  - sulphur 233
  - turnover rates 233
  - Ura 252
  - Zostera 252
- regression analysis
  - remote sensing 527
- release
  - salinity 405
  - suspended solids 405
  - trace metals 405
- remote sensing
  - alpha fluorescence 329
  - ammonium 38
  - Bay 318
  - bibliography 211
  - Chesapeake 318
  - chlorophyll 329 350
  - Chrysaora quinquecirrha 38
  - dredging 318
  - dye 318
  - Estuary 350
  - eutrophication 211
  - indices 350
  - industry 211
  - Maryland 350
  - methods 350
  - nitrate 38
  - oil 211 318
  - Patuxent 350
  - pH 38
  - phosphate 38
  - phytoplankton 329
  - polyp 38
  - regression analysis 527
  - resources 211
  - sea nettle 38
  - sewage 38 318
  - suspended solids 350
  - thermal 211
- removal
  - methods 271
  - nutrients 271
  - sewage 271
- reproduction
  - abundance 120
  - algae 120
  - Bay 392
  - benthic 120
  - Chaetodon miliaris 392
  - diversity 120
  - fish 392
  - Great Britian 120
  - growth rates 392
  - Hawaii 392
  - Kaneohe 392
  - long term 120
  - seasons 120
  - sewage 392
  - wastes 120
  - zooplankton 392
- research
  - global 490
  - management 490
  - monitoring 490
  - resources 490
- resources
  - agencies 159
  - agriculture 517
  - Alaska 7
  - algae 216
  - Bay 345 346 429
  - bibliography 56 57 211 345 346
  - chemical 516
  - Chesapeake 345 346 429
  - chlorinated hydrocarbons 491
  - Colville 7
  - distribution 125
  - DO 216 222
  - dredging 498
  - economics 491 494 498
  - Estuary 7 209 216 222
  - eutrophication 56 57 211 345 346
  - fertilizer 517
  - fish 516
  - fisheries 7 398 494 498
  - flood control 517
  - food processing 516
  - freshwater 222
  - global 490
  - Hudson 209
  - hydrology 7 491 517
  - indices 125
  - industry 211 498 516 517
  - land development 56 57 209 216 517
  - local 159
  - management 159 209 398 429 490 491 494 498
  - Mediterranean 491
  - microbes 216 491 516

    Mississippi 125
    model 345 346
    monitoring 490
    nitrate 125
    North Carolina 517
    nutrients 7 125 216 222 491 494 498 516 517
    oil 211 491
    Oregon 516
    pesticides 517
    phosphate 125
    Potomac 216 222
    power plant 498
    primary 7
    productivity 7
    public opinion 159 429 498
    radioactivity 345 346 491 516
    recreation 517
    remote sensing 211
    research 490
    runoff 216
    Sea 491
    sediments 491
    sewage 516
    Sound 125
    Sphaerotilus 516
    state 159
    symposium 494 498
    thermal 211 516
    trace metals 216 491 516
    viruses 216
    wastes 216 222
    watersheds 517
respiration
    activated sludge 514
    algae 89 343
    ammonia 487
    animals 89
    ash 382
    autotrophic 86
    bacteria 440
    Bay 86 365 440
    Bayou 102
    benthic oxygen demand 80 440
    bloom 80 382
    BOD 487
    Buzzards 440
    California 441
    carbon 382
    carbon oxygen demand 80
    chemical 102
    chlorophyll 28 80 102 365 382
    Chocolate 102
    COD 440
    community structure 89
    C14 382
    denitrification 514
    deoxygenation 104
    diurnal 93
    diversity 102
    DO 80 93 102 441
    DOC 104
    energetics 365
    Estuary 80 89 93 104
    fatty acids 382
    freshwater 86
    heat 89
    heterotrophic 86
    hydrology 441
    indices 102
    industry 86
    Maryland 93
    Massartia rotundata 365
    metabolism 86
    microbes 343 487
    microcosms 86
    model 80
    nitrate 382 487
    nitrification 487 514
    nitrite 487
    Nitrobacter 487
    nitrogen 80
    nitrogen oxygen demand 80
    Nitrosomona 487
    North Carolina 89
    Nova Scotia 382
    nutrients 28 80 86 89 104 343 441
    organic matter 28
    P/N 441
    Pamlico 104
    Patuxent 93
    phosphorus 80 382
    phytoplankton 28 80 86 382 441
    plankton 365
    POC 104
    pond experiment 89
    Potomac 80
    primary 28 80 86 93 104 343 382 441

  productivity 28 80 86 89 93 102 104 343 365 382 441
  Raritan 365
  reaeration 80
  salinity 441
  seasons 89 102 441
  secchi disc 441
  secondary 343
  sediments 440
  sewage 89 93 343 440
  silica 382
  South Creek 89
  Taylor 102
  temperature 89 441
  Texas 86 102
  TOC 104
  Trinity 86
  wastes 86 102
  zooplankton 86 102
Rhode
  algae 133
  Bay 133
  biomass 133
  Chesapeake 133
  Estuary 133
  microbes 133
  orthophosphate 133
  uptake rates 133
Rhode Island
  Acartia 227
  ammonia 178 387
  Balanus 227
  Bay 178 227 387
  benthic 178
  bloom 227
  carbon 387
  chambers 178
  DO 387
  Estuary 227
  Eurytemora 227
  flux 178 387
  inorganic 178
  latitudinal gradients 227
  microcosms 387
  Narragansett 178 227 387
  New Jersey 227
  nitrate 178
  nitrite 178
  nitrogen 387
  nutrients 227 387
  organic matter 227
  phosphate 178
  phosphorus 387
  phytoplankton 227
  Raritan 227
  salinity 227
  seasons 227
  sediment water 178 387
  sediments 387
  temperature 178
  trace metals 387
  Virginia 227
  wastes 227
  York 227
  zooplankton 227
Rockaway Point
  abundance 113
  ammonium 113
  Bight 113
  chlorophyll 113
  distribution 113
  freshwater 113
  New Jersey 113
  New York 113
  nitrate 113
  nitrite 113
  phosphate 113
  phytoplankton 113
  salinity 113
  silica 113
  suspended solids 113
  temperature 113
Rogerstown
  algae mats 130
  Estuary 130
  Ireland 130
  mud flats 130
  nutrients 130
  organic 130
  wastes 130
runoff
  abundance 383
  agriculture 26 60
  algae 216 442
  algae mats 60
  alkalinity 383
  assay 383
  ATP 465
  Australia 60 424
  Bay 402 465

benthic oxygen demand 420
BOD 541
C/N 150 465
chlorophyll 424
COD 442
cycles 464
Delaware 134
detritus 424
distribution 383
DO 216 464 541
DOC 150
DON 150
dredging 96
economics 134
Estuary 134 143 216 223 402
fertilizer 464
fish 513
fisheries 96 465
flood control 96
Florida 402
freshwater 402 420
Georgia 150
Hacking 424
hydrology 420 424
indicator species 383
industry 134 205 442 464
invertebrates 383
isopleths 223
Lagoon 60
Lake 383
land development 96 216
light 420 424
Louisiana 96 402 442
management 96 205 402
marshes 442
methods 424 465
microbes 216 442 541
mining 464 513
mixing depth 541
model 205 223 420
nitrate 143
nitrogen 541
nonpoint sources 223 541
North Carolina 402
nutrients 26 96 143 216 223 383 402 442 465
oil 513
one dimensional 420
organic 541
Orielton 60
Palm 402
PC 465
pesticides 513
pH 383
phosphate 143
phosphorus 223 464 541
phytoplankton 96 424
plankton 383
PN 465
point sources 541
Pontchartrain 383
Port 424
Potomac 216 223
predictions 541
primary 383 465
processes 223
productivity 383 465
profiles 541
pulp mill 513
radioactivity 402 513
recreation 96
resources 216
salinity 60 383 541
salts 143
Santee 402
Savannah 150
sediments 424 541
sewage 60 96 134 442 464 513
soil erosion 96 541
Sound 150
South Carolina 402
spatial distribution 223
St Margaret 465
stochastic 205 420
storm loading 134
surface waters 541
suspended solids 424 465
swamps 402
Tasmania 60
temperature 60 420 541
temporal distribution 223
Thames 143
thermal 513 541
TOC 442
trace metals 216
transport 223
turbidity 420 541
United Kingdom 143
viruses 216
wastes 134 143 216 223 442 464

  513
  wetlands 26 96 402
Sacramento
  Estuary 341
  model 341
  nutrients 341
  phytoplankton 341
  Potomac 341
  symposium 341
  zooplankton 341
Sacramento San Joquin
  ammonia 477
  BOD 477
  California 477
  cycles 477
  Delaware 477
  Delta 477
  DIN 477
  DO 477
  Estuary 477
  model 477
  nitrite 477
  nitrogen 477
  oxidation 477
  phytoplankton 477
  Potomac 477
  stochastic 477
  zooplankton 477
Sado
  Estuary 474
  organic matter 474
  Portugal 474
  Tagus 474
  temperature 474
  yeast 474
Sagami
  Actinetobacter 431
  bacteria 431
  Bay 431
  heterotrophic 431
  nutrients 431
  phytoplankton 431
  Suruga 431
  Tokyo 431
  Vibrios 431
  zooplankton 431
Saldanha
  Bay 76
  benthic 76
  cannery 76
  macrofauna 76
  South Africa 76
  wastes 76
salinity
  abundance 43 113 383 389
  Acartia 227
  adsorption 259
  agriculture 60
  agrochemicals 455
  Alaska 319
  Albemarle 43
  algae mats 33 60
  alkalinity 47 67 184 383 455
  amino acids 456
  ammonia 43 44 50 67 69 184 204 311 388 407
  ammonium 113
  animals 202
  arctic 319
  assay 383
  Australia 60 154 388
  bacteria 456
  bacteria proteolytic 456
  Balanus 227
  Barataria 95
  Basin 95
  Bay 67 71 184 198 226 227 231 287 353 388 389 422 455
  Bayou 315
  benthic 33 106 319 388 389
  benthic oxygen demand 33
  Bight 113
  biomass 154 231 332
  black necrosis 2
  bloom 204 227 287
  boat traffic 455
  BOD 71 212 290 311 353 541
  British Columbia 512
  Broadkill 101
  Burry Inlet 2
  California 441
  canal 512
  carbohydrates 456
  carbonate ion 308
  CBOD 407 408
  Chesapeake 67 184 422 455
  Chlorella salina 69
  chlorine 184 455
  chlorophyll 43 47 67 101 113 154 174 184 407

clay 259 458
coliforms 290 353 407
community structure 174
Cook 319
crabs 231
Crangon crangon 2
cycles 241
C14 456
Damariscotta 106
Delaware 101
density 198
deposition 328
detergent 2 270
detritus 328
disease 455
distribution 50 71 113 383
diversity 389
DO 2 47 67 71 101 106 154 174 184 202 212 226 241 270 290 311 315 319 332 353 389 407 408 441 541
DOC 308 311
DON 311
dredging 455 512
dye 68
east coast 77
energy transfer 231
epiphytes 455
Estuary 33 47 50 67 90 101 106 154 174 202 204 212 227 328 389 407 408 492
Eurytemora 227
fauna 388 389 455 456
fertilizer 202 204
fish 44 106 202 231
fisheries 77 95
flushing 512
flux 315 458
freshwater 113 204 231
fungus 456
Galveston 231
Great Britian 2
growth rates 106
Harbor 458
heterotrophic 456
Hobsons 389
Hong Kong 458
hydrology 43 71 90 154 174 198 212 226 241 441
H3 154
indicator species 383
indices 456
industry 202
Inlet 319
inorganic 101 407
interface salt fresh 311
invertebrates 106 383
iron 492
Jamaica 353
James 47
juveniles 77
laboratory culture 106
Lagoon 60
Lake 383
land development 43 458
larvae 106
latitudinal gradients 227
light 174
Little River 154
Louisiana 95
Maine 106
management 231 471
Maryland 68
Massartia rotundata 287
methods 456
Michaelis Menton 71
microbes 2 319 328 332 456 541
microflagellates 174
mining 90 202
mixing depth 541
model 33 71 198 212 231 353 407 408
molluscs 308
Murderkill 101
N/P 226
nanoplankton 174
Narragansett 198 227
NBOD 408
Neuse 204
New Jersey 113 226 227
New York 113 287 353
nitrate 50 67 69 113 204 226 407
nitrite 50 67 113 290 311 407
nitrogen 43 50 67 101 202 319 353 407 541
nonpoint sources 541
North Carolina 43 90 202 204 492
NO2 47
NO3 47
nursery grounds 95

nutrients 50 71 95 101 226 227 241 259 270 383 388 441 455 471 512
oil 455 456
Olisthodiscus luteus 287
one dimensional 407 408
Oregon 33
organic 50 259 407 541
organic matter 227 290 422
organisms 319
Orielton 60
orthophosphate 184
outfall diffuser 68
oysters 471
P/N 441
Pagan 407 408
Pamlico 90 202 492
PC 270
Penobscot 106
pH 2 44 47 67 71 101 184 259 290 308 311 315 319 332 383 455
phosphate 50 67 69 113 184 202 226 259 315 458 492
phosphorus 43 47 90 101 154 204 241 259 319 353 407 541
phytoflagellate 287
phytoplankton 43 47 67 71 90 113 154 174 202 204 227 407 441 456
plankton 202 226 270 319 383
PN 47 270
point sources 541
poly B hydroxybutyrate 332
Pontchartrain 383
Port Phillip 388
Potomac 67
predictions 541
primary 43 154 174 202 383 441
processes 184 315 328 456
productivity 43 67 154 174 202 231 383 441
profiles 541
Prorocentrum micans 287
protein 69
pulp mill 456
P32 154
Rangia 90
Rappahannock 328
Raritan 226 227
real time 212 407 408
redox potential 315 328
release 405
respiration 441
Rhode Island 227
Rockaway Point 113
runoff 60 383 541
San Francisco 71
seasons 50 71 226 227 290 441
secchi disc 422 441
secondary 231
sediment water 259 315
sediments 33 90 106 328 332 388 458 492 541
seston 270
settlement 106
sewage 60 68 69 202 204 259 319 388 456 471
sewage treatment farm 388
Sheepscot 106
shellfish 290
shrimp 231
silica 113 319
silicate 50
soil erosion 541
Sound 43
specie key 455
St Lawrence 50
submerged vegetation 455
sulfate 184
sulfide 33 184
surface waters 541
suspended solids 113 405 422 492
symposium 456
Tasmania 60
temperature 2 43 44 47 50 60 67 68 71 77 106 113 154 174 184 202 226 259 270 290 315 441 455 512 541
Texar 315
Texas 231
Theora fragilis 389
thermal 456 541
three dimensional 198
tidal average 212
tides 33 101 512
Tolo 458
trace metals 2 184 311 405 455 456
turbidity 43 67 455 541
two dimensional 353
uptake rates 69 90 259

    urea 50
    vertical distribution 184
    Virginia 212 227 259
    wastes 90 204 227 512
    water velocity 455
    Werribee 388
    wetlands 95 101
    wind 422
    Yaquina 33
    Yarra 389
    York 174 212 227
    zooplankton 67 77 154 227
salmonids
    Bay 8 401
    California 8
    DO 8 401
    Estuary 98
    fish kills 401
    Galveston 401
    gas bubbles 401
    Humboldt 8
    Laita 98
    model 98
    mucus 401
    pH 8 302
    pond experiment 8
    pulp mill 98 302
    saturation 401
    sewage 8
    Texas 401
    toxicity 302
    wastes 302
salt wedge
    Duwamish 480
    Estuary 480
    nutrients 480
    Washington 480
Saltkallefjord
    benthic 352
    Byfjorden 352
    crustaceans 352
    Estuary 352
    Gothenburg 352
    indicator species 352
    Kungsbackafjorden 352
    macrofauna 352
    meiofauna 352
    Sweden 352
    zooplankton 352
salts
    BOD 36
    DO 36
    Estuary 143
    light 36
    NaCl 36
    nitrate 143
    nutrients 143
    phosphate 143
    runoff 143
    sediments 36
    suspended solids 36
    temperature 36
    Thames 143
    turbidity 36
    United Kingdom 143
    wastes 143
sampling frequency
    Estuary 249
    methods 249
    nutrients 249
    Squamish 249
San Diego
    Bay 425
    Meydenbauer 425
    sewage 425
    water craft 425
    Wollochet 425
San Francisco
    agencies 61
    ammonium 228
    Bay 61 71 228 354 378
    BOD 71
    distribution 71
    DO 71
    energy transfer 354
    freshwater 378
    hydrology 71 354 378
    local 61
    management 61
    methods 228
    Michaelis Menton 71
    model 71 354 378
    nitrate 228
    nitrite 228
    nitrogen 228
    nutrients 71
    orthophosphate 228
    participation 61
    pH 71
    phosphorus 228

    phytoplankton 71
    processes 354
    public opinion 61
    salinity 71
    seasons 71
    silica 378
    temperature 71
    transport 354
    two dimensional 378
sand
    Clyde 375
    Enteromorpha 375
    Estuary 375
    fauna 375
    fisheries 375
    molluscs 375
    nutrients 375
    Scotland 375
    sediments 375
    sewage 375
    worms 375
Santee
    Bay 402
    Estuary 402
    Florida 402
    freshwater 402
    Louisiana 402
    management 402
    North Carolina 402
    nutrients 402
    Palm 402
    radioactivity 402
    runoff 402
    South Carolina 402
    swamps 402
    wetlands 402
Saronic
    Cladocera 245 310
    Evadne 310
    Greece 245 310
    Gulf 245 310
    indicator species 245 310
    industry 245
    seasons 245 310
    sewage 245 310
    temperature 245 310
    wastes 245
    zooplankton 245
saturation
    Bay 401
    DO 401
    fish kills 401
    Galveston 401
    gas bubbles 401
    mucus 401
    salmonids 401
    Texas 401
Savannah
    C/N 150
    dissolved 131
    DOC 150
    DON 150
    Estuary 131 158
    Georgia 150
    history 158
    inorganic 131
    marshes 158
    Mississippi 131
    Orinoco 131
    Pb210 158
    plumes 131
    plutonium 158
    records 158
    runoff 150
    sediments 158
    silica 131
    Sound 150
    suspended solids 131
    uptake rates 131
Scheldt
    Belgium 376 535
    bloom 376
    clay 535
    deposition 376
    diatoms 376 535
    dissolved 535
    DO 376
    Estuary 376 535
    hydrology 376
    interface salt fresh 376
    nutrients 376
    sediments 376 535
    self purification 376
    silica 535
    suspended solids 376
    trace metals 376
    transport 376
Schizothrix calicola
    algae bluegreen 254
    Cyanophyta 254

- fish kills 254
- hosts 254
- indicator species 254
- microbes 254
- viruses 254

Schofield
- carbon 27
- Estuary 27
- inorganic 27
- James 27
- microbes 27
- model 27
- nitrate 27
- nitrite 27
- organic 27
- phosphate 27
- phytoplankton 27
- predictions 27
- processes 27
- sewage 27
- stochastic 27
- temperature 27
- Virginia 27

Scotland
- carbon 454
- chlorophyll 454
- Clyde 375
- Enteromorpha 375
- Estuary 375
- fauna 375
- fisheries 375
- Loch 454
- management 83
- molluscs 375
- Nevis 454
- nitrate 454
- North 454
- nutrients 375
- phosphate 454
- POC 454
- productivity 454
- sand 375
- Sea 454
- sediments 375
- self purification 83
- sewage 375
- worms 375

Scottlana canadensis
- carbon 195
- Copepoda 195
- crustaceans 195
- detritus 195
- energy transfer 195
- Estuary 195
- Eurytemora affinis 195
- Maryland 195
- microbes 195
- Patuxent 195
- primary 195
- productivity 195
- wetlands 195

Sea
- Aberdeen 453
- algae bluegreen 335
- Baltic 335
- Bay 453
- benthic 335 338
- biomass 445
- Black 303
- bloom 445
- carbon 454
- Chaetoceros simplex 303
- chlorinated hydrocarbons 491
- chlorophyll 453 454
- COD 338
- crustaceans 338
- C14 453
- Delaware 411
- detergent 335
- diatoms 153 445
- distribution 153 309
- DO 335
- economics 491
- energy transfer 335
- Estuary 309 411
- fish 335
- fisheries 338 411
- Fladen Ground 453
- hydrology 491
- indicator species 303 335
- industry 232
- interstitial 503
- intertidal 309
- Irish 309
- Japan 338 445
- kelp 232
- Loch 454
- long term 153
- macroalgae 335
- macrofauna 309

  macroinvertebrates 232
  management 411 491
  mass transfer 503
  Mediterranean 491
  Mersey 309
  metals 232
  microbes 445 491
  model 335 338 411 503
  Nevis 454
  nitrate 303 454
  nitrogen 338
  North 153 232 411 453 454 503
  nutrients 445 491
  oil 338 491
  organic 309
  organic matter 338
  organisms 335
  phosphate 303 454
  phytoplankton 153 303 411
  POC 453 454
  primary 335 445 453
  processes 453
  productivity 335 445 453 454
  radioactivity 491
  resources 491
  Scotland 454
  seasons 309 453
  sediments 338 491
  Seto 338
  sewage 232 303 335 338
  silica 503
  succession 232 411
  sulfate 338
  sulfide 338
  symposium 335
  temperature 153
  trace metals 491
  two layer 503
  wastes 232 309
  winter 445
  zone 503
  zooplankton 153 335
sea nettle
  ammonium 38
  Chrysaora quinquecirrha 38
  nitrate 38
  pH 38
  phosphate 38
  polyp 38
  remote sensing 38
  sewage 38
seagrass
  algae 438
  amino acids 528
  Apalachee 191
  Bay 191 355
  benthic 191 234 438 528
  Chesapeake 355
  clay 374
  Cockburn 63
  conference 528
  cycles 528
  detergent 234
  detritus 528
  fertilizer 355
  fish 528
  fisheries 528
  Florida 191
  France 234
  growth rates 63 355
  Gulf 234
  indicator species 191
  invertebrates 191 528
  management 528
  Marseilles 234
  microbes 528
  model 438
  mud flats 191
  nitrogen 528
  nutrients 355 528
  oil 528
  organisms 234 528
  oyster reefs 191
  pesticides 528
  phosphorus 528
  Posidonia australis 63
  Posidonia oceanica 234
  pulp mill 191
  seasons 63
  sediments 63
  sewage 234 374
  silica 528
  Sound 63
  stress 528
  Texas 438
  trace metals 438 528
  turbidity 374
  urea 528
  wastes 191
  wetlands 528

  zooplankton 528
seasons
  Aberdeen 453
  abundance 120
  Acartia 227
  Albemarle 450
  algae 89 120 248 448
  alkaline phosphatase 142
  alkalinity 293
  ammonia 50 293 450
  ammonium 186
  analysis of variance 395
  animals 89 186
  argon 397
  assay 448
  ATP 135
  Balanus 227
  Bay 71 147 173 199 224 226 227 293 300 397 406 448 453
  Bayou 102
  benthic 120 224 248 331 395
  bloom 227 450 521
  BOD 71 274 290
  Buzzards 406
  C/N 406 450
  California 276 441
  carbon 135
  chemical 102
  Chesapeake 173 293 397
  Chickahominy 173
  chloride 293
  chlorophyll 102 300 391 406 453
  Chocolate 102
  Chowan 450
  Cladocera 147 245 310
  cobalamin 509
  Cochin 391
  Cockburn 63
  coliforms 290
  Columbia 175
  community structure 89
  CO2 397
  cycles 186 224
  C14 391 453
  detritus 406
  DIN 199 450
  distribution 50 71 293 309
  diversity 102 120 300 395
  DO 71 102 226 290 441
  DOM 404
  DON 450
  DRP 199
  Duwamish 521
  energy transfer 276
  Estuary 50 89 103 135 173 175 186 227 309 391 450 506 521
  Eurytemora 175 227
  Evadne 310
  Evadne tergestina 147
  fauna 276
  Firth of Forth 395
  Fladen Ground 453
  fungus 501
  Georgia 386
  Great Britian 120 199 274
  Greece 245 310
  growth rates 63
  Gulf 245 310
  heat 89
  hydrology 71 224 226 441 448 521
  indicator species 245 310 331
  indices 102 395
  industry 245
  inorganic 186 506
  interstitial 293
  intertidal 276 309 395
  invertebrates 331
  Irish 309
  iron 293
  James 173
  latitudinal gradients 227
  life cycles 248
  light 175 448 521
  linear regression 173 175
  Liverpool 199
  Long Island 404 509
  long term 120 199
  macrofauna 309 395
  macrophytes 103 276
  Malagasy Republic 147
  manganese 293
  Massachusetts 331 406
  Mersey 309
  metabolism 224 276 386
  methane 397
  methods 135
  Michaelis Menton 71
  microbes 135 142 404 501
  model 71 386
  N/P 226

  nanoplankton 300 406
  Narragansett 227
  nematodes 331
  New Jersey 224 226 227 300
  Newark 300
  Newport 135
  nitrate 50 175 186 224 226
  nitrite 50 186 290
  nitrogen 50 186 199 397 506
  North 453
  North Carolina 89 135 186 450
  Nosy Be 147
  nutrients 50 71 89 142 173 186 226 227 391 441 448 509 521
  Oregon 175 448
  organic 50 135 186 309 506
  organic aggregates 404
  organic matter 227 290
  orthophosphate 509
  Oslofjord 248
  P/N 441
  Pamlico 103 186
  Patuxent 173
  Penilia avirostris 147
  Periphyton 521
  pH 71 142 290 293
  phosphate 50 142 175 224 226 293
  phosphorus 199 386
  phytoplankton 71 147 175 227 274 300 404 441 450 506 509 521
  plankton 226
  plants 186
  POC 406 453
  POM 404
  PON 406
  pond experiment 89
  Posidonia australis 63
  Potomac 173
  primary 276 391 441 450 453
  processes 224 386 453 506
  productivity 89 102 276 391 441 450 453
  rainfall 147
  Rappahannock 173
  Raritan 224 226 227
  redox potential 293
  reproduction 120
  respiration 89 102 441
  Rhode Island 227
  salinity 50 71 226 227 290 441
  San Francisco 71
  Saronic 245 310
  Sea 309 453
  seagrass 63
  secchi disc 441
  sediment water 386
  sediments 63 135 186 397
  sewage 89 142 245 274 276 310 331 448
  shellfish 290
  silica 175 293
  silicate 50
  Sound 63 404 450 509
  South Creek 89
  spatial distribution 248
  St Lawrence 50
  sulfate 293
  suspended solids 406
  Susquehanna 173
  synthesis 501
  Taylor 102
  temperature 50 71 89 226 245 290 310 391 441 448
  temporal distribution 248
  Texas 102
  thiamine 509
  tropical 147
  urea 50 186
  Vellar 506
  Virginia 227
  vitamins 501
  wastes 102 120 227 245 309
  watersheds 173
  Woods Hole 331
  Yaquina 448
  yeast 501
  York 173 227
  zooplankton 102 147 175 227 245 391 404 406
seaweeds
  symposium 229
secchi disc
  Aquaforte 145
  Bay 422
  California 441
  Canada 145
  Chesapeake 422
  DO 441
  euglenoid 145
  Harbor 145

    hydrology 441
    indicator species 145
    nanoplankton 145
    nutrients 441
    organic matter 422
    P/N 441
    phytoplankton 145 441
    primary 441
    productivity 441
    respiration 441
    salinity 422 441
    seasons 441
    sewage 145
    St Johns 145
    suspended solids 422
    temperature 441
    wind 422
secondary
    algae 236 343 430
    ammonia 123 273 430
    batch culture 144
    Bay 182 231 330
    biomass 144 231
    bloom 144
    BOD 348
    carbon 144
    Chlorophyta 144 430
    community structure 483
    continuous culture 144
    coral 182
    CO2 144
    crabs 231
    Cyanophyta 144 430
    denitrification 326
    energy transfer 231 348
    enterovirus 439
    Estuary 430
    exchange diffusion 123
    fertilizer 273
    Fiji Island 326
    fish 231
    freshwater 231
    Galveston 231
    growth rates 236
    Hawaii 182 330
    industry 348
    inorganic 326
    ion exchange 273
    Kaneohe 182 330
    management 231
    mangroves 326
    Maryland 430
    methods 118 123 483
    microbes 182 326 343
    microcopepods 330
    model 231 348
    nitrate 123
    nitrogen 144 326 330
    nitrogen fixation 144 182
    Norway 236
    nutrients 236 343
    N14 118
    N15 118
    P/B 330
    pesticides 348
    pH 144
    phosphate 123 273 430
    phosphorus 236
    phytoplankton 144
    Potomac 430
    primary 236 343 483
    productivity 231 330 343
    recipient analog 483
    respiration 343
    salinity 231
    sediments 182 326 439
    sewage 144 182 236 273 326 330 343 348 430 439 483
    shrimp 231
    succession 144
    tertiary 236 326 483
    Texas 231
    trace metals 348
    wastes 118 123 348
sediment water
    adsorption 259
    ammonia 178 387
    argon 396
    Bay 178 379 387 396
    Bayou 181 313 315
    benthic 178
    bubbles 396
    carbon 21 181 387
    Carter 21
    chambers 178
    chemical 179
    Chesapeake 396
    clay 259 385
    CO2 396
    Creek 21

  cycles 21
  dissolved solids 313
  DO 242 313 315 387
  Doboy 385
  Estuary 181
  Florida 181
  flux 178 315 379 385 387
  Georgia 385 386
  glucose 313
  H2S 396
  inorganic 178 181 385
  kinetics 313
  marshes 21
  metabolism 386
  methane 396
  methods 179
  microbes 179 313 385
  microcosms 379 387
  model 386
  Narragansett 178 379 387
  nitrate 178
  nitrite 178
  nitrogen 21 181 242 387 396
  nutrients 259 313 387
  organic 259
  pH 259 315
  phosphate 178 181 259 313 315 385
  phosphorus 21 181 242 259 379 386 387
  primary 21 181
  processes 315 386
  productivity 21 181 313
  P32 385
  redox potential 313 315
  Rhode Island 178 387
  salinity 259 315
  seasons 386
  sediments 242 387
  sewage 259
  Sound 385
  temperature 178 259 315
  Texar 181 315
  trace metals 242 387
  uptake rates 259
  Virginia 21 259
  Ware 21
sediments
  acetylene 25 444
  acid extraction 206
  aerobic 58 537
  Agnes 421
  Alabama 132
  algae 537
  algae bluegreen 243 247
  algae mats 33 243
  alkalinity 149 380
  amino acids 49
  ammonia 49 165 190 247 289 387 388 444
  ammonium 186 210
  anaerobic 58 358
  animals 186
  argon 397
  assay 58
  ATP 135 206 275
  Australia 388 424
  bacteria 243 246 440
  Bay 132 182 190 208 243 252 297 301 380 387 388 397 417 421 427 433 440
  Belgium 376 504 535
  benthic 33 106 137 208 338 358 371 388 410 433 539
  benthic oxygen demand 33 440
  Bight 189 275
  biomass 201 247 275 304 332 525 537
  bioturbation 539
  Biscayne 427
  bloom 201 275 376 537
  BOD 36 539 541
  Bothnia 137
  bound 3
  British Columbia 247
  Buzzards 440
  cadmium 210 275
  calcium 461
  California 187
  cannery 25
  carbon 19 135 387
  Ceratium 275
  charcoal adsorption 206
  chemical 427
  Chesapeake 297 301 380 397 417 421
  chlorinated hydrocarbons 137 491
  chlorophyll 289 424
  clay 458 535
  Clyde 375

Cockburn 63
COD 289 338 440
coliforms 380
community structure 371
Connecticut 58
Copps Brook 58
coral 182
CO2 397 537
crustaceans 338
cycles 186 233 247 297 410
C14 537
Damariscotta 106
DC 380
degradation 58
dehydrogenase 358
Delaware 539
denitrification 190 326 444 504
Denmark 233
density 246 537
deposition 328 376
detritus 328 424 537
diatoms 376 535
dissolved 3 535
dissolved solids 137
distribution 417
diversity 17 246
DO 36 106 126 137 242 304 332 376 380 387 541
DOC 58
DON 201
ecocline 371
economics 491
Enteromorpha 375
enterovirus 439
enzymes 165
Estuary 33 90 106 135 158 186 201 219 289 304 328 375 376 380 492 493 535 539
fauna 375 388 539
fertilizer 3
Fiji Island 326
fish 17 106
fisheries 338 375
Florida 427 433
flushing 437
flux 187 387 458
free surface 427
freshwater 219
Galveston 208
Georgia 59
Giens 285
gradient 371
growth rates 63 106 285
Guayanilla 243
Gulf 137 285
Hacking 424
Harbor 458
Hawaii 182
heterotrophic 243 246
Hillsborough 433
history 158
Hong Kong 458
Hurricane 421
hydrology 90 132 137 201 208 376 424 491
indicator species 208 371 417
indices 189 208 371 437
industry 208 275 301 380
Inlet 25
inorganic 186 201 326
interface salt fresh 132 376
interstitial 58 504
intertidal 17 25
invertebrates 17 106 433
iron 137 492 493
James 380
Japan 190 338
Kaneohe 182
Klebsiella pneumoniae 25
laboratory culture 106
Lake 358
land development 458
larvae 106
light 36 424
Limnodrilus 539
local 297
Louisiana 126
macrofauna 17 137
macrophytes 247 537
Maine 106
management 491
Mangoku 190 252
mangroves 326
marina 437
marshes 59 126 149 158 210 461
Maryland 304 380
Mediterranean 491
metabolic heat release 358
metabolism 58 358 525
methane 397

methods 135 165 206 424 493
microbes 58 59 135 182 247 252 275 297 326 328 332 417 491 525 537 541
microcalorimetry 358
microcosms 387
microstructure 538
mining 90 201
mixing depth 541
Mobile 132
model 33 58 132 338 427 437 504
molluscs 375
momentum transfer 132
NaCl 36
Narragansett 387
New York 189 275 410
New Zealand 25
Newport 135
nitrate 3 126 186 201 219 252 380 444 504
nitrification 252 410 504
nitrite 186 219 504
nitrogen 186 187 201 210 242 247 297 326 338 387 397 461 541
nitrogen fixation 25 49 182 243
nomogram 437
nonpoint sources 541
North Carolina 90 135 186 492 493
nutrients 25 58 137 149 186 210 289 297 304 358 375 376 380 387 388 410 491
N15 190 252
Odawa 252
oil 137 338 491
oligochaetes 539
Oregon 33
organic 135 186 539 541
organic enrichment 371
organic matter 58 338 358 410 504
organisms 358 410
oxidation 233
oxygen 358
Pamlico 90 186 201 492 493
Patuxent 304 380
Pb210 158
Penobscot 106
percolator 165
pesticides 137 380
pH 332 380 526
PHB 525
phosphate 219 247 380 458 492
phosphorus 3 19 49 90 137 149 187 201 210 242 247 289 297 304 387 461 493 541
phytoplankton 90 137 187 201 297 304 424
plants 186 461
plutonium 158
POC 58
point sources 541
poly B hydroxybutyrate 332 525
POM 421
PON 190
pond experiment 3
Port 424
Port Phillip 388
Posidonia australis 63
Posidonia oceanica 285
potassium 461
Potomac 219 289 380
predictions 433 541
primary 49 137 187 304 410
processes 328 358 427
productivity 49 137 187 304 410
profiles 541
pS2 526
Puerto Rico 243
Puget 17 358
P32 3
radioactivity 491
rainfall 297
Rangia 90
Rappahannock 328 380
records 158
recovery 371
redox potential 126 328 526
reduction 233 252 444
resources 491
respiration 440
Rhode Island 387
runoff 424 541
salinity 33 90 106 328 332 388 458 492 541
salts 36
sand 375
Savannah 158
Scheldt 376 535
Scotland 375

- Sea 338 491
- seagrass 63
- seasons 63 135 186 397
- secondary 182 326 439
- sediment water 242 387
- self purification 246 376
- Seto 338
- settlement 106
- sewage 17 19 25 182 189 219 285 301 326 338 375 380 388 417 421 433 439 440
- sewage treatment farm 388
- Sheepscot 106
- silica 149 187 535
- Simoda 190
- slaughterhouse 25
- soil erosion 421 541
- Sound 17 63 358
- South Carolina 149
- spatial distribution 219
- steroids 189
- succession 201 371
- sulfate 165 338
- sulfide 33 338
- sulphur 233
- surface waters 541
- suspended solids 36 59 376 417 421 424 492 538
- Susquehanna 380
- symposium 137 297
- Tar 201
- temperature 36 106 541
- temporal distribution 219
- tertiary 301 326 433
- tetrazolium salt 58
- Texas 208
- thermal 243 304 541
- three dimensional 132 427
- tides 19 33 210
- time dependent 132 427
- TKN 219
- Tokyo 190
- Tolo 458
- trace metals 137 149 196 210 242 376 380 387 491
- transport 132 301 376 427
- tris extraction 206
- turbidity 36 541
- turnover rates 233 537
- uptake rates 90 297 537
- Ura 190 252
- urea 165 186
- vertical transport 297
- Virginia 380
- vitamin B12 59
- Vm 537
- Waimea 25
- Washington 17 358
- wastes 25 90 137 196 208 275 301 380 539
- water column 196 417 537
- watersheds 58 219 380
- weight 289
- Werribee 388
- wind 427
- worms 375
- Yaquina 33
- York 380
- zinc 210
- zooplankton 137 297
- Zostera 252

- Seine
  - Aisne 35
  - carbon 35
  - Estuary 35
  - France 35
  - methods 35
  - nitrogen 35
  - oxidation rates 35
  - temperature 35
- self adaptation
  - feed forward 462
  - feedback 462
  - model 462
  - self organization 462
- self organization
  - feed forward 462
  - feedback 462
  - model 462
  - self adaptation 462
- self purification
  - bacteria 246
  - Belgium 376
  - bloom 376
  - BOD 349
  - COD 349
  - density 246
  - deoxygenation 349
  - deposition 376
  - diatoms 376

  - diversity 246
  - DO 376
  - Estuary 376
  - heterotrophic 246
  - hydrology 376
  - interface salt fresh 376
  - Japan 349
  - management 83
  - nutrients 376
  - Scheldt 376
  - Scotland 83
  - sediments 246 376
  - suspended solids 376
  - TOC 349
  - TOD 349
  - trace metals 376
  - transport 376
- seminar
  - indicator species 111
  - indices 111
- seston
  - alkaline phosphatase 470
  - Bay 470
  - chlorophyll 470
  - detergent 270
  - distribution 470
  - DNA 470
  - DO 270
  - enzymes 470
  - indices 470
  - microbes 470
  - nutrients 270
  - PC 270
  - phosphorus 470
  - plankton 270
  - PN 270
  - protein 470
  - salinity 270
  - temperature 270
  - Tokyo 470
- Seto
  - benthic 338
  - COD 338
  - crustaceans 338
  - fisheries 338
  - Japan 338
  - model 338
  - nitrogen 338
  - oil 338
  - organic matter 338
  - Sea 338
  - sediments 338
  - sewage 338
  - sulfate 338
  - sulfide 338
- settlement
  - benthic 106
  - Damariscotta 106
  - DO 106
  - Estuary 106
  - fish 106
  - growth rates 106
  - invertebrates 106
  - laboratory culture 106
  - larvae 106
  - Maine 106
  - Penobscot 106
  - salinity 106
  - sediments 106
  - Sheepscot 106
  - temperature 106
- Severn
  - Bay 510
  - Chesapeake 510
  - dilution 510
  - Estuary 510
  - hydrology 510
  - model 510
  - sewage 510
- sewage
  - abundance 167 472
  - acetylene 25
  - adsorption 259
  - aerobic 122 172
  - agencies 14
  - Agnes 421
  - agriculture 60 218 384
  - Alaska 319 320
  - algae 72 89 119 140 160 236 256 339 343 400 412 418 430 432 442 448
  - algae bluegreen 215 218 335
  - algae mats 60
  - alkaline phosphatase 142
  - alkalinity 380
  - amino acids 225 456
  - ammonia 62 69 204 273 388 430 520
  - ammonium 38 129 172 188
  - amphipods 12

anaerobic 172
animals 89 202
annelids 167
Aqaba 146
aquaculture 360 412
Aquaforte 145
arctic 319
artificial recharge 138
assay 418 448
ATP 172
Australia 60 388
bacteria 256 339 440 456
bacteria proteolytic 456
Baltic 335
batch culture 144 418
Bathyporia sarsi 11
Bay 8 11 12 23 52 64 72 94 140 182 188 301 318 330 380 388 392 417 421 423 425 433 440 448 488 510
Bayou 251
benthic 11 12 72 119 234 305 319 331 335 338 356 388 400 433 447
benthic oxygen demand 440
bibliography 15
Bight 172 189
bioenhancement 447
biomass 52 62 140 144 160 167 339 447
birds 256 339
Black 303
bloom 144 204 251 432 520
BOD 136 274 284 320 324 348
buoys 37
Buzzards 440
C/N 62 136 188 324
calcium 146 339
California 8 37 62 129 276 400 447
calorific content 172 277
Canada 52 145
canal 138 384
cannery 25 447
Capitella capitata 11 12
carbohydrates 225 456
carbon 19 27 116 144 256 324 339
carbon/chlorophyll 62
ceramic panel substrates 37
Chaetoceros simplex 303
Chaetodon miliaris 392
Charleston 136
chemical 359 516
Chesapeake 72 140 301 318 380 417 421 510
Chlorella salina 69
chlorinated hydrocarbons 37
chlorophyll 64 140 215 423
Chlorophyta 144 430
Chrysaora quinquecirrha 38
Cladocera 245 310
clams 225
clay 259 374
Clyde 284 375
COD 338 440 442
coliforms 23 94 122 163 380
coliphage 505
community structure 11 89 256 483
continuous culture 116 144 160
Cook 319 320
copper 505
coral 182
CO2 105 144 432
crustaceans 256 338 339
Cyanophyta 144 430
cycles 129 464
C14 140 456
DC 380
decomposition 172
Delaware 134
denitrification 324 326
detergent 148 234 335
diatoms 197 479
DIC 172
Dickinson 251
dilution 510
dinoflagellate 479
disease 305 356
dispersion 37
dissolved solids 138
distribution 417
diurnal 62 93 129
diversity 17 94 167 197 447 472
Dniester 384
DO 8 72 93 105 148 202 251 284 319 335 369 380 447 464
DOC 172 416
dredging 14 96 148 318
Duwamish 520
dye 68 318

economics 37 94 134 138
Elizabeth 327
energy transfer 72 276 335 348
Enteromorpha 375
enterovirus 439 505
Estuary 27 82 89 93 119 134 138 148 167 202 204 215 218 219 284 327 375 380 384 423 430 510 520
euglenoid 145
eutrophication 15
Evadne 310
fatty acids 423
fauna 167 276 375 384 388 456
feces 163
fertilizer 202 204 273 464
Fiji Island 326
fish 17 202 256 305 335 339 356 392 447 513 516
fish kills 251
fisheries 94 96 338 375 488
flood control 96
Florida 14 433
flushing 218
food processing 516
foraminifera 72 256 339
France 234
freshwater 204 219 284
fungus 456
gastrotrichs 167
Germany 166
Giens 285
glycine 225
Grays 369
Great Britian 23 119 167 197 274 294
Greece 245 310
growth rates 188 236 285 360 392 479
Gulf 146 234 245 285 310
gulls 163
Harbor 136 145 327 369 400 447
Hawaii 64 94 182 188 330 392
heat 89
heterotrophic 256 339 456
Hillsborough 433
Hudson 218
Humboldt 8
Hurricane 421
hydrology 284 448 510 520
Hymeniacidon sanguinea 359
indicator species 12 145 166 197 245 303 310 331 335 359 400 417 472
indices 189 197 456
industry 119 134 136 202 232 245 284 301 327 348 359 380 384 442 464 488 516
Inlet 25 319 320
inorganic 27 161 326 416
insects 256 339
intertidal 17 25 276
invertebrates 12 17 331 433
ion exchange 273
Italy 359
James 27 327 380
Japan 338 488
Jordan 146
Kaneohe 64 94 182 188 330 392
kelp 232
Kiel 11 12
Klebsiella pneumoniae 25
Ks 62
Lagoon 60 105
land development 96
landfill 340
Lebanon 472
light 448
Little Creek 327
Liverpool 23
local 14
Los Angeles 400 447
Louisiana 96 442
Lynnhaven 327
macroalgae 335
macrofauna 11 17 72 356
macroinvertebrates 232 277
macrophytes 52 72 276 277
management 96 215 327 471
manganese 416
mangroves 326
Marseilles 234
marshes 339 442
Maryland 68 93 380 430
Massachusetts 82 161 331
meiofauna 256 339
Mercenaria 225
metabolism 256 276
metals 232
methods 37 271 418 456 483
Meydenbauer 425

microbes 27 72 122 142 167 182 319 326 343 417 423 442 456 516
microcopepods 330
microcosms 140
mining 202 464 513
Mississippi 356
model 27 64 105 327 335 338 348 510
molluscs 256 339 375
Mytilus edulis 360
myxobacteria 166
N/P 160
nanoplankton 145
Nansemond 327
Narragansett 423
nematodes 167 331
Neuse 204
New York 172 189 340
New Zealand 25
nitrate 27 38 64 69 82 129 172 188 204 218 219 303 380
nitrification 138
nitrite 27 172 219
nitrogen 62 94 115 129 144 160 161 163 202 256 319 326 330 338 339 479
nitrogen fixation 25 144 182
nonpoint sources 327
North 232
North Carolina 89 202 204
Norway 236
nutrients 25 62 72 82 89 96 116 142 160 215 218 236 259 271 343 375 380 388 416 442 448 471 472 516
N15 62 129
Obelia dichtoma 37
oil 225 318 338 340 400 423 456 513
oligochaetes 11 167 400
Oregon 448 516
organic 27 259
organic matter 148 324 338
organisms 234 319 335 447
Orielton 60
outfall diffuser 68
oysters 412 471
ozonization 138
P/B 330
Pagan 327
Pamlico 202
parasites 356
pathogens 163
Patuxent 93 380
PC 172
pesticides 348 356 380 513
pH 8 38 105 142 144 259 319 380 432
phosphate 27 38 52 64 69 82 142 146 202 218 219 259 273 303 380 430 520
phosphorus 19 94 115 163 204 236 251 256 259 319 339 432 464
physico chemical treatment 294
phytoplankton 27 62 64 72 82 96 115 116 129 144 145 161 188 202 204 251 256 274 303 339 416 456 472 479 520
Pines 82
plankton 122 202 319 447
PN 172
point sources 218
polychaetes 12 167 400
polyp 38
POM 421
pond experiment 8 89 161 256 339
Poquoson 327
Porifera 359
Port Phillip 388
Posidonia oceanica 234 285
Potomac 215 218 219 380 430
predictions 27 284 327 433
primary 62 64 93 115 129 140 202 236 276 335 343 416 483
processes 27 456
productivity 37 62 64 89 93 115 129 140 202 256 276 330 335 339 343 416 447
protein 69
Providence 423
Puget 17 305
pulp mill 136 456 488 513
Pygospio elegans 11
Quinte 52
radioactivity 513 516
Rappahannock 380
recipient analog 483
recreation 82 94 96
recycle 138
red tide 122

remote sensing 38 318
removal 271
reproduction 392
resources 516
respiration 89 93 343 440
runoff 60 96 134 442 464 513
salinity 60 68 69 202 204 259
319 388 456 471
salmonids 8
San Diego 425
sand 375
Saronic 245 310
Schofield 27
Scotland 375
Sea 232 303 335 338
sea nettle 38
seagrass 234 374
seasons 89 142 245 274 276 310
331 448
secchi disc 145
secondary 144 182 236 273 326
330 343 348 430 439 483
sediment water 259
sediments 17 19 25 182 189 219
285 301 326 338 375 380 388 417
421 433 439 440
Seto 338
Severn 510
sewage treatment farm 388
shellfish 505
silica 319
slaughterhouse 25
soil erosion 96 421
Sound 17 305
South Carolina 136
South Creek 89
spatial distribution 219
Sphaerotilus 516
St Johns 145
stabilization 105
state 14
steroids 189
stochastic 27
storm loading 134
stress 225
Suagus 82
succession 116 144 232
sulfate 338
sulfide 338
Suruga 488
suspended solids 417 421 423
Susquehanna 380
symposium 335 456
Tasmania 60
Taunton 423
taurine 225
Tees 119 167
temperature 27 60 68 89 105 202
245 259 284 310 320 369 448
temporal distribution 219
tertiary 52 161 236 301 326 339
433 483
Thames 138 148
thermal 456 513 516
tides 19
TKN 219
TOC 442
toxicity 116
trace metals 37 72 115 348 356
380 456 479 516
tracer 23
transport 301
turbidity 374
Tyne 119
Ulva 82
United Kingdom 15
uptake rates 69 129 188 259
upwelling 369
urea 62 129 188
Virginia 27 259 380
Vm 62
Waimea 25
Washington 17 305 369 520
wastes 25 105 119 134 136 204
218 232 245 284 301 327 348 359
380 384 400 442 447 464 488 513
water column 417
water craft 425
water supply 138
watersheds 219 380
Wear 119
Werribee 388
wetlands 14 96
Wollochet 425
Woods Hole 331
worms 375
Yaquina 448
York 327 380
zooplankton 72 140 245 335 384
392

sewage treatment farm
  ammonia 388
  Australia 388
  Bay 388
  benthic 388
  fauna 388
  nutrients 388
  Port Phillip 388
  salinity 388
  sediments 388
  sewage 388
  Werribee 388
sexual maturity
  Craiglin 171
  DO 171
  fertilizer 171
  fish 171
  flounder 171
  growth rates 171
  Loch 171
Shannons Index
  benthic 9
  diversity 9
  Lagoon 9
  macrofauna 9
  molluscs 9
Shark
  Broad River 292
  detritus 292
  Estuary 292
  fertilizer 292
  Florida 292
  leaves 292
  mangroves 292
  pesticides 292
  trace metals 292
Sheepscot
  benthic 106
  Damariscotta 106
  DO 106
  Estuary 106
  fish 106
  growth rates 106
  invertebrates 106
  laboratory culture 106
  larvae 106
  Maine 106
  Penobscot 106
  salinity 106
  sediments 106
  settlement 106
  temperature 106
shellfish
  BOD 290
  coliforms 290
  coliphage 505
  copper 505
  DO 290
  enterovirus 505
  nitrite 290
  organic matter 290
  pH 290
  salinity 290
  seasons 290
  sewage 505
  temperature 290
shrimp
  Bay 231
  biomass 231
  crabs 231
  energy transfer 231
  fish 231
  freshwater 231
  Galveston 231
  management 231
  model 231
  productivity 231
  salinity 231
  secondary 231
  Texas 231
silica
  abundance 113
  Alaska 319
  algae colonial 152
  alkalinity 149 293
  amino acids 528
  ammonia 293
  ammonium 113
  arctic 319
  ash 382
  assay 414
  Bay 293 378
  Belgium 535
  benthic 319 528
  Bight 113
  bloom 382 414
  California 187
  carbon 382
  Chesapeake 293
  chloride 293

chlorophyll 113 382
clay 535
Columbia 175
conference 528
Cook 319
cycles 528
C14 152 382
detritus 528
diagenesis 502
diatoms 347 414 535
dissolved 131 535
distribution 113 293
DO 319
Estuary 131 175 535
Eurytemora 175
fatty acids 382
filter feeders 347
fish 528
fisheries 528
flagellates 347
flux 187
freshwater 113 378
hydrology 378 414
Inlet 319
inorganic 131
interstitial 293 503 536
invertebrates 528
iron 293
light 175
linear regression 175
management 528
manganese 293
marshes 149
mass transfer 503
methods 152
Michaelis Menton 347
microbes 319 502 528
Mississippi 131
model 347 378 502 503 536
mucus 152
N/P 414
New Jersey 113
New York 113
nitrate 113 175 382 414
nitrite 113
nitrogen 187 319 502 528
North 503
Norway 414
Nova Scotia 382
nutrients 149 528
oil 528
Oregon 175
organisms 319 528
Orinoco 131
orthophosphate 414
pesticides 528
pH 293 319
phosphate 113 175 293
phosphorus 149 187 319 382 528
phytoplankton 113 175 187 382 414
plankton 319
plumes 131
primary 152 187 382
processes 536
productivity 152 187 382
redox potential 293
respiration 382
Rockaway Point 113
salinity 113 319
San Francisco 378
Savannah 131
Scheldt 535
Sea 503
seagrass 528
seasons 175 293
sediments 149 187 535
sewage 319
South Carolina 149
stress 528
sulfate 293
suspended solids 113 131
temperature 113
time constants 347
trace metals 149 414 528
Trondheimsfjord 414
two dimensional 378
two layer 503
uptake rates 131
urea 528
wetlands 528
zone 503
zooplankton 175 347 528

silicate
  ammonia 50
  distribution 50
  Estuary 50
  nitrate 50
  nitrite 50
  nitrogen 50

    nutrients 50
    organic 50
    phosphate 50
    salinity 50
    seasons 50
    St Lawrence 50
    temperature 50
    urea 50
Simoda
    ammonia 190
    Bay 190
    denitrification 190
    Japan 190
    Mangoku 190
    N15 190
    PON 190
    sediments 190
    Tokyo 190
    Ura 190
size composition
    Bay 200
    biomass 200
    Hawaii 200
    Kaneohe 200
    PN 200
    succession 200
    zooplankton 200
size dependent
    ammonia 466
    Bay 466
    biomass 466
    DON 466
    DPO 466
    excretion rates 466
    Hawaii 466
    Kaneohe 466
    metabolism 466
    phosphate 466
    zooplankton 466
Skeletonema
    ammonium 31
    Chlorophyta 31
    Estuary 31 367
    factorial productivity 367
    Hudson 31
    light 31
    nitrate 31
    phytoplankton 31 367
    populations mixed 367
    populations single 367
    primary 367
    productivity 367
    succession 367
    uptake rates 31
    York 367
slack water
    dispersion coefficient 170
    Estuary 170
    model 170
    Oregon 170
    Yaquina 170
slaughterhouse
    acetylene 25
    cannery 25
    Inlet 25
    intertidal 25
    Klebsiella pneumoniae 25
    New Zealand 25
    nitrogen fixation 25
    nutrients 25
    sediments 25
    sewage 25
    Waimea 25
    wastes 25
soil erosion
    Agnes 421
    Bay 421
    BOD 541
    Chesapeake 421
    DO 541
    dredging 96
    fisheries 96
    flood control 96
    Hurricane 421
    land development 96
    Louisiana 96
    management 96
    microbes 541
    mixing depth 541
    nitrogen 541
    nonpoint sources 541
    nutrients 96
    organic 541
    phosphorus 541
    phytoplankton 96
    point sources 541
    POM 421
    predictions 541
    profiles 541
    recreation 96

    runoff 96 541
    salinity 541
    sediments 421 541
    sewage 96 421
    surface waters 541
    suspended solids 421
    temperature 541
    thermal 541
    turbidity 541
    wetlands 96
Sound
    abundance 43
    Albemarle 43 450
    ammonia 43 450
    anaerobic 358
    benthic 305 358
    bibliography 84
    bloom 450
    C/N 150 450
    chlorophyll 43
    Chowan 450
    clay 385
    cobalamin 509
    Cockburn 63
    dehydrogenase 358
    DIN 450
    disease 305
    distribution 125
    diversity 17
    DO 117
    Doboy 385
    DOC 150
    DOM 404
    DON 150 450
    ecosystem 84
    Estuary 450
    fish 17 305 515
    flux 385
    Georgia 150 385
    growth rates 63
    hydrology 43 515
    indices 125
    inorganic 385
    intertidal 17
    invertebrates 17
    Lake 358
    land development 43 84
    Long Island 404 509
    macrofauna 17
    management 515
    metabolic heat release 358
    metabolism 358
    microbes 385 404
    microcalorimetry 358
    Mississippi 125
    model 515
    nitrate 125
    nitrogen 43
    North Carolina 43 450
    nutrients 125 358 509 515
    organic aggregates 404
    organic matter 358
    organisms 358
    orthophosphate 117 509
    oxygen 358
    phosphate 125 385
    phosphorus 43
    phytoplankton 43 404 450 509 515
    POM 404
    Posidonia australis 63
    primary 43 450 515
    processes 358
    productivity 43 450 515
    Puget 17 84 117 305 358 515
    P32 385
    resources 125
    runoff 150
    salinity 43
    Savannah 150
    seagrass 63
    seasons 63 404 450 509
    sediment water 385
    sediments 17 63 358
    sewage 17 305
    succession 515
    temperature 43
    thiamine 509
    three dimensional 515
    trophic levels 515
    turbidity 43
    Washington 17 84 305 358 515
    wastes 117
    zooplankton 404
South Africa
    Bay 76
    benthic 76
    cannery 76
    macrofauna 76
    Saldanha 76
    wastes 76

South Carolina
  alkalinity 149
  Bay 402
  BOD 136
  C/N 136
  Charleston 136
  Estuary 402
  Florida 402
  freshwater 402
  Harbor 136
  industry 136
  Louisiana 402
  management 402
  marshes 149
  North Carolina 402
  nutrients 149 402
  Palm 402
  phosphorus 149
  pulp mill 136
  radioactivity 402
  runoff 402
  Santee 402
  sediments 149
  sewage 136
  silica 149
  swamps 402
  trace metals 149
  wastes 136
  wetlands 402
South Creek
  algae 89
  animals 89
  community structure 89
  Estuary 89
  heat 89
  North Carolina 89
  nutrients 89
  pond experiment 89
  productivity 89
  respiration 89
  seasons 89
  sewage 89
  temperature 89
Southampton
  ammonium 394
  carbon 394
  DO 394
  nitrate 394
  nutrients 394
  organic matter 394
  phosphate 394
  phytoplankton 394
  temperature 394
  trace metals 394
  turnover rates 394
  zooplankton 394
Spain
  benthic 333
  C/N 333
  fucaceae 334
  intertidal 334
  macrophytes 333
  Mytilus 334
  Phaeophyta 333
  pulp mill 334
  stress 334
  Ulvales 334
  wastes 334
Spartina
  detritus 75
  energy transfer 75
  marshes 75
  microbes 75
  model 75
  nutrients 75
Spartina alterniflora
  marshes 390
  New Jersey 390
  primary 390
  productivity 390
spatial component
  Basin 381
  Bedford 381
  Nova Scotia 381
  P/B 381
  phytoplankton 381
  productivity 381
  ratio 381
spatial distribution
  algae 248
  benthic 248 542
  benthic oxygen demand 542
  carbon 542
  coliforms 542
  deoxygenation 542
  DO 542
  Estuary 219 223 426
  fish 542
  freshwater 219
  heat 542

    ice 542
    isopleths 223
    life cycles 248
    light 542
    methods 426 542
    model 223 542
    New Jersey 426
    New York 426
    nitrate 219
    nitrite 219
    nonpoint sources 223
    nutrients 223 542
    organisms 542
    Oslofjord 248
    phosphate 219
    phosphorus 223
    phytoplankton 542
    Potomac 219 223
    primary 542
    processes 223
    productivity 542
    Raritan 426
    rate constants 542
    reaeration 542
    runoff 223
    seasons 248
    sediments 219
    sewage 219
    temporal distribution 219 223 248 426 542
    TKN 219
    trace metals 426
    transport 223
    wastes 223
    watersheds 219
    zooplankton 542
specie key
    agrochemicals 455
    algae mats 357
    alkalinity 455
    Bay 455
    boat traffic 455
    Chesapeake 455
    chlorine 455
    Columbia 357
    disease 455
    dredging 455
    epiphytes 455
    Estuary 357
    fauna 455
    indicator species 357
    nutrients 455
    oil 455
    pH 455
    salinity 455
    submerged vegetation 455
    temperature 455
    trace metals 455
    turbidity 455
    water velocity 455
specified time
    density homogeneous 258
    model 258
    two dimensional 258
    unsteady flow 258
Sphaerotilus
    chemical 516
    fish 516
    food processing 516
    industry 516
    microbes 516
    nutrients 516
    Oregon 516
    radioactivity 516
    resources 516
    sewage 516
    thermal 516
    trace metals 516
spores
    benthic 10
    bloom 10
    cysts 10
    dinoflagellate 10
    Gonyaulax 10
    Massachusetts 10
    red tide 10
    toxicity 10
Squamish
    Estuary 249
    methods 249
    nutrients 249
    sampling frequency 249
St Johns
    Aquaforte 145
    Canada 145
    euglenoid 145
    Harbor 145
    indicator species 145
    nanoplankton 145
    phytoplankton 145

  - secchi disc 145
  - sewage 145
- St Lawrence
  - ammonia 50
  - ATP 434
  - bibliography 124
  - biomass 434
  - carbon/chlorophyll 434
  - distribution 50
  - Estuary 50 124 434
  - eutrophication 124
  - fisheries 124
  - hydrology 124
  - nitrate 50
  - nitrite 50
  - nitrogen 50
  - nutrients 50
  - organic 50
  - phosphate 50
  - phytoplankton 434
  - primary 124
  - productivity 124
  - salinity 50
  - seasons 50
  - silicate 50
  - suspended solids 124
  - temperature 50
  - trace metals 124
  - urea 50
- St Margaret
  - ATP 465
  - Bay 465
  - C/N 465
  - fisheries 465
  - methods 465
  - nutrients 465
  - PC 465
  - PN 465
  - primary 465
  - productivity 465
  - runoff 465
  - suspended solids 465
- stabilization
  - biological 230
  - chemical 230
  - CO2 105
  - DO 105
  - Lagoon 105
  - model 105
  - pH 105
  - processes 230
  - sewage 105
  - temperature 105
  - wastes 105 230
- state
  - agencies 14 159
  - dredging 14
  - federal 484
  - Florida 14
  - local 14 159 484
  - management 159 484
  - public opinion 159
  - resources 159
  - sewage 14
  - wetlands 14
- steady state
  - Bay 207
  - Chesapeake 207
  - decomposition 299
  - dissolved 207
  - electron transfer 299
  - energy transfer 299
  - growth rates 299
  - interstitial 207
  - manganese 207
  - microbes 299
  - model 207
  - organic matter 299
  - pH 207
  - redox potential 299
  - substrates 299
- steroids
  - Bight 189
  - indices 189
  - New York 189
  - sediments 189
  - sewage 189
- stochastic
  - ammonia 477
  - benthic oxygen demand 420
  - BOD 99 477
  - California 477
  - carbon 27
  - cycles 477
  - Delaware 477
  - Delta 477
  - DIN 477
  - DO 99 477
  - Estuary 27 99 255 477
  - freshwater 420

    hydrology 420
    industry 205
    inorganic 27
    James 27
    light 420
    management 205
    microbes 27
    model 27 99 205 255 420 477
    nitrate 27
    nitrite 27 477
    nitrogen 477
    one dimensional 255 420
    organic 27
    oxidation 477
    phosphate 27
    phytoplankton 27 477
    Potomac 99 255 477
    predictions 27
    processes 27
    runoff 205 420
    Sacramento San Joquin 477
    Schofield 27
    sewage 27
    temperature 27 420
    time dependent 255
    turbidity 420
    Virginia 27
    zooplankton 477
Stockholm
    N/P 239
    nitrogen 239
    phosphorus 239
    phytoplankton 239
storm loading
    BOD 523
    Delaware 134 523
    economics 134
    Estuary 134 523
    industry 134
    model 523
    nonpoint sources 523
    runoff 134
    sewage 134
    wastes 134
stratification
    density 280
    DO 307
    Etang de Berre 307
    hydrology 280
    model 280
    nutrients 307
    O/P 307
    three layer 280
stress
    amino acids 225 528
    benthic 528
    carbohydrates 225
    clams 225
    community structure 88
    conference 528
    cycles 528
    detritus 528
    diversity 88
    energy transfer 534
    fish 88 528 534
    fisheries 528
    fucaceae 334
    glycine 225
    growth rates 534
    industry 452
    intertidal 334
    invertebrates 528
    management 528
    Mercenaria 225
    metabolism 88 452 534
    microbes 528
    Mytilus 334
    nitrogen 528
    nutrients 88 528
    oil 225 528
    organisms 528
    pesticides 528
    phosphorus 528
    populations single 452
    productivity 534
    pulp mill 334
    seagrass 528
    sewage 225
    silica 528
    Spain 334
    taurine 225
    Texas 88
    TLm 452
    trace metals 528
    Ulvales 334
    urea 528
    wastes 334 452
    wetlands 528
    zooplankton 88 528
Suagus

  - Estuary 82
  - Massachusetts 82
  - nitrate 82
  - nutrients 82
  - phosphate 82
  - phytoplankton 82
  - Pines 82
  - recreation 82
  - sewage 82
  - Ulva 82
- submerged vegetation
  - agrochemicals 455
  - alkalinity 455
  - Bay 455
  - boat traffic 455
  - Chesapeake 455
  - chlorine 455
  - disease 455
  - dredging 455
  - epiphytes 455
  - fauna 455
  - nutrients 455
  - oil 455
  - pH 455
  - salinity 455
  - specie key 455
  - temperature 455
  - trace metals 455
  - turbidity 455
  - water velocity 455
- substrates
  - decomposition 299
  - electron transfer 299
  - energy transfer 299
  - growth rates 299
  - microbes 299
  - organic matter 299
  - redox potential 299
  - steady state 299
- succession
  - annelids 370
  - batch culture 144
  - Bay 200
  - benthic 370 371 409
  - biomass 110 144 200 201 409
  - bloom 144 201
  - Burrard 460
  - carbon 110 116 144
  - Chlorophyta 144
  - community structure 371
  - continuous culture 116 144
  - CO2 144
  - crustaceans 370
  - Cyanophyta 144
  - Delaware 411
  - distribution 460
  - diversity 409
  - DON 201
  - ecocline 371
  - England 370
  - Estuary 201 367 411
  - factorial productivity 367
  - fiord 460
  - fish 515
  - fisheries 411
  - gradient 371
  - Harbor 460
  - Hawaii 200
  - hydrology 201 515
  - indicator species 370 371
  - indices 371
  - industry 232
  - Inlet 460
  - inorganic 201
  - Kaneohe 200
  - kelp 232
  - Linnhe Eil 370
  - Loch 370
  - macrofauna 409
  - macroinvertebrates 232
  - management 411 515
  - metals 232
  - mining 201
  - model 411 515
  - molluscs 370
  - nitrate 201
  - nitrogen 110 144 201
  - nitrogen fixation 144
  - North 232 411
  - nutrients 116 515
  - organic enrichment 371
  - Pamlico 201
  - pH 144
  - phosphorus 110 201
  - phytoplankton 110 116 144 201 367 411 460 515
  - PN 200
  - pond experiment 110
  - populations mixed 367
  - populations single 367

    primary 367 460 515
    productivity 367 460 515
    Puget 515
    pulp mill 370 409
    recovery 371
    Sea 232 411
    secondary 144
    sediments 201 371
    sewage 116 144 232
    size composition 200
    Skeletonema 367
    Sound 515
    Tar 201
    three dimensional 515
    toxicity 116
    trophic levels 515
    Vancouver 460
    Washington 515
    wastes 232
    York 367
    zooplankton 200
sulfate
    alkalinity 184 293
    ammonia 165 184 293
    Bay 184 293
    benthic 338
    Chesapeake 184 293
    chloride 293
    chlorine 184
    chlorophyll 184
    COD 338
    crustaceans 338
    distribution 293
    DO 184
    enzymes 165
    fisheries 338
    interstitial 293
    iron 293
    Japan 338
    manganese 293
    methods 165
    model 338
    nitrogen 338
    oil 338
    organic matter 338
    orthophosphate 184
    percolator 165
    pH 184 293
    phosphate 184 293
    processes 184
    redox potential 293
    salinity 184
    Sea 338
    seasons 293
    sediments 165 338
    Seto 338
    sewage 338
    silica 293
    sulfide 184 338
    temperature 184
    trace metals 184
    urea 165
    vertical distribution 184
sulfide
    algae mats 33
    alkalinity 184
    ammonia 184
    Bay 184
    benthic 33 338
    benthic oxygen demand 33
    Chesapeake 184
    chlorine 184
    chlorophyll 184
    COD 338
    crustaceans 338
    DO 184
    Estuary 33
    fisheries 338
    Japan 338
    model 33 338
    nitrogen 338
    oil 338
    Oregon 33
    organic matter 338
    orthophosphate 184
    pH 184
    phosphate 184
    processes 184
    salinity 33 184
    Sea 338
    sediments 33 338
    Seto 338
    sewage 338
    sulfate 184 338
    temperature 184
    tides 33
    trace metals 184
    vertical distribution 184
    Yaquina 33
sulphur

  - cycles 233
  - Denmark 233
  - oxidation 233
  - reduction 233
  - sediments 233
  - turnover rates 233
- surface waters
  - BOD 541
  - DO 541
  - microbes 541
  - mixing depth 541
  - nitrogen 541
  - nonpoint sources 541
  - organic 541
  - phosphorus 541
  - point sources 541
  - predictions 541
  - profiles 541
  - runoff 541
  - salinity 541
  - sediments 541
  - soil erosion 541
  - temperature 541
  - thermal 541
  - turbidity 541
- Suruga
  - Actinetobacter 431
  - bacteria 431
  - Bay 431 488
  - fisheries 488
  - heterotrophic 431
  - industry 488
  - Japan 488
  - nutrients 431
  - phytoplankton 431
  - pulp mill 488
  - Sagami 431
  - sewage 488
  - Tokyo 431
  - Vibrios 431
  - wastes 488
  - zooplankton 431
- survival
  - model 237
  - populations mixed 237
  - zooplankton 237
- suspended solids
  - abundance 113
  - Agnes 421
  - ammonium 113
  - ATP 465
  - Australia 424
  - bacteria attached 164
  - bacteria free 164
  - Bay 406 417 421 422 423 465
  - Belgium 376
  - bibliography 124
  - Bight 113
  - bloom 376
  - BOD 36
  - Buzzards 406
  - C/N 406 465
  - Chesapeake 417 421 422
  - chlorophyll 113 350 406 423 424
  - deposition 376
  - detritus 406 424
  - diatoms 376
  - dissolved 131
  - distribution 113 417
  - DO 36 376
  - dry weight 489
  - Estuary 124 131 164 350 376 423 492
  - eutrophication 124
  - fatty acids 423
  - fisheries 124 465
  - freshwater 113
  - Georgia 59
  - glucose 164
  - Hacking 424
  - Humber 164
  - Hurricane 421
  - hydrology 124 376 424
  - indicator species 417
  - indices 350
  - inorganic 131
  - interface salt fresh 376
  - iron 492
  - light 36 424
  - marshes 59
  - Maryland 350
  - Massachusetts 406
  - methods 350 424 465 489
  - microbes 59 417 423
  - microstructure 538
  - mineralization 164
  - Mississippi 131
  - NaCl 36
  - nanoplankton 406
  - Narragansett 423

New Jersey 113
New York 113
nitrate 113
nitrite 113
North Carolina 492
nutrients 376 465
oil 423
organic matter 164 422
Orinoco 131
Pamlico 492
Patuxent 350
PC 465
phosphate 113 492
phytoplankton 113 424
plumes 131
PN 465
POC 406
POM 421
PON 406
Port 424
primary 124 465
productivity 124 465
Providence 423
release 405
remote sensing 350
Rockaway Point 113
runoff 424 465
salinity 113 405 422 492
salts 36
Savannah 131
Scheldt 376
seasons 406
secchi disc 422
sediments 36 59 376 417 421 424 492 538
self purification 376
sewage 417 421 423
silica 113 131
soil erosion 421
St Lawrence 124
St Margaret 465
Taunton 423
temperature 36 113
trace metals 124 376 405
transport 376
turbidity 36
uptake rates 131
vitamin B12 59
water column 417
wind 422
    zooplankton 406
Susquehanna
    Agnes 415
    alkalinity 380
    Bay 79 173 380 415 495
    BOD 495
    carbon 495
    Chesapeake 79 173 380 415 495
    Chickahominy 173
    chlorophyll 79 415 495
    coliforms 380
    DC 380
    DO 380 495
    Estuary 79 173 380 415 495
    Hurricane 415
    industry 380
    James 173 380 495
    linear regression 173
    Maryland 380
    Michaelis Menton 415
    model 415
    nitrate 380
    nitrogen 79 415
    nutrients 79 173 380 495
    Patuxent 173 380 495
    pesticides 380
    pH 380
    phosphate 380
    phosphorus 79 415
    phytoplankton 79 415
    Potomac 173 380 495
    quasi linear 415
    Rappahannock 173 380 495
    seasons 173
    sediments 380
    sewage 380
    trace metals 380
    Virginia 380
    wastes 380 415
    watersheds 173 380
    York 173 380 495
swamps
    Bay 402
    Estuary 402
    Florida 402
    freshwater 402
    Louisiana 402
    management 402
    North Carolina 402
    nutrients 402

  - Palm 402
  - radioactivity 402
  - runoff 402
  - Santee 402
  - South Carolina 402
  - wetlands 402
- Sweden
  - benthic 352
  - Byfjorden 352
  - crustaceans 352
  - Estuary 352
  - Gothenburg 352
  - indicator species 352
  - Kungsbackafjorden 352
  - macrofauna 352
  - meiofauna 352
  - Saltkallefjord 352
  - zooplankton 352
- symposium
  - algae bluegreen 335
  - amino acids 456
  - bacteria 456
  - bacteria proteolytic 456
  - Baltic 335
  - Bay 297
  - benthic 137 335
  - Bothnia 137
  - carbohydrates 456
  - Chesapeake 297
  - chlorinated hydrocarbons 137
  - cycles 297
  - C14 456
  - detergent 335
  - dissolved solids 137
  - DO 137 335
  - dredging 498
  - economics 494 498
  - energy transfer 335
  - Estuary 341
  - fauna 456
  - fish 335
  - fisheries 494 498
  - fungus 456
  - Gulf 137
  - heterotrophic 456
  - hydrology 137 337
  - indicator species 335
  - indices 456
  - industry 498
  - international 281
  - iron 137
  - local 297
  - macroalgae 335
  - macrofauna 137
  - management 494 498
  - marine pollution 281
  - methods 456
  - microbes 297 456
  - model 335 341
  - nitrogen 297
  - nutrients 137 297 341 494 498
  - oil 137 456
  - organisms 335
  - pesticides 137
  - phosphorus 137 297
  - phytoplankton 137 297 341 456
  - Potomac 341
  - power plant 498
  - primary 137 335
  - processes 456
  - productivity 137 335
  - public opinion 498
  - pulp mill 456
  - rainfall 297
  - resources 494 498
  - Sacramento 341
  - salinity 456
  - Sea 335
  - seaweeds 229
  - sediments 137 297
  - sewage 335 456
  - thermal 456
  - trace metals 137 456
  - uptake rates 297
  - vertical transport 297
  - wastes 137
  - zooplankton 137 297 335 341
- synthesis
  - fungus 501
  - microbes 501
  - seasons 501
  - vitamins 501
  - yeast 501
- Tagus
  - Estuary 474
  - organic matter 474
  - Portugal 474
  - Sado 474
  - temperature 474
  - yeast 474

Tar
    biomass 201
    bloom 201
    DON 201
    Estuary 201
    hydrology 201
    inorganic 201
    mining 201
    nitrate 201
    nitrogen 201
    Pamlico 201
    phosphorus 201
    phytoplankton 201
    sediments 201
    succession 201
Tasmania
    agriculture 60
    algae mats 60
    Australia 60
    Lagoon 60
    Orielton 60
    runoff 60
    salinity 60
    sewage 60
    temperature 60
Taunton
    Bay 423
    chlorophyll 423
    Estuary 423
    fatty acids 423
    microbes 423
    Narragansett 423
    oil 423
    Providence 423
    sewage 423
    suspended solids 423
taurine
    amino acids 225
    carbohydrates 225
    clams 225
    glycine 225
    Mercenaria 225
    oil 225
    sewage 225
    stress 225
Taylor
    Bayou 102
    chemical 102
    chlorophyll 102
    Chocolate 102
    diversity 102
    DO 102
    indices 102
    productivity 102
    respiration 102
    seasons 102
    Texas 102
    wastes 102
    zooplankton 102
TDC
    ammonia 473
    Bay 473
    carbon 473
    Chesapeake 473
    chlorophyll 473
    DIC 473
    DOC 473
    nitrate 473
    nitrite 473
    nutrients 473
    phaeophytin 473
    phosphorus 473
    primary 473
    productivity 473
Tees
    abundance 167
    algae 119
    annelids 167
    benthic 119
    biomass 167
    diversity 167
    Estuary 119 167
    fauna 167
    gastrotrichs 167
    Great Britian 119 167
    industry 119
    microbes 167
    nematodes 167
    oligochaetes 167
    polychaetes 167
    sewage 119 167
    Tyne 119
    wastes 119
    Wear 119
temperature
    abundance 43 113
    adsorption 259
    agriculture 60
    agrochemicals 455
    Aisne 35

Alaska 320
Albemarle 43
algae 89 448
algae mats 60
alkalinity 47 67 184 455
ammonia 43 44 50 67 178 184
ammonium 113 394
animals 89 202
assay 448
Australia 60 154
Bay 67 71 178 184 226 448 455
Bayou 315
benthic 106 178
benthic oxygen demand 420
Bight 113
biomass 128 154 519
black necrosis 2
bloom 519
boat traffic 455
BOD 36 71 284 290 320 519 541
British Columbia 512
Burry Inlet 2
California 128 441
canal 512
carbon 27 35 394
chambers 178
Chesapeake 67 184 455
chlorine 184 455
chlorophyll 43 47 67 113 128 154 174 184 391 519
Cladocera 245 310
clay 259
Clyde 284
Cochin 391
coliforms 290
community structure 89 174
Cook 320
CO2 105
Crangon crangon 2
C14 391
Damariscotta 106
detergent 2 270
diatoms 153
disease 455
distribution 50 71 113 128 153
DO 2 36 47 67 71 105 106 154 174 184 202 226 270 284 290 315 369 394 441 519 541
dredging 455 512
Duwamish 519
dye 68
east coast 77
epiphytes 455
Estuary 27 35 47 50 67 89 106 154 174 202 284 391 474 519
Evadne 310
fauna 455
fertilizer 202
fish 44 106 202
fisheries 77
flushing 512
flux 178 315
France 35
freshwater 113 284 420 519
Grays 369
Great Britian 2
Greece 245 310
growth rates 106
Gulf 245 310
Harbor 369
heat 89
hydrology 43 71 154 174 226 284 420 441 448
H3 154
indicator species 245 310
industry 202 245 284
Inlet 320
inorganic 27 178
invertebrates 106
James 27 47
juveniles 77
laboratory culture 106
Lagoon 60 105
land development 43
larvae 106
light 36 174 420 448
Little River 154
long term 153
Maine 106
Maryland 68
methods 35
Michaelis Menton 71
microbes 2 27 541
microflagellates 174
mining 202
mixing depth 541
model 27 71 105 420
N/P 226
NaCl 36
nanoplankton 174

Narragansett 178
New Jersey 113 226
New York 113
nitrate 27 50 67 113 128 178 226 394
nitrite 27 50 67 113 178 290
nitrogen 35 43 50 67 202 541
nonpoint sources 541
North 153
North Carolina 43 89 202
NO2 47
NO3 47
nutrients 50 71 89 128 226 259 270 391 394 441 448 455 512
oil 455
one dimensional 420
Oregon 448
organic 27 50 259 541
organic matter 290 394 474
Orielton 60
orthophosphate 184
outfall diffuser 68
oxidation rates 35
P/N 441
Pamlico 202
PC 270
Penobscot 106
pH 2 44 47 67 71 105 184 259 290 315 455
phosphate 27 50 67 113 178 184 202 226 259 315 394
phosphorus 43 47 154 259 541
phytoplankton 27 43 47 67 71 113 128 153 154 174 202 394 441 519
plankton 202 226 270
PN 47 270
point sources 541
pond experiment 89
Portugal 474
Potomac 67
predictions 27 284 541
primary 43 154 174 202 391 441
processes 27 184 315
productivity 43 67 89 154 174 202 391 441
profiles 541
P32 154
Raritan 226
redox potential 315
respiration 89 441
Rhode Island 178
Rockaway Point 113
runoff 60 420 541
Sado 474
salinity 2 43 44 47 50 60 67 68 71 77 106 113 154 174 184 202 226 259 270 290 315 441 455 512 541
salts 36
San Francisco 71
Saronic 245 310
Schofield 27
Sea 153
seasons 50 71 89 226 245 290 310 391 441 448
secchi disc 441
sediment water 178 259 315
sediments 36 106 541
Seine 35
seston 270
settlement 106
sewage 27 60 68 89 105 202 245 259 284 310 320 369 448
Sheepscot 106
shellfish 290
silica 113
silicate 50
soil erosion 541
Sound 43
South Creek 89
Southampton 394
specie key 455
St Lawrence 50
stabilization 105
stochastic 27 420
submerged vegetation 455
sulfate 184
sulfide 184
surface waters 541
suspended solids 36 113
Tagus 474
Tasmania 60
Texar 315
thermal 541
tides 512 519
trace metals 2 184 394 455
turbidity 36 43 67 420 455 541
turnover rates 394
uptake rates 259
upwelling 369

  urea 50
  vertical distribution 184
  Virginia 27 259
  Washington 369
  wastes 105 245 284 512
  water velocity 455
  Yaquina 448
  yeast 474
  York 174
  zooplankton 67 77 153 154 245 391 394
temporal distribution
  algae 248
  benthic 248 542
  benthic oxygen demand 542
  carbon 542
  coliforms 542
  deoxygenation 542
  DO 542
  Estuary 219 223 426
  fish 542
  freshwater 219
  heat 542
  ice 542
  isopleths 223
  life cycles 248
  light 542
  methods 426 542
  model 223 542
  New Jersey 426
  New York 426
  nitrate 219
  nitrite 219
  nonpoint sources 223
  nutrients 223 542
  organisms 542
  Oslofjord 248
  phosphate 219
  phosphorus 223
  phytoplankton 542
  Potomac 219 223
  primary 542
  processes 223
  productivity 542
  Raritan 426
  rate constants 542
  reaeration 542
  runoff 223
  seasons 248
  sediments 219
  sewage 219
  spatial distribution 219 223 248 426 542
  TKN 219
  trace metals 426
  transport 223
  wastes 223
  watersheds 219
  zooplankton 542
Tenholloway
  benthic 540
  Econfina 540
  Estuary 540
  macrophytes 540
tertiary
  algae 236 339
  bacteria 339
  Bay 52 301 433
  benthic 433 508
  biomass 52 339
  birds 339
  calcium 339
  Canada 52
  carbon 339
  Chesapeake 301
  community structure 483
  crustaceans 339
  denitrification 326
  economics 508
  Fiji Island 326
  fish 339
  Florida 433
  foraminifera 339
  growth rates 236
  heterotrophic 339
  Hillsborough 433
  industry 301 508
  inorganic 161 326
  insects 339
  invertebrates 433
  macrophytes 52
  management 508
  mangroves 326
  marshes 339
  Massachusetts 161
  meiofauna 339
  methods 483
  microbes 326
  molluscs 339
  nitrogen 161 326 339

    Norway 236
    nutrients 236
    organisms 508
    pesticides 508
    phosphate 52
    phosphorus 236 339
    phytoplankton 161 339
    plants 508
    pond experiment 161 339
    predictions 433
    primary 236 483
    productivity 339
    public opinion 508
    Quinte 52
    recipient analog 483
    recreation 508
    secondary 236 326 483
    sediments 301 326 433
    sewage 52 161 236 301 326 339 433 483
    transport 301
    wastes 301 508
tetrazolium salt
    aerobic 58
    anaerobic 58
    assay 58
    Connecticut 58
    Copps Brook 58
    degradation 58
    DOC 58
    interstitial 58
    metabolism 58
    microbes 58
    model 58
    nutrients 58
    organic matter 58
    POC 58
    sediments 58
    watersheds 58
Texar
    ammonia 314
    Bayou 181 314 315 316 317
    bloom 317
    budget 316
    carbon 181
    DO 314 315 317
    Estuary 181
    fish 317
    Florida 181 314 316 317
    flux 315
    Gymnodinium 317
    inorganic 181
    macroinvertebrates 314
    nitrate 314
    nitrogen 181 316
    pH 315
    phosphate 181 314 315
    phosphorus 181 316
    phytoplankton 314 317
    primary 181
    processes 315
    productivity 181
    redox potential 315
    salinity 315
    sediment water 181 315
    temperature 315
    TOC 314
    toxicity 317
    wastes 317
    zooplankton 314
Texas
    abundance 32
    algae 438
    Anchoa mitchilli 32
    autotrophic 86
    Bay 32 86 208 231 372 401
    Bayou 102
    benthic 208 438
    biomass 32 231
    chemical 102
    chlorophyll 102
    Chocolate 102
    community structure 88
    Corpus Christi 372
    crabs 231
    diversity 32 88 102
    DO 102 401
    energy transfer 231
    fish 32 88 231
    fish kills 401
    freshwater 86 231
    Galveston 32 208 231 401
    gas bubbles 401
    heterotrophic 86
    hydrology 208
    indicator species 32 208
    indices 32 102 208
    industry 86 208
    management 231
    matrix 372

  metabolism 86 88
  microcosms 86
  model 231 372 438
  mucus 401
  nitrogen 372
  nutrients 86 88
  phytoplankton 86
  primary 86
  productivity 86 102 231
  respiration 86 102
  salinity 231
  salmonids 401
  saturation 401
  seagrass 438
  seasons 102
  secondary 231
  sediments 208
  shrimp 231
  stress 88
  Taylor 102
  toxicity 32
  trace metals 438
  Trinity 86
  wastes 32 86 102 208
  zooplankton 86 88 102
Thames
  ammonia 29
  artificial recharge 138
  canal 138
  detergent 148
  dissolved solids 138
  DO 29 148
  dredging 148
  economics 138
  Estuary 29 138 143 148
  model 29
  nitrate 143
  nitrification 138
  nitrogen 29
  nutrients 143
  organic matter 148
  ozonization 138
  phosphate 143
  recycle 138
  runoff 143
  salts 143
  sewage 138 148
  United Kingdom 143
  wastes 143
  water supply 138
Theora fragilis
  abundance 389
  Bay 389
  benthic 389
  diversity 389
  DO 389
  Estuary 389
  fauna 389
  Hobsons 389
  salinity 389
  Yarra 389
thermal
  algae bluegreen 243
  algae mats 243
  amino acids 456
  bacteria 243 456
  bacteria proteolytic 456
  Bay 141 243
  bibliography 4 211 213 250 263 264 265 266 267 268 344 435
  biomass 304
  BOD 541
  carbohydrates 456
  chemical 516
  Chesapeake 141
  C14 456
  DO 213 304 541
  dredging 4
  economics 4
  energy transfer 141
  Estuary 141 304
  eutrophication 4 211 213 250 263 264 265 266 267 268 344 435
  fauna 456
  fish 513 516
  food processing 516
  fungus 456
  Guayanilla 243
  heat 141
  heterotrophic 243 456
  hydrology 141 250 263 264 265 266 267 268
  indices 456
  industry 211 516
  management 435
  Maryland 304
  methods 213 435 456
  microbes 141 456 516 541
  mining 513
  mixing depth 541

  - model 250 263 264 265 266 267 268
  - nitrogen 541
  - nitrogen fixation 243
  - nonpoint sources 541
  - nutrients 141 304 516
  - oil 4 211 344 456 513
  - Oregon 516
  - organic 141 541
  - Patuxent 141 304
  - pesticides 4 344 435 513
  - phosphorus 304 541
  - phytoplankton 141 304 456
  - plants 141
  - point sources 541
  - pollution 4
  - power plant 141
  - predictions 541
  - primary 141 304
  - processes 456
  - productivity 141 304
  - profiles 541
  - Puerto Rico 243
  - pulp mill 456 513
  - radioactivity 4 513 516
  - remote sensing 211
  - resources 211 516
  - runoff 513 541
  - salinity 456 541
  - sediments 243 304 541
  - sewage 456 513 516
  - soil erosion 541
  - Sphaerotilus 516
  - surface waters 541
  - symposium 456
  - temperature 541
  - trace metals 4 213 435 456 516
  - turbidity 541
  - wastes 513
- thiamine
  - cobalamin 509
  - Long Island 509
  - nutrients 509
  - orthophosphate 509
  - phytoplankton 509
  - seasons 509
  - Sound 509
- Thomann
  - Anacostia 78
  - dye 78
  - Estuary 78
  - FWQA Dynamic 78
  - model 78
  - Potomac 78
  - predictions 78
  - tides 78
- three dimensional
  - Alabama 132
  - Bay 132 198 427
  - Biscayne 427
  - chemical 427
  - density 198
  - fish 515
  - Florida 427
  - free surface 427
  - hydrology 132 198 515
  - interface salt fresh 132
  - management 515
  - Mobile 132
  - model 132 198 427 515
  - momentum transfer 132
  - Narragansett 198
  - nutrients 515
  - phytoplankton 515
  - primary 515
  - processes 427
  - productivity 515
  - Puget 515
  - salinity 198
  - sediments 132 427
  - Sound 515
  - succession 515
  - time dependent 132 427
  - transport 132 427
  - trophic levels 515
  - Washington 515
  - wind 427
- three layer
  - density 280
  - hydrology 280
  - model 280
  - stratification 280
- tidal average
  - BOD 212
  - DO 212
  - Estuary 212
  - hydrology 212
  - model 212
  - real time 212
  - salinity 212

    Virginia 212
    York 212
tidal creek
    ammonia 177
    DON 177
    Georgia 177
    marshes 177
    nitrate 177
    nitrite 177
    PON 177
    pools 177
tides
    aerobic 183
    algae 81
    algae mats 33
    ammonia 518
    ammonium 210
    Anacostia 78
    animals 518
    barnacles 507
    Bay 22
    benthic 33
    benthic oxygen demand 33
    biomass 519
    bloom 519
    BOD 1 519
    British Columbia 512
    Broadkill 101
    cadmium 210
    California 155
    canal 512
    carbon 19 22
    Chesapeake 22
    chlorophyll 101 155 519
    coliforms 1 183
    cycles 183
    DC 1
    Delaware 101
    detritus 22
    distribution 155
    diversity 155
    DO 1 81 101 518 519
    dredging 512
    Duwamish 519
    dye 1 78
    Estuary 1 33 78 81 101 183 507 518 519
    flushing 155 512
    flux 22
    freshwater 519
    FWQA Dynamic 78
    Gulf 155
    hydrology 183
    inorganic 101
    Lagoon 155
    management 183
    marshes 22 210 507
    microbes 183
    model 1 33 78 183 507
    Murderkill 101
    mussels 507
    nitrogen 22 101 183 210
    North Inlet 507
    nutrients 1 101 210 512 518
    Oregon 33
    oysters 507
    pH 101
    phosphate 518
    phosphorus 19 22 101 210
    phytoplankton 1 155 507 519
    Potomac 1 78 81 183
    predictions 78 183
    primary 22 155 507
    processes 183 507
    productivity 22 155 507
    real time 183
    salinity 33 101 512
    sediments 19 33 210
    sewage 19
    sulfide 33
    temperature 512 519
    Thomann 78
    trace metals 210
    Transient Water Quality Network 183
    Virginia 518
    wastes 81 512
    water column 507
    wetlands 101
    Yaquina 33
    York 518
    zinc 210
time constants
    diatoms 347
    filter feeders 347
    flagellates 347
    Michaelis Menton 347
    model 347
    silica 347
    zooplankton 347

time dependent
  Alabama 132
  Bay 132 427
  Biscayne 427
  chemical 427
  Estuary 255
  Florida 427
  free surface 427
  hydrology 132
  interface salt fresh 132
  Mobile 132
  model 132 255 427
  momentum transfer 132
  one dimensional 255
  Potomac 255
  processes 427
  sediments 132 427
  stochastic 255
  three dimensional 132 427
  transport 132 427
  wind 427
TKN
  Estuary 219
  freshwater 219
  nitrate 219
  nitrite 219
  phosphate 219
  Potomac 219
  sediments 219
  sewage 219
  spatial distribution 219
  temporal distribution 219
  watersheds 219
TLm
  industry 452
  metabolism 452
  populations single 452
  stress 452
  wastes 452
TOC
  algae 442
  ammonia 314
  Bayou 314
  BOD 349
  carbon 220
  chlorophyll 220
  COD 349 442
  CO2 220
  deoxygenation 104 349
  DO 220 314
  DOC 104
  Estuary 104 220
  Florida 314
  indices 220
  industry 442
  Japan 349
  Louisiana 442
  macroinvertebrates 314
  marshes 442
  microbes 220 442
  nitrate 314
  nutrients 104 220 442
  Pamlico 104
  pesticides 220
  phosphate 314
  phytoplankton 314
  POC 104
  Potomac 220
  primary 104
  productivity 104
  respiration 104
  runoff 442
  self purification 349
  sewage 442
  Texar 314
  TOD 349
  wastes 220 442
  zooplankton 314
TOD
  BOD 349
  COD 349
  deoxygenation 349
  Japan 349
  self purification 349
  TOC 349
Tokyo
  Actinetobacter 431
  alkaline phosphatase 470
  ammonia 190
  bacteria 431
  Bay 190 431 470
  chlorophyll 470
  denitrification 190
  distribution 470
  DNA 470
  enzymes 470
  heterotrophic 431
  indices 470
  Japan 190
  Mangoku 190

- microbes 470
- nutrients 431
- N15 190
- phosphorus 470
- phytoplankton 431
- PON 190
- protein 470
- Sagami 431
- sediments 190
- seston 470
- Simoda 190
- Suruga 431
- Ura 190
- Vibrios 431
- zooplankton 431

Tolo
- clay 458
- flux 458
- Harbor 458
- Hong Kong 458
- land development 458
- phosphate 458
- salinity 458
- sediments 458

toxicity
- abundance 32
- Anchoa mitchilli 32
- Bay 32
- Bayou 317
- benthic 10
- biomass 32
- bloom 10 317
- carbon 116
- continuous culture 116
- cysts 10
- dinoflagellate 6 10
- diversity 32
- DO 317
- dredging 107
- fish 32 317
- Florida 317
- Galveston 32
- Gonyaulax 6 10
- Gymnodinium 317
- indicator species 32
- indices 32
- larvae 107
- Massachusetts 10
- nutrients 116
- pH 302
- phytoplankton 116 317
- pulp mill 302
- red tide 10
- salmonids 302
- sewage 116
- spores 10
- succession 116
- Texar 317
- Texas 32
- wastes 32 302 317
- zooplankton 107

trace metals
- agrochemicals 455
- algae 72 216 438
- alkalinity 149 184 380 455
- amino acids 456 528
- ammonia 184 311 387
- ammonium 210 394
- assay 414
- bacteria 456
- bacteria proteolytic 456
- Bay 72 184 380 387 455
- Belgium 376
- benthic 72 137 356 438 528
- bibliography 4 124 213 435 436
- black necrosis 2
- bloom 376 414
- boat traffic 455
- BOD 311 348
- Bothnia 137
- Broad River 292
- buoys 37
- Burry Inlet 2
- cadmium 210
- California 37
- carbohydrates 456
- carbon 387 394
- ceramic panel substrates 37
- chemical 516
- Chesapeake 72 184 380 455
- chlorinated hydrocarbons 37 137 491
- chlorine 184 455
- chlorophyll 184
- coliforms 380
- conference 528
- Crangon crangon 2
- cycles 528
- C14 456
- DC 380

deposition 376
detergent 2 436
detritus 292 528
diatoms 376 414 479
dinoflagellate 479
disease 356 455
dispersion 37
dissolved solids 137
DO 2 72 137 184 213 216 242 311 376 380 387 394
DOC 311
DON 311
dredging 4 455
economics 4 37 491
energy transfer 72 348
epiphytes 455
Estuary 124 216 292 376 380 426
eutrophication 4 124 213 435
fauna 455 456
fertilizer 292
fish 356 516 528
fisheries 124 528
Florida 292
flux 387
food processing 516
foraminifera 72
fungus 456
Great Britian 2
growth rates 479
Gulf 137
heterotrophic 456
hydrology 124 137 376 414 491
indices 456
industry 348 380 516
instruments 436
interface salt fresh 311 376
invertebrates 528
iron 137
James 380
land development 216
leaves 292
macrofauna 72 137 356
macrophytes 72
management 435 491 528
mangroves 292
marshes 149 210
Maryland 380
Mediterranean 491
methods 37 213 426 435 436 456
microbes 2 72 216 456 491 516 528
microcosms 387
Mississippi 356
model 348 436 438
N/P 414
Narragansett 387
New Jersey 426
New York 426
nitrate 380 394 414
nitrite 311
nitrogen 115 210 242 387 479 528
Norway 414
nutrients 72 137 149 210 216 376 380 387 394 436 455 491 516 528
Obelia dichtoma 37
oil 4 137 436 455 456 491 528
Oregon 516
organic matter 394
organisms 528
orthophosphate 184 414
parasites 356
Patuxent 380
pesticides 4 137 292 348 356 380 435 436 528
pH 2 184 311 380 455
phosphate 184 380 394
phosphorus 115 137 149 210 242 387 528
phytoplankton 72 115 137 394 414 456 479
pollution 4
Potomac 216 380
primary 115 124 137
processes 184 456
productivity 37 115 124 137
pulp mill 456
radioactivity 4 491 516
Rappahannock 380
Raritan 426
release 405
resources 216 491 516
Rhode Island 387
runoff 216
salinity 2 184 311 405 455 456
Scheldt 376
Sea 491
seagrass 438 528
secondary 348
sediment water 242 387
sediments 137 149 196 210 242

    376 380 387 491
    self purification 376
    sewage 37 72 115 348 356 380 456 479 516
    Shark 292
    silica 149 414 528
    South Carolina 149
    Southampton 394
    spatial distribution 426
    specie key 455
    Sphaerotilus 516
    St Lawrence 124
    stress 528
    submerged vegetation 455
    sulfate 184
    sulfide 184
    suspended solids 124 376 405
    Susquehanna 380
    symposium 137 456
    temperature 2 184 394 455
    temporal distribution 426
    Texas 438
    thermal 4 213 435 456 516
    tides 210
    transport 376
    Trondheimsfjord 414
    turbidity 455
    turnover rates 394
    urea 528
    vertical distribution 184
    Virginia 380
    viruses 216
    wastes 137 196 216 348 380
    water column 196
    water velocity 455
    watersheds 380
    wetlands 528
    York 380
    zinc 210
    zooplankton 72 137 394 528
tracer
    Bay 23
    coliforms 23
    Great Britian 23
    Liverpool 23
    sewage 23
Transient Water Quality Network
    aerobic 183
    coliforms 183
    cycles 183
    Estuary 183
    hydrology 183
    management 183
    microbes 183
    model 183
    nitrogen 183
    Potomac 183
    predictions 183
    processes 183
    real time 183
    tides 183
transport
    Alabama 132
    Bay 132 262 301 354 427
    Belgium 376
    Biscayne 427
    bloom 376
    chemical 427
    Chesapeake 301
    deposition 376
    diatoms 376
    DO 376
    energy transfer 354
    Estuary 223 376
    Florida 427
    free surface 427
    hydrology 100 132 262 354 376
    industry 301
    interface salt fresh 132 376
    intracellular 100
    isopleths 223
    Jamaica 262
    Mobile 132
    model 100 132 223 244 262 354 427
    momentum transfer 132
    New York 262
    nitrogen 100
    nonadvective 244
    nonpoint sources 223
    nutrients 100 223 376
    phosphorus 100 223
    Potomac 223
    processes 223 244 354 427
    runoff 223
    San Francisco 354
    Scheldt 376
    sediments 132 301 376 427
    self purification 376
    sewage 301

    spatial distribution 223
    suspended solids 376
    temporal distribution 223
    tertiary 301
    three dimensional 132 427
    time dependent 132 427
    trace metals 376
    two dimensional 262
    wastes 223 301
    wind 427
Trinity
    autotrophic 86
    Bay 86
    freshwater 86
    heterotrophic 86
    industry 86
    metabolism 86
    microcosms 86
    nutrients 86
    phytoplankton 86
    primary 86
    productivity 86
    respiration 86
    Texas 86
    wastes 86
    zooplankton 86
tris extraction
    acid extraction 206
    ATP 206
    charcoal adsorption 206
    methods 206
    sediments 206
Trondheimsfjord
    assay 414
    bloom 414
    diatoms 414
    hydrology 414
    N/P 414
    nitrate 414
    Norway 414
    orthophosphate 414
    phytoplankton 414
    silica 414
    trace metals 414
trophic levels
    fish 515
    hydrology 515
    management 515
    model 515
    nutrients 515
    phytoplankton 515
    primary 515
    productivity 515
    Puget 515
    Sound 515
    succession 515
    three dimensional 515
    Washington 515
tropical
    Bay 147
    Cladocera 147
    Evadne tergestina 147
    Malagasy Republic 147
    Nosy Be 147
    Penilia avirostris 147
    phytoplankton 147
    rainfall 147
    seasons 147
    zooplankton 147
turbidity
    abundance 43
    agrochemicals 455
    Albemarle 43
    alkalinity 67 455
    ammonia 43 67
    Baule Mitschlerlich 511
    Bay 67 455
    benthic 511
    benthic oxygen demand 420
    boat traffic 455
    BOD 36 541
    Chesapeake 67 455
    chlorine 455
    chlorophyll 43 67
    clay 374
    disease 455
    DO 36 67 541
    dredging 455
    epiphytes 455
    Estuary 67
    fauna 455
    freshwater 420
    hydrology 43 420
    land development 43
    light 36 420
    macrophytes 511
    microbes 541
    mixing depth 541
    model 420
    NaCl 36

  - nitrate 67
  - nitrite 67
  - nitrogen 43 67 541
  - nonpoint sources 541
  - North Carolina 43
  - nutrients 455 511
  - oil 455
  - one dimensional 420
  - organic 541
  - pH 67 455
  - phosphate 67
  - phosphorus 43 541
  - phytoplankton 43 67 511
  - point sources 541
  - Potomac 67
  - predictions 541
  - primary 43 511
  - productivity 43 67 511
  - profiles 541
  - runoff 420 541
  - salinity 43 67 455 541
  - salts 36
  - seagrass 374
  - sediments 36 541
  - sewage 374
  - soil erosion 541
  - Sound 43
  - specie key 455
  - stochastic 420
  - submerged vegetation 455
  - surface waters 541
  - suspended solids 36
  - temperature 36 43 67 420 455 541
  - thermal 541
  - trace metals 455
  - water velocity 455
  - zooplankton 67
- turnover rates
  - aerobic 537
  - algae 537
  - ammonium 394
  - Bay 469
  - biomass 537
  - bloom 537
  - carbon 394
  - Chesapeake 469
  - CO2 537
  - cycles 233
  - C14 537
  - Denmark 233
  - density 537
  - detritus 537
  - DO 394
  - DOP 469
  - Ks 469
  - macrophytes 537
  - microbes 537
  - nitrate 394
  - nutrients 394
  - organic matter 394
  - orthophosphate 469
  - oxidation 233
  - phosphate 394
  - phytoplankton 394 469
  - polyphosphate 469
  - P32 469
  - reduction 233
  - sediments 233 537
  - Southampton 394
  - sulphur 233
  - temperature 394
  - trace metals 394
  - uptake rates 537
  - Vm 469 537
  - water column 537
  - zooplankton 394
- two dimensional
  - advection 42
  - Bay 41 42 262 353 378
  - BOD 353
  - Chesapeake 41 42
  - coliforms 353
  - Coriolis 42
  - density homogeneous 258
  - DO 353
  - finite difference 41
  - freshwater 378
  - hydrology 41 42 262 378
  - Jamaica 262 353
  - model 41 42 258 262 353 378
  - New York 262 353
  - nitrogen 353
  - phosphorus 353
  - salinity 353
  - San Francisco 378
  - silica 378
  - specified time 258
  - transport 262
  - unsteady flow 258
- two layer

  interstitial 503
  mass transfer 503
  model 503
  North 503
  Sea 503
  silica 503
  zone 503
Tyne
  algae 119
  benthic 119
  Estuary 119
  Great Britian 119
  industry 119
  sewage 119
  Tees 119
  wastes 119
  Wear 119
Ulva
  Estuary 82
  Massachusetts 82
  nitrate 82
  nutrients 82
  phosphate 82
  phytoplankton 82
  Pines 82
  recreation 82
  sewage 82
  Suagus 82
Ulvales
  fucaceae 334
  intertidal 334
  Mytilus 334
  pulp mill 334
  Spain 334
  stress 334
  wastes 334
United Kingdom
  bibliography 15 51
  Estuary 143
  eutrophication 15 51
  nitrate 143
  nutrients 143
  phosphate 143
  runoff 143
  salts 143
  sewage 15
  Thames 143
  wastes 143
unsteady flow
  density homogeneous 258
  model 258
  specified time 258
  two dimensional 258
uptake rates
  adsorption 259
  aerobic 537
  algae 133 537
  algae bluegreen 533
  alkaline phosphatase 482
  ammonia 69 157
  ammonium 31 129 188 482
  Bay 133 188 297
  biomass 133 533 537
  bloom 533 537
  C/N 188 482
  California 129
  carbon 482
  Chesapeake 133 297
  Chlorella salina 69
  chlorophyll 482
  Chlorophyta 31
  Chowan 533
  clay 259
  CO2 537
  cycles 129 297
  C14 537
  denitrification 157
  density 537
  detritus 537
  dissolved 131
  diurnal 129 482
  diversity 533
  Estuary 31 90 131 133 533
  eutrophic 157
  growth rates 188
  Hawaii 188
  Hudson 31
  hydrology 90
  inorganic 131
  Kaneohe 188
  Ks 482
  light 31
  local 297
  macrophytes 157 537
  microbes 133 297 533 537
  mining 90
  Mississippi 131
  model 157
  nitrate 31 69 129 157 188 482
  nitrification 157

    nitrogen 129 157 297 482
    North Carolina 90 533
    nutrients 259 297
    N15 129
    Olisthodiscus luteus 482
    organic 157 259
    organic matter 157
    Orinoco 131
    orthophosphate 133
    Pamlico 90
    pH 259
    phosphate 69 259
    phosphorus 90 259 297 482 533
    phytoplankton 31 90 129 157 188 297 533
    plumes 131
    primary 129
    processes 157
    productivity 129
    protein 69
    rainfall 297
    Rangia 90
    Rhode 133
    salinity 69 90 259
    Savannah 131
    sediment water 259
    sediments 90 297 537
    sewage 69 129 188 259
    silica 131
    Skeletonema 31
    suspended solids 131
    symposium 297
    temperature 259
    turnover rates 537
    urea 129 188
    vertical transport 297
    Virginia 259
    Vm 537
    wastes 90
    water column 537
    zooplankton 157 297
upwelling
    DO 369
    Grays 369
    Harbor 369
    sewage 369
    temperature 369
    Washington 369
Ura
    ammonia 190
    Bay 190 252
    denitrification 190
    Japan 190
    Mangoku 190 252
    microbes 252
    nitrate 252
    nitrification 252
    N15 190 252
    Odawa 252
    PON 190
    reduction 252
    sediments 190 252
    Simoda 190
    Tokyo 190
    Zostera 252
Uranouchi
    Bay 322
    chlorophyll 322
    Japan 322
    nutrients 322
    phytoplankton 322
    wastes 322
urea
    amino acids 528
    ammonia 50 62 165
    ammonium 129 186 188 298
    animals 186
    Bay 188 298
    benthic 528
    biomass 62
    biosorption 543
    C/N 62 188
    California 62 129
    carbon/chlorophyll 62
    Chesapeake 298
    conference 528
    cycles 129 186 528
    C14 543
    detritus 528
    distribution 50
    diurnal 62 129
    enzymes 165
    Estuary 50 186
    fish 528 543
    fisheries 528
    growth rates 188
    Hawaii 188
    inorganic 186
    invertebrates 528
    Kaneohe 188

    Ks 62
    management 528
    methianine 543
    methods 165
    microbes 528
    nitrate 50 129 186 188 298
    nitrite 50 186 298
    nitrogen 50 62 129 186 528
    North Carolina 186
    nutrients 50 62 186 528
    N15 62 129
    oil 528
    organic 50 186
    organisms 528
    Pamlico 186
    percolator 165
    pesticides 528
    phosphate 50
    phosphorus 528
    phytoplankton 62 129 188 298
    plants 186
    primary 62 129
    productivity 62 129
    salinity 50
    seagrass 528
    seasons 50 186
    sediments 165 186
    sewage 62 129 188
    silica 528
    silicate 50
    St Lawrence 50
    stress 528
    sulfate 165
    temperature 50
    trace metals 528
    uptake rates 129 188
    Vm 62
    wetlands 528
    zooplankton 528
USSR
    metabolism 162
    mussels 162
    nitrogen 162
    nutrients 162
    organic 162
    phosphate 162
uv/resin
    interference 54
    methods 54
    nitrate 54
Vancouver
    Burrard 460
    distribution 460
    fiord 460
    Harbor 460
    Inlet 460
    phytoplankton 460
    primary 460
    productivity 460
    succession 460
Vellar
    Estuary 506
    inorganic 506
    nitrogen 506
    organic 506
    phytoplankton 506
    processes 506
    seasons 506
vertical distribution
    alkalinity 184
    ammonia 184
    Bay 184
    Chesapeake 184
    chlorine 184
    chlorophyll 184
    DO 184
    orthophosphate 184
    pH 184
    phosphate 184
    processes 184
    salinity 184
    sulfate 184
    sulfide 184
    temperature 184
    trace metals 184
vertical shear
    density 530
    dispersion 530
    dye 530
    Estuary 530
    hydrology 530
    longitudinal 530
    mixing 530
    model 530
    point sources 530
    York 530
vertical transport
    Bay 297
    Chesapeake 297
    cycles 297

  local 297
  microbes 297
  nitrogen 297
  nutrients 297
  phosphorus 297
  phytoplankton 297
  rainfall 297
  sediments 297
  symposium 297
  uptake rates 297
  zooplankton 297
Vibrios
  Actinetobacter 431
  bacteria 431
  Bay 431
  heterotrophic 431
  nutrients 431
  phytoplankton 431
  Sagami 431
  Suruga 431
  Tokyo 431
  zooplankton 431
Virginia
  Acartia 227
  adsorption 259
  alkalinity 380
  ammonia 518
  animals 518
  Balanus 227
  Bay 156 227 380 475
  bibliography 156 475
  bloom 227
  BOD 212
  carbon 21 27
  Carter 21
  Chesapeake 156 380 475
  clay 259
  coliforms 380
  Creek 21
  cycles 21
  DC 380
  DO 212 380 518
  Estuary 27 212 227 380 518
  Eurytemora 227
  hydrology 212
  industry 380
  inorganic 27
  James 27 380
  latitudinal gradients 227
  marshes 21
  Maryland 380
  microbes 27
  model 27 212
  Narragansett 227
  New Jersey 227
  nitrate 27 380
  nitrite 27
  nitrogen 21
  nutrients 227 259 380 518
  organic 27 259
  organic matter 227
  Patuxent 380
  pesticides 380
  pH 259 380
  phosphate 27 259 380 518
  phosphorus 21 259
  phytoplankton 27 227
  Potomac 380
  predictions 27
  primary 21
  processes 27
  productivity 21
  Rappahannock 380
  Raritan 227
  real time 212
  Rhode Island 227
  salinity 212 227 259
  Schofield 27
  seasons 227
  sediment water 21 259
  sediments 380
  sewage 27 259 380
  stochastic 27
  Susquehanna 380
  temperature 27 259
  tidal average 212
  tides 518
  trace metals 380
  uptake rates 259
  Ware 21
  wastes 227 380
  watersheds 380
  York 212 227 380 518
  zooplankton 227
viruses
  algae 216
  algae bluegreen 254
  Cyanophyta 254
  DO 216
  Estuary 216

- fish kills 254
- hosts 254
- indicator species 254
- land development 216
- microbes 216 254
- nutrients 216
- Potomac 216
- resources 216
- runoff 216
- Schizothrix calicola 254
- trace metals 216
- wastes 216

vitamin B12
- Georgia 59
- marshes 59
- microbes 59
- sediments 59
- suspended solids 59

vitamins
- fungus 501
- microbes 501
- seasons 501
- synthesis 501
- yeast 501

Vm
- aerobic 537
- algae 537
- alkaline phosphatase 468
- ammonia 62
- ammonium 522
- Bay 468 469
- biomass 62 537
- bloom 537
- boundary layer 522
- C/N 62
- California 62
- carbon 522
- carbon/chlorophyll 62
- Chesapeake 468 469
- CO2 537
- cycles 522
- C14 537
- density 537
- detritus 537
- diurnal 62
- DOP 469
- growth rates 522
- kelp 522
- Ks 62 468 469 522
- Macrocystis 522
- macrophytes 537
- microbes 537
- morphology 522
- nitrogen 62 522
- nutrients 62 522
- N15 62
- orthophosphate 469
- phosphomonoester 468
- phosphorus 468
- phytoplankton 62 468 469
- polyphosphate 469
- primary 62 522
- productivity 62 522
- P32 469
- sediments 537
- sewage 62
- turnover rates 469 537
- uptake rates 537
- urea 62
- water column 537
- water velocity 522

Waimea
- acetylene 25
- cannery 25
- Inlet 25
- intertidal 25
- Klebsiella pneumoniae 25
- New Zealand 25
- nitrogen fixation 25
- nutrients 25
- sediments 25
- sewage 25
- slaughterhouse 25
- wastes 25

Ware
- carbon 21
- Carter 21
- Creek 21
- cycles 21
- marshes 21
- nitrogen 21
- phosphorus 21
- primary 21
- productivity 21
- sediment water 21
- Virginia 21

Washington
- ammonia 481 520
- anaerobic 358
- benthic 305 358

  bibliography 84 112
  bloom 520
  chlorophyll 481
  dehydrogenase 358
  disease 305
  diversity 17
  DO 369
  Duwamish 480 481 520
  ecosystem 84
  Estuary 480 481 520
  fish 17 305 515
  Grays 369
  Harbor 369
  hydrology 515 520
  indicator species 481
  intertidal 17
  invertebrates 17
  Lake 358
  land development 84
  macrofauna 17
  management 515
  metabolic heat release 358
  metabolism 358
  microcalorimetry 358
  model 515
  nitrate 481
  nitrite 481
  nutrients 358 480 515
  organic matter 358
  organisms 358
  oxygen 358
  Periphyton 481
  phosphate 481 520
  phytoplankton 515 520
  primary 481 515
  processes 358
  productivity 481 515
  Puget 17 84 305 358 515
  salt wedge 480
  sediments 17 358
  sewage 17 305 369 520
  Sound 17 84 305 358 515
  succession 515
  temperature 369
  three dimensional 515
  trophic levels 515
  upwelling 369
  wastes 481
wastes
  abundance 32 120
  Acartia 227
  acetylene 25
  Agnes 415
  agriculture 218 282 384
  algae 81 119 120 216 400 442
  algae bluegreen 66 218
  algae mats 130
  alkalinity 380
  ammonia 123 204 481
  Anchoa mitchilli 32
  animals 399
  Apalachee 191
  assay 399
  ATP 275
  autotrophic 86
  Balanus 227
  Bay 32 76 86 191 208 227 238 301 322 380 415 488
  Bayou 102 317
  benthic 76 119 120 137 191 208 400 447 508 539
  benthic oxygen demand 221
  Bight 275
  bioenhancement 447
  biological 230
  biomass 32 66 275 447
  bioturbation 539
  bloom 204 227 275 317
  BOD 109 136 221 284 342 348 539
  Bothnia 137
  British Columbia 512
  C/N 136
  cadmium 275
  California 400 447
  canal 384 512
  cannery 25 76 447
  carbon 220 221 342
  Ceratium 275
  Charleston 136
  chemical 20 102 109 230 359
  Chesapeake 301 380 415
  Chinhae 238
  chlorinated hydrocarbons 137
  chlorophyll 102 220 322 415 481
  Chocolate 102
  Cladocera 245
  Clyde 284
  COD 442
  coliforms 221 380
  CO2 105 220

cycles 342 464
DC 380
Delaware 109 134 342 539
detergent 413
disease 238
dissolved solids 137
distribution 309
diversity 32 102 120 447
Dniester 384
DO 81 102 105 117 137 216 220 221 222 284 317 342 380 447 464
dredging 512
Duwamish 481
economics 134 508
Elizabeth 327
energy transfer 348
Estuary 66 81 90 109 119 130 134 143 204 216 218 220 221 222 223 227 284 309 327 342 380 384 415 481 539
Eurytemora 227
eutrophic 20
exchange diffusion 123
fauna 384 539
fertilizer 204 238 282 464
fish 32 317 447 513
fisheries 488
Florida 191 317
flushing 218 512
flux 342
freshwater 86 204 222 284
fucaceae 334
Galveston 32 208
Great Britian 119 120
Greece 245
Gulf 137 245
Gymnodinium 317
Harbor 20 136 327 400 447
heterotrophic 86
heterotrophic potential 500
Hudson 218
Hurricane 415
hydrology 20 90 137 208 284 399
Hymeniacidon sanguinea 359
indicator species 32 191 208 245 359 399 400 481
indices 32 102 208 220
industry 86 109 119 134 136 208 232 245 275 284 301 327 348 359 380 384 442 452 464 488 508
Inlet 25
inorganic 413
intertidal 25 309 334
invertebrates 191
Ireland 130
Irish 309
iron 137
isopleths 223
Italy 359
James 327 380
Japan 322 488
kelp 232
Klebsiella pneumoniae 25
Korea 238
Lagoon 105
land development 216
latitudinal gradients 227
Limnodrilus 539
Little Creek 327
long term 120
Los Angeles 400 447
Louisiana 442
Lynnhaven 327
macrofauna 76 137 309
macroinvertebrates 232
management 109 327 508
marshes 442
Maryland 380
Mersey 309
metabolism 86 452
metals 232
methods 118 123 399
Michaelis Menton 415
microbes 20 216 220 275 399 442 500
microcosms 86
mining 66 90 464 513
model 105 109 223 327 342 348 415
mud flats 130 191
municipal 109 413
Mytilus 334
N/P 413
Nansemond 327
Narragansett 227
Neuse 204
New Jersey 227
New York 275
New Zealand 25
nitrate 123 143 204 218 380 481

nitrite 481
nitrogen 66 342 413 415
nitrogen fixation 25
nonpoint sources 223 327
North 232
North Carolina 90 204
nutrients 25 86 130 137 143 216 218 220 221 222 223 227 282 322 342 380 442 512
N14 118
N15 118
oil 137 399 400 513
oligochaetes 400 539
organic 130 309 500 539
organic matter 227 413
organisms 447 508
orthophosphate 117
oyster reefs 191
Pagan 327
Pamlico 66 90
Patuxent 380
Periphyton 481
pesticides 137 220 348 380 508 513
pH 105 302 380
phosphate 123 143 218 380 481
phosphorus 66 90 137 204 223 342 413 415 464
phytoplankton 66 86 90 137 204 221 227 317 322 342 413 415
plankton 20 447
plants 508
point sources 218
polychaetes 400
pool experiment 66
populations mixed 500
populations single 452
Poquoson 327
Porifera 359
Porphyra 238
Potomac 81 216 218 220 221 222 223 342 380
predictions 284 327
primary 86 137 238 481
processes 223 230
productivity 86 102 137 238 447 481
public opinion 508
Puget 117
pulp mill 136 191 302 334 488
513
quasi linear 415
radioactivity 513
Rangia 90
Rappahannock 380
Raritan 227
recreation 508
reproduction 120
resources 216 222
respiration 86 102
Rhode Island 227
Rogerstown 130
runoff 134 143 216 223 442 464 513
Saldanha 76
salinity 90 204 227 512
salmonids 302
salts 143
Saronic 245
Sea 232 309
seagrass 191
seasons 102 120 227 245 309
secondary 118 123 348
sediments 25 90 137 196 208 275 301 380 539
sewage 25 105 119 134 136 204 218 232 245 284 301 327 348 359 380 384 400 442 447 464 488 513
slaughterhouse 25
Sound 117
South Africa 76
South Carolina 136
Spain 334
spatial distribution 223
stabilization 105 230
storm loading 134
stress 334 452
succession 232
Suruga 488
Susquehanna 380 415
symposium 137
Taylor 102
Tees 119
temperature 105 245 284 512
temporal distribution 223
tertiary 301 508
Texar 317
Texas 32 86 102 208
Thames 143
thermal 513

    tides 81 512
    TLm 452
    TOC 220 442
    toxicity 32 302 317
    trace metals 137 196 216 348 380
    transport 223 301
    Trinity 86
    Tyne 119
    Ulvales 334
    United Kingdom 143
    uptake rates 90
    Uranouchi 322
    Virginia 227 380
    viruses 216
    Waimea 25
    Washington 481
    water column 196
    watersheds 380
    Wear 119
    York 227 327 380
    zooplankton 86 102 137 227 245 342 384
water column
    aerobic 537
    algae 537
    barnacles 507
    Bay 417
    biomass 537
    bloom 537
    Chesapeake 417
    CO2 537
    C14 537
    density 537
    detritus 537
    distribution 417
    Estuary 507
    indicator species 417
    macrophytes 537
    marshes 507
    microbes 417 537
    model 507
    mussels 507
    North Inlet 507
    oysters 507
    phytoplankton 507
    primary 507
    processes 507
    productivity 507
    sediments 196 417 537
    sewage 417
    suspended solids 417
    tides 507
    trace metals 196
    turnover rates 537
    uptake rates 537
    Vm 537
    wastes 196
water craft
    Bay 425
    Meydenbauer 425
    San Diego 425
    sewage 425
    Wollochet 425
water quality
    DO 97
    hydrology 97
    model 97
water supply
    artificial recharge 138
    canal 138
    dissolved solids 138
    economics 138
    Estuary 138
    nitrification 138
    ozonization 138
    recycle 138
    sewage 138
    Thames 138
water velocity
    agrochemicals 455
    alkalinity 455
    ammonium 522
    Bay 455
    biomass 336
    boat traffic 455
    boundary layer 522
    carbon 522
    Chesapeake 455
    chlorine 455
    cycles 522
    disease 455
    dredging 455
    epiphytes 455
    Estuary 336
    fauna 455
    Grevelingen 336
    growth rates 522
    kelp 522
    Ks 522
    light 336

    Macrocystis 522
    morphology 522
    Netherlands 336
    nitrogen 522
    nutrients 336 455 522
    oil 455
    pH 455
    primary 336 522
    productivity 336 522
    salinity 455
    specie key 455
    submerged vegetation 455
    temperature 455
    trace metals 455
    turbidity 455
    Vm 522
    Zostera marina 336
watersheds
    aerobic 58
    agriculture 517
    alkalinity 380
    anaerobic 58
    assay 58
    Bay 92 173 380
    Chesapeake 92 173 380
    Chickahominy 173
    coliforms 380
    Connecticut 58
    Copps Brook 58
    DC 380
    degradation 58
    DO 380
    DOC 58
    Estuary 173 219 380
    fertilizer 517
    flood control 517
    freshwater 219
    hydrology 517
    indices 92
    industry 380 517
    interstitial 58
    James 173 380
    land development 92 517
    linear regression 173
    Maryland 380
    metabolism 58
    microbes 58
    model 58
    nitrate 219 380
    nitrite 219
    North Carolina 517
    nutrients 58 92 173 380 517
    organic matter 58
    Patuxent 173 380
    pesticides 380 517
    pH 380
    phosphate 219 380
    POC 58
    Potomac 173 219 380
    Rappahannock 173 380
    recreation 517
    resources 517
    seasons 173
    sediments 58 219 380
    sewage 219 380
    spatial distribution 219
    Susquehanna 173 380
    temporal distribution 219
    tetrazolium salt 58
    TKN 219
    trace metals 380
    Virginia 380
    wastes 380
    York 173 380
Wear
    algae 119
    benthic 119
    Estuary 119
    Great Britian 119
    industry 119
    sewage 119
    Tees 119
    Tyne 119
    wastes 119
weight
    ammonia 289
    chlorophyll 289
    COD 289
    Estuary 289
    nutrients 289
    phosphorus 289
    Potomac 289
    sediments 289
Werribee
    ammonia 388
    Australia 388
    Bay 388
    benthic 388
    fauna 388
    nutrients 388

    Port Phillip 388
    salinity 388
    sediments 388
    sewage 388
    sewage treatment farm 388
wetlands
    agencies 14
    agriculture 26
    amino acids 528
    Barataria 95
    Basin 95
    Bay 402
    benthic 528
    Broadkill 101
    carbon 192 195
    chlorophyll 101
    conference 528
    Copepoda 195
    crustaceans 195
    cycles 528
    Delaware 101
    detritus 192 195 528
    disposal 531
    DO 101
    dredging 14 96 531
    energy transfer 192 195
    Estuary 101 192 195 402
    Eurytemora affinis 195
    fish 528
    fisheries 95 96 528
    flood control 96
    Florida 14 402
    freshwater 402
    inorganic 101
    invertebrates 528
    land development 96
    local 14
    Louisiana 95 96 402
    management 96 402 528
    marshes 192
    Maryland 192 195
    microbes 195 528
    Murderkill 101
    nitrogen 101 528
    North Carolina 402
    nursery grounds 95
    nutrients 26 95 96 101 192 402 528
    oil 528
    organisms 528
    Palm 402
    Patuxent 192 195
    pesticides 528
    pH 101
    phosphorus 101 528
    phytoplankton 96
    primary 192 195
    productivity 192 195
    radioactivity 402
    recreation 96
    runoff 26 96 402
    salinity 95 101
    Santee 402
    Scottlana canadensis 195
    seagrass 528
    sewage 14 96
    silica 528
    soil erosion 96
    South Carolina 402
    state 14
    stress 528
    swamps 402
    tides 101
    trace metals 528
    urea 528
    zooplankton 528
wind
    Bay 422 427
    Biscayne 427
    chemical 427
    Chesapeake 422
    Florida 427
    free surface 427
    model 427
    organic matter 422
    processes 427
    salinity 422
    secchi disc 422
    sediments 427
    suspended solids 422
    three dimensional 427
    time dependent 427
    transport 427
winter
    biomass 445
    bloom 445
    diatoms 445
    Japan 445
    microbes 445
    nutrients 445

  - primary 445
  - productivity 445
  - Sea 445
- Wollochet
  - Bay 425
  - Meydenbauer 425
  - San Diego 425
  - sewage 425
  - water craft 425
- Woods Hole
  - benthic 331
  - indicator species 331
  - invertebrates 331
  - Massachusetts 331
  - nematodes 331
  - seasons 331
  - sewage 331
- worms
  - Clyde 375
  - Enteromorpha 375
  - Estuary 375
  - fauna 375
  - fisheries 375
  - molluscs 375
  - nutrients 375
  - sand 375
  - Scotland 375
  - sediments 375
  - sewage 375
- Yaquina
  - algae 448
  - algae mats 33
  - assay 448
  - Bay 448
  - benthic 33
  - benthic oxygen demand 33
  - dispersion coefficient 170
  - Estuary 33 170
  - hydrology 448
  - light 448
  - model 33 170
  - nutrients 448
  - Oregon 33 170 448
  - salinity 33
  - seasons 448
  - sediments 33
  - sewage 448
  - slack water 170
  - sulfide 33
  - temperature 448
  - tides 33
- Yarra
  - abundance 389
  - Bay 389
  - benthic 389
  - diversity 389
  - DO 389
  - Estuary 389
  - fauna 389
  - Hobsons 389
  - salinity 389
  - Theora fragilis 389
- yeast
  - Estuary 474
  - fungus 501
  - microbes 501
  - organic matter 474
  - Portugal 474
  - Sado 474
  - seasons 501
  - synthesis 501
  - Tagus 474
  - temperature 474
  - vitamins 501
- York
  - Acartia 227
  - alkalinity 380
  - ammonia 518
  - animals 518
  - Balanus 227
  - Bay 173 227 380 495
  - bloom 227
  - BOD 212 495
  - carbon 495
  - Chesapeake 173 380 495
  - Chickahominy 173
  - chlorophyll 174 495
  - coliforms 380
  - community structure 174
  - DC 380
  - density 530
  - dispersion 530
  - DO 174 212 380 495 518
  - dye 530
  - Elizabeth 327
  - Estuary 173 174 212 227 327 367 380 495 518 530
  - Eurytemora 227
  - factorial productivity 367
  - Harbor 327

    hydrology 174 212 530
    industry 327 380
    James 173 327 380 495
    latitudinal gradients 227
    light 174
    linear regression 173
    Little Creek 327
    longitudinal 530
    Lynnhaven 327
    management 327
    Maryland 380
    microflagellates 174
    mixing 530
    model 212 327 530
    nanoplankton 174
    Nansemond 327
    Narragansett 227
    New Jersey 227
    nitrate 380
    nonpoint sources 327
    nutrients 173 227 380 495 518
    organic matter 227
    Pagan 327
    Patuxent 173 380 495
    pesticides 380
    pH 380
    phosphate 380 518
    phytoplankton 174 227 367
    point sources 530
    populations mixed 367
    populations single 367
    Poquoson 327
    Potomac 173 380 495
    predictions 327
    primary 174 367
    productivity 174 367
    Rappahannock 173 380 495
    Raritan 227
    real time 212
    Rhode Island 227
    salinity 174 212 227
    seasons 173 227
    sediments 380
    sewage 327 380
    Skeletonema 367
    succession 367
    Susquehanna 173 380 495
    temperature 174
    tidal average 212
    tides 518
    trace metals 380
    vertical shear 530
    Virginia 212 227 380 518
    wastes 227 327 380
    watersheds 173 380
    zooplankton 227
zinc
    ammonium 210
    cadmium 210
    marshes 210
    nitrogen 210
    nutrients 210
    phosphorus 210
    sediments 210
    tides 210
    trace metals 210
zone
    interstitial 503
    mass transfer 503
    model 503
    North 503
    Sea 503
    silica 503
    two layer 503

zooplankton
  - Acartia 227
  - Actinetobacter 431
  - agriculture 384
  - algae 72 87 140
  - algae bluegreen 335
  - alkalinity 67
  - amino acids 528
  - ammonia 67 157 314 466 477
  - ammonium 394
  - ATP 295
  - Australia 154
  - autotrophic 86
  - bacteria 431
  - Balanus 227
  - Baltic 335
  - Basin 295
  - Bay 67 72 86 140 147 200 227 296 297 392 406 431 466
  - Bayou 102 314
  - Bedford 295
  - benthic 72 87 137 335 352 528 542
  - benthic oxygen demand 542
  - biomass 140 154 200 296 466
  - bloom 227 363
  - BOD 342 477
  - Bothnia 137
  - Buzzards 406
  - Byfjorden 352
  - C/N 406
  - Calanus pacificus 363
  - California 477
  - canal 384
  - carbohydrates 295
  - carbon 295 342 394 542
  - Chaetoceros 363
  - Chaetodon miliaris 392
  - chemical 102
  - Chesapeake 67 72 140 296 297
  - chlorinated hydrocarbons 137
  - chlorophyll 67 102 140 154 296 391 406
  - Chocolate 102
  - Cladocera 147 245
  - Cochin 391
  - coliforms 542
  - Columbia 175
  - community structure 88
  - conference 528
  - crustaceans 352
  - cycles 297 342 477 528
  - C14 140 391
  - Delaware 342 477
  - Delta 477
  - denitrification 157
  - deoxygenation 542
  - detergent 335
  - detritus 406 528
  - diatoms 153 347
  - DIN 477
  - dissolved solids 137
  - distribution 153
  - diversity 88 102
  - Dniester 384
  - DO 67 72 102 137 154 194 314 335 342 394 477 542
  - DOM 404
  - DON 466
  - DPO 466
  - dredging 107
  - east coast 77
  - energy transfer 72 335
  - Estuary 67 87 154 175 227 341 342 352 384 391 477
  - Euphaussid furcilia 363
  - Eurytemora 175 227
  - eutrophic 157
  - Evadne tergestina 147
  - excretion rates 466
  - fauna 87 384
  - feeding rates 363
  - filter feeders 347
  - fish 88 335 392 528 542
  - fisheries 77 528
  - flagellates 295 347
  - Florida 314
  - flux 342
  - foraminifera 72
  - freshwater 86
  - Gothenburg 352
  - Greece 245
  - growth rates 392
  - Gulf 137 245
  - Hawaii 200 392 466
  - heat 542
  - heterotrophic 86 431
  - hydrology 87 137 154
  - H3 154
  - ice 542

indicator species 245 335 352
indices 102
industry 86 245 384
invertebrates 528
iron 137
juveniles 77
Kaneohe 200 392 466
Kungsbackafjorden 352
larvae 107
latitudinal gradients 227
light 175 542
linear regression 175
Little River 154
local 297
Long Island 404
long term 153
macroalgae 335
macrofauna 72 137 352
macroinvertebrates 314
macrophytes 72 157
Malagasy Republic 147
management 528
Massachusetts 406
meiofauna 352
metabolism 86 88 466
methods 296 542
Michaelis Menton 347
microbes 72 297 404 528
microcosms 86 140 194
mining 87
model 157 237 335 341 342 347 477 542
nanoplankton 296 363 406
Narragansett 227
New Jersey 227
nitrate 67 157 175 314 394
nitrification 157
nitrite 67 477
nitrogen 67 87 157 194 297 342 477 528
North 153
Nosy Be 147
nutrients 72 86 88 137 227 297 341 342 391 394 431 528 542
oil 137 528
Oregon 175
organic 157
organic aggregates 404
organic matter 157 227 394
organisms 335 528 542
oxidation 477
Pamlico 87
particulate matter 295
Penilia avirostris 147
pesticides 137 528
pH 67
phosphate 67 175 314 394 466
phosphorus 87 137 154 194 297 342 528
phytoplankton 67 72 86 87 137 147 153 154 157 175 194 227 295 296 297 314 341 342 363 394 404 431 477 542
PN 200
POC 406
POM 404
PON 406
populations mixed 237
Potomac 67 341 342 477
primary 86 137 140 154 296 335 391 542
processes 157
productivity 67 86 102 137 140 154 194 296 335 363 391 542
protein 295
Pseudocalanus minutus 363
P32 154
rainfall 147 297
Raritan 227
rate constants 542
reaeration 542
reproduction 392
respiration 86 102
Rhode Island 227
Sacramento 341
Sacramento San Joquin 477
Sagami 431
salinity 67 77 154 227
Saltkallefjord 352
Saronic 245
Sea 153 335
seagrass 528
seasons 102 147 175 227 245 391 404 406
sediments 137 297
sewage 72 140 245 335 384 392
silica 175 347 528
size composition 200
size dependent 466
Sound 404

- Southampton 394
- spatial distribution 542
- stochastic 477
- stress 88 528
- succession 200
- Suruga 431
- survival 237
- suspended solids 406
- Sweden 352
- symposium 137 297 335 341
- Taylor 102
- temperature 67 77 153 154 245 391 394
- temporal distribution 542
- Texar 314
- Texas 86 88 102
- time constants 347
- TOC 314
- Tokyo 431
- toxicity 107
- trace metals 72 137 394 528
- Trinity 86
- tropical 147
- turbidity 67
- turnover rates 394
- uptake rates 157 297
- urea 528
- vertical transport 297
- Vibrios 431
- Virginia 227
- wastes 86 102 137 227 245 342 384
- wetlands 528
- York 227

Zostera
- Bay 252
- Mangoku 252
- microbes 252
- nitrate 252
- nitrification 252
- N15 252
- Odawa 252
- reduction 252
- sediments 252
- Ura 252

Zostera marina
- biomass 336
- Estuary 336
- Grevelingen 336
- light 336
- Netherlands 336
- nutrients 336
- primary 336
- productivity 336
- water velocity 336